ACIS-X

Autonomous Credit Intelligence System

Event-Driven Credit Risk Intelligence for Modern Financial Systems

---

TEAM MEMBERS : Nikhil Nagendra , Nitin Bharadwaj M V S , Johan K George , Prasanna B Acharya

PROJECT GUIDE Prof. Pallavi K V (Department of CSE)

Abstract

The Challenge

Traditional credit monitoring systems rely on periodic evaluations and manual intervention, making them slow to respond to real-time financial risks.

Critical signals such as payment delays, litigation events, and financial deterioration are often detected too late, leading to poor credit decisions and increased default risk.

Our Approach

ACIS-X is an **event-driven** multi-agent system that continuously monitors customer financial behavior in **real time**.

It integrates internal transaction data with external intelligence sources such as financial reports and litigation signals.

Independent agents process events like invoices, payments, and external updates, dynamically generating **risk insights**.

A centralized aggregation mechanism combines these signals into a unified credit risk profile, enabling faster, **automated**, and intelligent decision-making.

ACIS-X transforms credit risk assessment from reactive analysis to real-time intelligent monitoring.

Problem Statement

Limitations of Traditional Credit Risk Systems

Delayed Risk Detection

Most systems rely on periodic evaluations, causing late identification of defaults and financial stress.

Fragmented Data Sources

Financial data, payment behavior, and external signals like litigation exist in isolation, preventing holistic risk assessment.

Reactive Decision-Making

Credit decisions are made after issues arise rather than predicting and preventing them in real time.

Lack of Real-Time Intelligence

Existing systems fail to process continuous streams of events such as payments, invoices, and external financial signals.

> **Current systems are reactive, slow, and disconnected — creating significant financial risk.**

Objectives

Develop a Real-Time Credit Monitoring System

Continuously track customer financial activities such as invoices and payments.

Implement Event-Driven Architecture

Enable dynamic processing of financial events using independent, scalable agents.

Integrate External Intelligence

Incorporate financial indicators and litigation signals to enhance risk visibility.

Generate Unified Risk Profiles

Combine multiple risk signals into a single, actionable credit score.

Enable Proactive Decision-Making

Allow early detection of risk and support timely credit and collection strategies.

Incorporate Self-Healing Mechanisms

Automatically detect system failures, performance issues, and overload conditions, and trigger recovery actions such as restart, scaling, or fallback.

> The goal is to shift from static credit evaluation to continuous, intelligent, and resilient risk monitoring.

Literature Review

Paper Title	Year	Author(s)	Source	Brief Description
Fraud Detection in Credit Risk Assessment Using Supervised Learning Algorithms	2024	Tianyi Xu	ResearchGate	Uses supervised ML models (Random Forest, SVM, Neural Networks) for fraud detection and credit risk prediction using historical financial datasets.
Credit Risk Prediction Using Machine Learning and Deep Learning	2024	Victor Chang et al.	MDPI – Risks Journal	Applies ML and deep learning models to predict credit defaults based on financial indicators and borrower behavior.
A Supervised ML Algorithm for Detecting Credit Card Fraud	2023	Afriyie et al.	ScienceDirect	Focuses on transaction-level fraud detection using classification algorithms such as Logistic Regression and Random Forest.
Financial Fraud Detection through Machine Learning: A Systematic Review	2024	Hernandez Aros et al.	Nature (Humanities & Social Sciences Communications)	Reviews over 100 ML-based fraud detection approaches, highlighting challenges like data imbalance and deployment limitations.
Credit Risk Modelling and Fraud Detection: A Comprehensive Review	2025	Various Authors	IJERT	Surveys evolution from statistical models to ML and deep learning techniques in credit risk analysis.
Explainability in Credit Scoring Models	2020	Sebastian Bücker et al.	arXiv	Discusses explainable AI techniques in credit scoring and challenges of balancing interpretability with model performance.
Event-Driven Architectures with Apache Kafka	2026	Mandloi et al.	International Journal of Computer Applications (IJCA)	Explores real-time event-driven systems using Kafka and their role in scalable data streaming and fraud detection pipelines.
Event-Driven Design for Agents and Multi-Agent Systems	2025	Sean Falconer	Confluent Whitepaper	Describes how event-driven architectures enable scalable communication and coordination in multi-agent systems.

Methodology

Horizontal pipeline from event generation to persistent risk intelligence

Data Generation

Synthetic customer profiles

Invoice lifecycle events

Payment transactions simulation

Event Stream (Kafka)

Topic-based event flow

Decoupled communication

Real-time streaming pipeline

System Orchestration

Dynamic agent discovery

Runtime agent registration

Flexible routing of events

Behavioral Analysis

CustomerStateAgent

Payment delay tracking

On-time ratio computation

Outstanding exposure calculation

Risk Aggregation

AggregatorAgent

Combines financial + litigation risk

Weighted risk computation

Produces unified risk score

Profile Generation

CustomerProfileAgent

Builds customer risk profile

Updates dynamic risk state

Enables decision-ready output

Storage Layer

DBAgent

Persistent storage of events

Risk history tracking

Queryable customer insights

Self-healing monitoring feedback

> ACIS-X processes continuous event streams to generate real-time, adaptive credit risk intelligence.

System Architecture

Decoupled, event-driven multi-agent architecture enabling real-time risk intelligence and system resilience.