

Task 1 - Git Workflow for Shopping Project

Developer 1: A. Shravya(23B81A05W7)

Developer 2: G. Dhruthi(23B81A05S9)

Developer 3: M. Sahithi(23B81A05W1)

ROLES

Developer 1: Repository Creation, Initial Setup, Merge, Reset & Revert Operations

Developer 2: Product Updates using Branching, Pull Request and Reset

Developer 3: Product Updates using Branching, Pull Request and Revert

Developer 1

I created a new folder named shopping-project and created a GitHub repository named:

shopping-project

Command: git init

I added Dhruthi and Sahithi as collaborators in the GitHub repository.

Collaborators and teams

**Public repository**
This repository is public and visible to anyone

Manage visibility

Direct access

2 entities have access to this repository. [2 collaborators](#).

Manage access

Add people

☐ Select all

Type ▾

☐

 **Dhruthi2006**
Collaborator



☐

 **mattelasahithi-2006**
Collaborator



Cloning Repository

All team members cloned the repository to their local systems.

Command: git clone <https://github.com/allamshravya02/shopping-project.git>

```
PROBLEMS OUTPUT TERMINAL PORTS POSTMAN CONSOLE DEBUG CONSOLE
● PS D:\23B81A05S9\Task 1> git --version
git version 2.54.0.windows.1
● PS D:\23B81A05S9\Task 1> git init
Initialized empty Git repository in D:/23B81A05S9/Task 1/.git/
● PS D:\23B81A05S9\Task 1> git clone https://github.com/allamshravya02/shopping-project.git
Cloning into 'shopping-project'...
warning: You appear to have cloned an empty repository.
```

Then I created products.txt and orders.txt using command : touch products.txt orders.txt

Adding Initial Product Data

```
products.txt M ● orders.txt M ●
products.txt
1 Laptop - ₹55000
2 Mouse - ₹700
3 Keyboard - ₹1200
4 Monitor - ₹12000
5 Headphones - ₹2500
6 Webcam - ₹1800
7 Printer - ₹8500
8 USB Cable - ₹300
9 External Hard Disk - ₹4500
10 Smartphone - ₹22000
11 Tablet - ₹18000
12 Bluetooth Speaker - ₹3200
orders.txt M ●
Order001 - Laptop
Order009 - External Hard Disk
Order002 - Mouse
Order011 - Tablet
Order003 - Keyboard
Order004 - Monitor
Order007 - Printer
Order005 - Headphones
Order006 - Webcam
Order008 - USB Cable
Order010 - Smartphone
Order012 - Bluetooth Speaker
```

Commit and Push to Main Branch

Commands:

git add .

git commit -m "Added initial product and order files"

```
Shravya@LAPTOP-HPB4BPOR MINGW64 ~/OneDrive/பொது/TrainingD2/shopping-project (main)
$ git add .

Shravya@LAPTOP-HPB4BPOR MINGW64 ~/OneDrive/பொது/TrainingD2/shopping-project (main)
$ git commit -m "First Commit"
[main (root-commit) d65d2b5] First Commit
2 files changed, 24 insertions(+)
create mode 100644 orders.txt
create mode 100644 products.txt

Shravya@LAPTOP-HPB4BPOR MINGW64 ~/OneDrive/பொது/TrainingD2/shopping-project (main)
$ git remote add origin https://github.com/allamshravya02/shopping-project.git

Shravya@LAPTOP-HPB4BPOR MINGW64 ~/OneDrive/பொது/TrainingD2/shopping-project (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 22 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 572 bytes | 572.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/allamshravya02/shopping-project.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

git push -u origin main

The screenshot shows the GitHub repository page for 'shopping-project' by user 'allamshravya02'. The repository is public. The main branch is selected. There are 2 branches and 0 tags. A recent merge pull request #2 from 'allamshravya02/update-orders' is shown, merged 1 minute ago with 5 commits. The commit history shows two commits: 'orders.txt' updated sequence 7 minutes ago, and 'products.txt' initial commit in ProductUpdate Branch 8 minutes ago. A README file is also visible.

Developer 2

Cloned then git repo from the remote repository to the local system

Updating the products.txt – Added more products

The screenshot shows a code editor with two tabs: 'products.txt' and 'orders.txt M'. The 'products.txt' tab is active, displaying a list of products and their prices in Indian Rupees (₹). The list is numbered 1 through 24.

```
1 Laptop - ₹55000
2 Mouse - ₹700
3 Keyboard - ₹1200
4 Monitor - ₹12000
5 Headphones - ₹2500
6 Webcam - ₹1800
7 Printer - ₹8500
8 USB Cable - ₹300
9 External Hard Disk - ₹4500
10 Smartphone - ₹22000
11 Tablet - ₹18000
12 Bluetooth Speaker - ₹3200
13 EarPhone - ₹500
14 Smartwatch - ₹4500
15 Smart TV - ₹35000
16 Gaming Console - ₹25000
17 Smartwatch - ₹4500
18 Smart TV - ₹35000
19 Gaming Console - ₹25000
20 Smartwatch - ₹4500
21 Smart TV - ₹35000
22 Gaming Console - ₹25000
23 Smartwatch - ₹4500
24 Smart TV - ₹35000
```

Created a branch productUpdate and committed the products.txt

```
MINGW64:/d/23B81A05S9/Task 1/shopping-project

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (main)
$ git init
Reinitialized existing Git repository in D:/23B81A05S9/Task 1/shopping-project/.git/

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (main)
$ git pull origin main
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 552 bytes | 23.00 KiB/s, done.
From https://github.com/allamshravya02/shopping-project
* branch          main      -> FETCH_HEAD
* [new branch]     main      -> origin/main

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (main)
$ git branch
* main

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (main)
$ git branch productUpdate

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (main)
$ git switch productUpdate
Switched to branch 'productUpdate'

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (productUpdate)
$ git branch
  main
* productUpdate


CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (productUpdate)
$ code .

CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (productUpdate)
$ git add .


CVR@203mb71 MINGW64 /d/23B81A05S9/Task 1/shopping-project (productUpdate)
```

Pushed it into repo


Created a pull request to merge the branch in remote repo.



Developer 1 merged the branch by accepting pull request



Deleted the productUpdate branch in remote repo



Developer 3

Cloned then git repo from the remote repository to the local system.

```
M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (main)
$ git pull origin main
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 552 bytes | 46.00 KiB/s, done.
From https://github.com/allamshravya02/shopping-project
* branch          main          -> FETCH_HEAD
* [new branch]     main          -> origin/main

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (main)
$ git branch update-orders
```

```
M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (main)
$ git switch update-orders
M
  orders.txt
Switched to branch 'update-orders'

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ code .

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git add .

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git commit -m "updated sequence"
[update-orders 4923d3f] updated sequence
1 file changed, 9 insertions(+), 9 deletions(-)
```

Updating the orders.txt – Updated orders in Sequential Order

```
products.txt  orders.txt M X
orders.txt
1  Order001 - Laptop
2  Order002 - Mouse
3  Order003 - Keyboard
4  Order004 - Monitor
5  Order005 - Headphones
6  Order006 - Webcam
7  Order007 - Printer
8  Order008 - USB Cable
9  Order009 - External Hard Disk
10 Order010 - Smartphone
11 Order011 - Tablet
12 Order012 - Bluetooth Speaker
```

Created a branch update-orders and committed the orders.txt

Pushed it into repo

Created a pull request to merge the branch in remote repo

The screenshot shows the GitHub interface for a repository named 'shopping-project' by user 'allamshravya02'. The 'Pull requests' tab is active, showing a list of pull requests. A message at the top encourages labeling issues and pull requests for new contributors. The pull request list shows one open pull request titled 'updated sequence' (#2) opened by 'mattelasahithi-2006' (Collaborator). The interface includes filters, search, and navigation options.

allamshravya02 / shopping-project

Label issues and pull requests for new contributors
Now, GitHub will help potential first-time contributors [discover issues](#) labeled with [good first issue](#)

Dismiss

Filters Labels 9 Milestones 0 [New pull request](#)

☐	1 Open	1 Closed	Author	Label	Projects	Milestones	Reviews	Assignee	Sort
☐	updated sequence #2 opened now by mattelasahithi-2006 Collaborator								

ProTip! Exclude your own issues with [-author:allamshravya02](#)

© 2026 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Community](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)



mattelasahithi-2006 commented 1 minute ago

Collaborator

...

sequence update

 1



 updated sequence

4923d3f



✓ No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)



mattelasahithi-2006 commented 1 minute ago

Collaborator

...

sequence update

 1



 updated sequence

4923d3f



✓ No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)

Deleted the update-orders branch in remote repo



Pull request successfully merged and closed

You're all set — the `update-orders` branch can be safely deleted.

Delete branch

RESET and REVERT

Incorrect Commit

One incorrect commit was intentionally made for practice.

Using Git Reset

The incorrect local commit was removed using git reset.

Command Used

git reset --soft

```

Dhruthi Gemanjyothi@Dhruthi_2006 MINGW64 /d/fsd/Task-1/shopping-project (main)
$ git log --oneline
4befe1f (HEAD -> main) 2nd commit
8e08cd8 (origin/main, origin/HEAD) Mistaked in main
aabe4a5 Merge pull request #2 from allamshravya02/update-orders
af03522 Merge pull request #1 from allamshravya02/productUpdate
4923d3f (origin/update-orders) updated sequence
046e72d Initial commit in ProductUpdate Branch
d65d2b5 First Commit

Dhruthi Gemanjyothi@Dhruthi_2006 MINGW64 /d/fsd/Task-1/shopping-project (main)
$ ^C

Dhruthi Gemanjyothi@Dhruthi_2006 MINGW64 /d/fsd/Task-1/shopping-project (main)
$ git reset 8e08cd8
Unstaged changes after reset:
M   products.txt

Dhruthi Gemanjyothi@Dhruthi_2006 MINGW64 /d/fsd/Task-1/shopping-project (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   products.txt

no changes added to commit (use "git add" and/or "git commit -a")

Dhruthi Gemanjyothi@Dhruthi_2006 MINGW64 /d/fsd/Task-1/shopping-project (main)
$

```

Explanation

This command removed the last commit while keeping the changes in the staging area.

Using Git Revert

A commit was reverted while preserving Git history.

Command Used

git revert Head


```

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ code .

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git add .

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git commit -m "corrected mistake"
[update-orders cdedb8e] corrected mistake
1 file changed, 2 insertions(+), 1 deletion(-)

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git log --oneline
cdedb8e (HEAD -> update-orders) corrected mistake
06b20bc Revert "corrected order number"
de07303 corrected order number
4923d3f (origin/update-orders) updated sequence
d65d2b5 (origin/main, main) First Commit

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git revert cdedb8e
[update-orders 5b8abd0] Revert "corrected mistake"
1 file changed, 1 insertion(+), 2 deletions(-)

M.SAHITHI@LAPTOP-1I84F96A MINGW64 /d/FSD-LAB/shopping-project (update-orders)
$ git log --oneline
5b8abd0 (HEAD -> update-orders) Revert "corrected mistake"
cdedb8e corrected mistake
06b20bc Revert "corrected order number"
de07303 corrected order number
4923d3f (origin/update-orders) updated sequence
d65d2b5 (origin/main, main) First Commit

```

Explanation

This command created a new commit that undid the changes of the previous commit without deleting commit history.