NAME: ALLAN NJUGUNA NGUGI
EMAIL: ngugiallan05@gmail.com
ADMISSION NUMBER: CS-SA12-26007

Table of Contents

Introduction 3

Task 3: UrlScan.io 3

Task 4: Abuse.ch 4

Task 5: PhishTool 11

Task 6: CISCO Talos Intelligence 19

Task 7: Scenario 1 22

Task 8: Scenario 2 25

Screenshot Showing Completion Module 30

Conclusion 30

Link Showing Completed Module 30

Introduction

Threat intelligence tools function as systems which gather and analyze data to establish connections between existing and potential cyber threats. The system enables SOC analysts and cybersecurity experts to study threat actors while recognizing IOCs and vulnerabilities and understanding attack patterns which they use to evaluate risks and choose the correct security measures.

Task 3: UrlScan.io

UrlScan.io is a free service that was developed to assist persons in scanning and analysing websites. It can provide info such as the domains; IP addresses affiliated with the URL and other metadata.



The answers to these questions were found in the image below:



The first question inquired on the cisco umbrella rank of Try Hack Me, which was 345612.

The second question was on the number of domains that UrlScan identified , which were 13.

The third question was on the main domain registrar identified, which was NAMECHEAP INC

The last question was on the main IP address identified for try hack me, which was 2606:4700:10::ac43:1b0a.

Task 4: Abuse.ch

The Institute for Cybersecurity and Engineering at Bern University of Applied Sciences in Switzerland operates Abuse.ch as a research project. The project developed operational platforms to study malware and botnet activities through its dedicated detection systems.


kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
SA1-2026: Assignment 1: Thre
TryHackMe | Threat Intelli
Reputation Lookup || Cisco Ta
Defang IP Addresses - CyberC
Talos File Reputation Lookup
tryhackme.com/room/threatinteltools
Room progress (95%)
2022-04-04 16:48 4b384810e05406b1c9299c6849b... Emotet epoch5 exe @Cryptolaemus1
2022-04-04 16:48 c6c40e3dfe8fe5804b9c0f44083d... Emotet epoch5 exe @Cryptolaemus1
2022-04-04 16:48 9f7c8aa9771dc4bf84c1e89ffe925... Emotet epoch5 exe @Cryptolaemus1
2022-04-04 16:48 8352cbe1ec1b6456f84a228d5cf1... Emotet epoch5 exe @Cryptolaemus1
2022-04-04 16:47 3e4c6644c58919fb1ce47c552744... Emotet epoch5 xls @Cryptolaemus1
Answer the questions below
The IOC 212.192.246.30:5555 is identified under which malware alias name on ThreatFox?
Katana
Correct Answer
Which malware is associated with the JA3 Fingerprint 51c64c77e60f3980eea90869b68c58a8 on SSL Blacklist?
Dridex
Correct Answer
From the statistics page on URLHaus, what malware-hosting network has the ASN number AS14061?
DIGITALOCEAN-ASN
Correct Answer
Which country is the botnet IP address 178.134.47.166 associated with according to FeodoTracker?
Georgia
Correct Answer
Task 5 PhishTool

Question 1



The answer was derived from ThreatFox service. Once I went to search or browse database, I went ahead and input the ioc:212.192.246.30:5555 and there was one output. Once I clicked on the malware part, I was able to see the malware alias name as shown below:


kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
SA1-2026: Assignment 1: Thre
TryHackMe | Threat Intelli
ThreatFox | Mirai
Threat Intelligence Tools— Sl
threatfox.abuse.ch/browse/malware/elf.mirai/
THREAT fox
from ABUSE.ch | SPAMHAUS
Browse IOCs
Share IOCs
IOC Requests
Access Data
FAQ
About
Login
You can also get this data through the ThreatFox API.
Database Entry
Malware: Mirai
Malware alias: Katana
First seen: 2020-12-27 07:34:56 UTC
Last seen: 2026-02-08 09:55:38 UTC
Number of IOCs: 25'797
Malpedia: https://malpedia.caad.fkie.fraunhofer.de/details/elf.mirai
# of IOCs
Indicators Of Compromise
https://threatfox.abuse.ch

Question 2


kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
SA1-2026: Assignment 1: Thre
TryHackMe | Threat Intellige
ThreatFox | Mirai
Threat Intelligence Tools— Sl
SSLBL | Malicious JA3 Fin
sslbl.abuse.ch/ja3-fingerprints/
SSL blacklist
from ABUSE.ch | SPAMHAUS
SSL Certificates
JA3 Fingerprints
Blacklist
Statistics
About
JA3 Fingerprints
Here you can browse a list of malicious JA3 fingerprints identified by SSLBL. JA3 is an open source tool used to fingerprint SSL/TLS client applications. In the best case, you can use JA3 to identify malware traffic that is leveraging SSL/TLS.
Caution!
The JA3 fingerprints below have been collected by analysing more than 25,000,000 PCAPs generated by malware samples. These fingerprints have not been tested against known good traffic yet and may cause a significant amount of FPs!
Show 50 entries
Search: 51c64c77e60f3980eea90869
Listing Date (UTC)
JA3 Fingerprint
Listing Reason
Malware Samples
2018-12-17 07:47:19
51c64c77e60f3980eea90869b68c58a8
Dridex
292'689
Showing 1 to 1 of 1 entries (filtered from 96 total entries)
Previous 1 Next
© abuse.ch 2026

The answer to this question is derived from the service SSL Blacklist. I clicked on the part of JA3 fingerprints; and input the JA3 fingerprint. Once I input, the output was derived as shown below:



Question 3



The answer was derived by moving to the URLhaus service. I then went to the access data tab as shown above; and went to the statistics page. I then used ctrl + F to search for the ASN number. The output is shown below:


URLhaus
Browse
Hunting Alerts
Access Data
FAQ
About
Login
ASN report for AS14061
You are viewing the database entry for AS14061 (DIGITALOCEAN-ASN).
Database Entry
AS number: AS14061
AS name: DIGITALOCEAN-ASN
Country: US
Total IPs observed: 12'416
Online malware site: 38 (0%)
Offline malware site: 67'920 (100%)
Oldest active malware site: None
Newest active malware site: None
Average takedown time: 7 days, 23 hours, 1 minutes - That's a very poor abuse desk reaction time!
First seen: 2018-03-14 07:54:01 UTC
Last seen: 2026-02-09 07:35:09 UTC
Data export: URLhaus ASN feed
# of new malware sites @AS14061

Question 4



The answer to question 4 was derived from Feodo Tracker. I clicked on the browse tab at the top as shown above, and put the IP address. The output showed that the country the botnet IP ddress is affiliated with is Georgia, as shown above, and the proof that it is Georgia, shown by the flag shown above, is as shown in the image below:

Task 5: PhishTool

This is a tool used to analyse emails; particularly those used in email phishing.


kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
SA1-2026: Assignment 1: Thr
TryHackMe | Threat Intelli
Reputation Lookup || Cisco Ta
Defang IP Addresses - Cyber
Talos File Reputation Lookup
tryhackme.com/room/threatinteltools
Room progress (95%)
Scenario
You are a SOC Analyst and have been tasked to analyse a suspicious email, Email1.eml. To solve the task, open the email using Thunderbird on the attached VM, analyse it and answer the questions below.
Answer the questions below
What social media platform is the attacker trying to pose as in the email?
LinkedIn
Correct Answer
What is the senders email address?
darkabutla@sc500.whpservers.com
Correct Answer
What is the recipient's email address?
cabbagecare@hotsmail.com
Correct Answer
What is the Originating IP address? Defang the IP address.
204[.]93[.]183[.]11
Correct Answer
How many hops did the email go through to get to the recipient?
4
Correct Answer
Task 6 Cisco Talos Intelligence

Question 1



LinkedIn was indeed the application that the attacker was trying to pose as

Question 2



The sender's email address was derived on the top left of that same email, as shown above.

Question 3



The recipient's email address was derived at the top left, just after the word 'to', as shown in the image above.

Question 4



In order to find the originating IP address of the email, I forst had to view the source page of this email, and I clicked on more tab then view source. The source page is shown below:



I was then able to get the ip address of the sender. But in able to defang it, I had to go to cyberchef to defang it and get the final answer. This is shown below:


Snipping Tool
New
Press ■ + Shift + S to start a snip
Defang IP Addresses - Cy
Download CyberChef
Last build: A day ago
Options
About / Support
JA3S Fingerprint
JA4 Fingerprint
JA4Server Fingerprint
HASSH Client Fingerprint
HASSH Server Fingerprint
Format MAC addresses
Change IP format
Group IP addresses
Encode NetBIOS Name
Decode NetBIOS Name
Defang URL
Fang URL
Defang IP Addresses
Language
Utils
Date / Time
Extractors
Compression
Hashing
Code tidy
Forensics
Multimedia
Defang IP Addresses
Input
204.93.183.11
Output
204[.]93[.]183[.]11
STEP
BAKE!
Auto Bake

Question 4



The email, as shown in the source page, went through four (4) hops in order for it to reach the recipient.

Task 6: CISCO Talos Intelligence

Cybersecurity and IT companies accumulate extensive data that can be utilized for threat analysis and intelligence purposes. Cisco established Cisco Talos as a dedicated security team that provides intelligence operational services while monitoring potential threats and developing protection methods based on data from its security systems. The platform is accessible via Talos Intelligence.



Question 1

The answer was derived by inputting the IP address that we got into the CISCO Talos Intelligence tool. The out put is shown in the image below:



Question 2

Since the WHOIS tab of the CISCO Talos Intelligence tool did not have any information, I did the WHOIS lookup and searched the IP address. The output is as shown below:



Task 7: Scenario 1

The task involved another phishing email, Email2.eml.



The recipient of the email address is found on the top left of the screen, as shown below:



For the second question, I viewed the source page and found the year as shown below:



Task 8: Scenario 2

This task involved analysing another phishing email, Email3.eml.



The name of the attachment was found on the bottom left of the email, as shown below:



The second question was on getting the malware family associated with the email. I first had to open the terminal and navigate to the email. I then generated a SHA256 hash for it, so that I could view the details using CISCO Talos Intelligence, as shown below:



Using the hash generated, I then used CISCO Talos Intelligence to view the details of the email, as shown below:



Security tools identify the malware family of a file using detection aliases: naming conventions assigned by antivirus providers. The file under analysis shows connection to the Dridex malware family through the identifiers Dridex.A.gen and Dridex.A.gen!Eldorado. Malware belonging to the Dridex faily is well known for use in banking information theft.

Screenshot Showing Completion Module



Conclusion

The Threat Intelligence Tools room shows how OSINT platforms work with Urlscan.io and Cisco Talos Intelligence and Abuse.ch and phishing analysis tools to enhance threat indicator investigations. The system provides a hands-on method for analysts to gather URL and IP and domain and email artifact data which will assist them in threat assessment. The available threat intel tools for analysts to use in their actual investigations begin with this first tool.

Link Showing Completed Module

https://tryhackme.com/p/ngugiallan05