

Twilio Field Guide

Most Twilio failures are a setting, not a bug. A number still points at the demo TwiML URL, a campaign never finished registering, a webhook has no fallback. Every script here is read only.

88 fixes, each one a written note with diagrams and a small Python and Node.js script that finds the problem and repairs it. All 88 have a script in the public repo.

Before you run anything. Every script starts in a dry run: it reports what it would change and writes nothing. Read that output first, then set `DRY_RUN=false` when you are satisfied it has understood your data.

Scripts: github.com/allanninal/twilio-fixes

Guides: allanninal.dev/twilio

All 14 repos: github.com/allanninal

The fixes

1 an approved brand with no trust score is throttled to the floor

Registration is finished. status reads APPROVED, the campaign is VERIFIED, numbers are registered, and messages queue up behind a throughput ceiling that nobody set. Sometimes a campaign is refused outright with "brand not qualified to run Campaign for AT&T". The field that explains all of it is `brand_score`, and it is null.

[twilio_a2p_brand_vetting_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-brand-missing-secondary-vetting/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-brand-missing-secondary-vetting>

2 an A2P brand stuck at FAILED blocks every campaign under it

Campaign creation keeps getting rejected and every US message comes back 30034, so the team keeps looking at the campaign. The campaign is not the problem: the brand above it is FAILED, nothing can attach to a failed brand, and the reason it failed has been sitting in `errors[]` on the brand resource since the day it was reviewed.

[twilio_a2p_brand_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-brand-registration-failed/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-brand-registration-failed>

3 an A2P brand parked at PENDING for weeks with no callback

There is no error to find. `errors[]` is empty, nothing is red in the console, and every US send still comes back 30034. The brand was submitted five weeks ago, the status callback fired into a service that had not been deployed yet, and since then status has read PENDING with nobody looking at it.

[twilio_a2p_brand_stall_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-brand-stuck-pending-review/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-brand-stuck-pending-review>

4 a SUSPENDED brand suspends every campaign underneath it

Nothing was deployed. Nothing was edited. Yesterday's traffic delivered and today every US message comes back 30033 with `campaign_status` reading SUSPENDED. Editing the campaign returns 21729, editing the brand returns 21731, and the reason both refuse is that the suspension is not on the campaign at all.

[twilio_a2p_brand_suspension_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-brand-suspended/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-brand-suspended>

5 brand failed 30799: the EIN does not match the legal name

The company has traded under one name since 2019 and everybody, including the people who filled in the registration, calls it that. The IRS calls it something else, ending in , Inc., and The Campaign Registry only reads the IRS. That single disagreement is 30799, and it is the reason behind most Standard brand rejections.

[twilio_a2p_brand_identity_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-brand-tax-id-legal-name-mismatch/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-brand-tax-id-legal-name-mismatch>

6 an a2p campaign parked at IN_PROGRESS is not a live campaign

Registration was submitted, the console went quiet, and three weeks later the launch shipped on the assumption that quiet meant done. It did not. `campaign_status` still reads IN_PROGRESS, `campaign_id` is still null, and every US message is coming back 30034. Nothing is broken. It simply was never approved.

[twilio_a2p_campaign_wait_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-campaign-stuck-in-progress/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-campaign-stuck-in-progress>

7 a suspended campaign returns 30033 and the sends keep coming

The suspension email went to the account owner's address, which forwards to a distribution list nobody reads. The send worker knows nothing about it: it dequeues, it calls the API, it gets a Message back with status undelivered and `error_code` 30033, and it retries. Four days later somebody notices, and by then the only question that matters — when did this start, and what has the code been doing since — is answerable only from the Messages list.

[twilio_a2p_campaign_suspension_report.py](#)

<https://www.allanninal.dev/twilio/a2p-campaign-suspended-30033/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-campaign-suspended-30033>

8 **a2p campaign is FAILED and errors[] names the rejected field**

The campaign was rejected in March. Somebody resubmitted the same description in April and it was rejected again. The reason was in the response both times: `errors[]` on the campaign carries a code, a sentence of English and the exact fields that triggered it — and the dashboard the team built reads `campaign_status` and stops there.

[twilio_a2p_campaign_vetting_audit.py](#)

<https://www.allanninal.dev/twilio/a2p-campaign-vetting-failed/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-campaign-vetting-failed>

9 **30022 when sends outrun the throughput the carrier assigned**

It only happens during the morning send. The same message, retried at lunchtime, delivers. So the bug report reads “intermittent SMS failures” and gets triaged as a Twilio problem, when 30022 is Twilio telling you precisely what it is: your combined send rate across the campaign went past a number the carrier assigned you, and that number is published on the campaign resource.

[twilio_a2p_throughput_report.py](#)

<https://www.allanninal.dev/twilio/a2p-throughput-exceeded-30022/>

<https://github.com/allanninal/twilio-fixes/tree/main/a2p-throughput-exceeded-30022>

10 **the account itself is suspended, so every send fails with 20005**

Everything stops at once. Messages, calls, number purchases, Verify starts — all of them come back 403 with 20005: Account not active, and the queued backlog dies behind them with 30002. The Console still loads, your dashboard still draws, and the API still answers questions about the account. It just will not do anything for it any more.

[twilio_account_status_audit.py](#)

<https://www.allanninal.dev/twilio/account-suspended-or-closed/>

<https://github.com/allanninal/twilio-fixes/tree/main/account-suspended-or-closed>

11 **an alphanumeric sender ID is unregistered where you send**

The launch in India went out on the same sender ID that has worked in Europe for two years. Every message came back 30041. The create calls all returned 201, the sender is configured on the Messaging Service, and the console shows nothing wrong — because the rejection happened at a carrier in Mumbai, long after Twilio accepted the request.

[twilio_alpha_sender_audit.py](#)

<https://www.allanninal.dev/twilio/alphanumeric-sender-id-unregistered/>

<https://github.com/allanninal/twilio-fixes/tree/main/alphanumeric-sender-id-unregistered>

12 **no API keys exist, so the auth token is the credential**

Every other note in this section tells you to run its script with an API Key that has read access rather than the account auth token. This is the one that explains why, and how to find out whether anything you run is still holding the token. Nothing is failing right now. That is the shape of the problem: it costs you nothing until the day you have to rotate, and then it costs you everything at once.

[twilio_credential_audit.py](#)

<https://www.allanninal.dev/twilio/auth-token-used-instead-of-api-key/>

<https://github.com/allanninal/twilio-fixes/tree/main/auth-token-used-instead-of-api-key>

13 **the balance is one busy hour from a 20005 suspension**

The account had ninety dollars on it, which had been plenty for eight months. Then a product launch put four times the usual traffic through it in one evening, the balance crossed zero somewhere around nine o'clock, and every send after that came back 20005. Nobody had done anything wrong. The number in Balance.json had simply stopped being large enough, and nothing in the system's job was to notice that.

[twilio_balance_runway.py](#)

<https://www.allanninal.dev/twilio/balance-below-safety-floor/>

<https://github.com/allanninal/twilio-fixes/tree/main/balance-below-safety-floor>

14 **error 21617: the rendered message body exceeds 1600 chars**

The template is fine. It has been fine for a year. Then one customer with a long company name, three line items and a German address renders past sixteen hundred characters, Twilio refuses the request with 21617, and that customer never receives the message. Their Message SID is not in your logs because there is no Message SID: the send was rejected before a resource was created, so it appears nowhere in the Messages list at all.

[twilio_body_length_audit.py](#)

<https://www.allanninal.dev/twilio/body-exceeds-1600-chars-21617/>

<https://github.com/allanninal/twilio-fixes/tree/main/body-exceeds-1600-chars-21617>

15 **a bundle is noncompliant on a field only Evaluations names**

The bundle has every document somebody could think of attached to it, and it still will not go anywhere. The status reads draft. Submitting bounces. Nothing says why, and the natural response is to attach another document and try again. Twilio already knows the answer: a machine evaluated the bundle against the regulation, found one attribute wrong, and wrote it down in a subresource that most teams never call.

[twilio_bundle_evaluation_audit.py](#)

<https://www.allanninal.dev/twilio/bundle-evaluation-noncompliant/>

<https://github.com/allanninal/twilio-fixes/tree/main/bundle-evaluation-noncompliant>

16 **a carrier blocks your caller ID and 32017 is the only notice**

Nothing on your side changed and one of your numbers stopped working. 32017 PSTN: Carrier blocked call due to calling number, clustered on one from and, at first, one carrier. There is no setting to correct and no ticket to file with Twilio, because the decision was made by an analytics provider on the terminating carrier's side using data you never see — except that you do see most of it, in your own call records, in the answer rate and the mean duration that earned the score.

[twilio_caller_id_reputation_audit.py](#)

<https://www.allanninal.dev/twilio/carrier-blocked-caller-id-32017/>

<https://github.com/allanninal/twilio-fixes/tree/main/carrier-blocked-caller-id-32017>

17 **carrier filtering drops your SMS silently with error 30007**

The API returned 201. The Message SID is in your logs. The status walked queued, sent, and then undelivered with error_code 30007, and the recipient saw nothing at all. You were billed for the attempt. No HTTP request failed, no webhook errored, nothing appeared in your exception tracker — a carrier, or Twilio itself, read the message and dropped it.

[twilio_filtered_messages_audit.py](#)

<https://www.allanninal.dev/twilio/carrier-filtered-messages-30007/>

<https://github.com/allanninal/twilio-fixes/tree/main/carrier-filtered-messages-30007>

18 **a conversation webhook with no URL fails every event: 50369**

The Debugger fills up with 50369, Conversation webhook URL not provided. The webhook resource exists. It is attached to the conversation, it has the right target, and it has been there since the integration was built. What it does not have is a URL, so every message added to that conversation raises an error and reaches nothing.

[twilio_conversation_webhook_audit.py](#)

<https://www.allanninal.dev/twilio/conversations-webhook-url-missing/>

<https://github.com/allanninal/twilio-fixes/tree/main/conversations-webhook-url-missing>

19 **recycled numbers send OTPs to whoever owns them now**

Every message says delivered. The password reset code, the appointment reminder, the balance alert — all of them accepted by the carrier, all of them handed to a handset. Just not the handset you think. The number was disconnected eleven weeks ago and reissued to somebody who has never heard of you, and your contact table has not noticed.

[twilio_deactivations_audit.py](#)

<https://www.allanninal.dev/twilio/deactivated-number-recycling/>

<https://github.com/allanninal/twilio-fixes/tree/main/deactivated-number-recycling>

20 **Dial rejected with 13214 on a passed-through caller ID**

Call forwarding works. It has worked all week. Then a handful of calls fail, and they fail without a pattern anyone can see — not one number, not one hour, not one destination. What they have in common is invisible from the outside: the inbound leg arrived carrying a caller ID the terminating carrier will not accept, your <Dial> passed it through unchanged, and Twilio logged 13214 Dial: Invalid callerId value against a call nobody was watching.

[twilio_dial_caller_id_audit.py](#)

<https://www.allanninal.dev/twilio/dial-invalid-caller-id-13214/>

<https://github.com/allanninal/twilio-fixes/tree/main/dial-invalid-caller-id-13214>

21 **US and Canadian numbers with no registered E911 address**

Nothing about this number looks wrong. It answers, it dials out, the webhooks are healthy, and it has been in production for a year. Then somebody on the sales floor dials 911 from a softphone. The call connects to a national emergency call centre with no idea where the caller is, an operator asks for an address the caller may not be able to give, and a \$75 pass-through charge turns up on a later invoice.

[twilio_emergency_address_audit.py](#)

<https://www.allanninal.dev/twilio/emergency-address-unregistered/>

<https://github.com/allanninal/twilio-fixes/tree/main/emergency-address-unregistered>

22 **a failed Event Streams sink drops events and nothing says so**

The dashboards flatlined a week ago and everyone assumed volume was down. It was not: an Event Streams sink stopped responding inside its timeout, Twilio marked it failed, and delivery stopped. Every message still sent, every call still connected, and nothing in the message or call logs changed — the only place this exists is a status field nobody polls.

[twilio_event_sink_audit.py](#)

<https://www.allanninal.dev/twilio/event-streams-sink-failed/>

<https://github.com/allanninal/twilio-fixes/tree/main/event-streams-sink-failed>

23 **Fraud Guard blocked the prefix, so real users get 60410**

Support has four tickets from one country, all saying the same thing: the code never arrives. Your logs show 60410, verification delivery attempt blocked. Nothing in the account changed, no carrier is down, and the numbers are ordinary mobiles. Fraud Guard is doing exactly what you asked it to do — it found pumping-shaped traffic on a number prefix and stopped sending there for twelve hours — and your real users happen to live on that prefix too.

[twilio_fraud_guard_block_audit.py](#)

<https://www.allanninal.dev/twilio/fraud-guard-blocking-prefix/>

<https://github.com/allanninal/twilio-fixes/tree/main/fraud-guard-blocking-prefix>

24 **a voice-only From number fails every SMS with error 21606**

The number works. People call it, the IVR answers, it has been on the account for two years. Then a new notification job starts sending from it and every single message is rejected with 21606: 'From' number is not a valid message-capable Twilio number for this account. Both halves of that sentence are load-bearing, and only one of them is about SMS.

[twilio_from_number_capability_audit.py](#)

<https://www.allanninal.dev/twilio/from-number-not-sms-capable/>

<https://github.com/allanninal/twilio-fixes/tree/main/from-number-not-sms-capable>

25 **phone numbers with no traffic still bill every month**

Nothing is broken. The invoice creeps up while message volume stays flat, and when somebody finally asks what the forty-one numbers on the account are for, the honest answer is that nobody knows. There is no error to search for, no alert to acknowledge — just a line item that has been quietly compounding since the last time anyone looked.

[twilio_idle_numbers_audit.py](#)

<https://www.allanninal.dev/twilio/idle-phone-numbers-billed/>

<https://github.com/allanninal/twilio-fixes/tree/main/idle-phone-numbers-billed>

26 **inbound SMS disappears into a number with no sms_url**

Outbound works perfectly. Replies do not arrive. There is no 4xx, no entry in the Debugger, no request in your access log — the inbound message is accepted by Twilio, matched to a number, and then delivered to nowhere. The STOP replies vanish the same way, which is the part that eventually costs money.

[twilio_inbound_route_audit.py](#)

<https://www.allanninal.dev/twilio/inbound-webhook-black-hole/>

<https://github.com/allanninal/twilio-fixes/tree/main/inbound-webhook-black-hole>

27 **SMS to a landline fails with 30006 and retrying never helps**

The same twelve numbers fail every night. error_code 30006, status undelivered, and a retry scheduled by a queue that assumes failures are temporary. They are not. Those numbers are desk phones, and no amount of retrying will make a desk phone receive an SMS — but you are billed for each attempt, and the customer is on your list as unreachable rather than as unreachable-by-this-channel.

[twilio_landline_audit.py](#)

<https://www.allanninal.dev/twilio/landline-destination-30006/>

<https://github.com/allanninal/twilio-fixes/tree/main/landline-destination-30006>

28 **messages stay queued or accepted and never reach a final state**

The send succeeded four hours ago. status is still queued. error_code is null, date_sent is null, and the status callback has never fired because nothing has happened to report. Nobody has been paged, because nothing has failed yet — and in six hours these will start failing with 30001 or expiring with 30036, long after the passcode they carry stopped being useful.

[twilio_stuck_messages_audit.py](#)

<https://www.allanninal.dev/twilio/messages-stuck-queued-or-accepted/>

<https://github.com/allanninal/twilio-fixes/tree/main/messages-stuck-queued-or-accepted>

29 **queue overflow 30001: a send loop outruns one long code**

The nightly job dispatched forty thousand messages in about eleven minutes, the way it always has. This time six thousand of them came back with error_code 30001, some of the rest were rejected at request time with 21611, and the ones that survived arrived the following afternoon. Nothing in the code changed. The list got longer, and a single long code can only send about one message a second.

[twilio_queue_overflow_audit.py](#)

<https://www.allanninal.dev/twilio/messaging-queue-overflow-30001/>

<https://github.com/allanninal/twilio-fixes/tree/main/messaging-queue-overflow-30001>

30 **an empty sender pool fails every send with error 21704**

The Messaging Service was created by a setup script in March. It has a friendly name, a SID your application has been passing on every send since, an inbound webhook, a status callback — and nothing in the sender pool. Every Messages.create against it comes back 21704, “The Messaging Service contains no phone numbers”, before a carrier is ever involved.

[twilio_sender_pool_audit.py](#)

<https://www.allanninal.dev/twilio/messaging-service-empty-sender-pool/>

<https://github.com/allanninal/twilio-fixes/tree/main/messaging-service-empty-sender-pool>

31 **no status callback means delivery failures never reach you**

Your dashboard says every message sent. Support says customers never got them. Both are true: Messages.create returned queued, your code wrote sent, and the undelivered that arrived ninety seconds later went to a status callback that was never configured. The 21610s, the 30007s and the 30034s exist, in Twilio's logs, where nothing you own is looking.

[twilio_delivery_observability_audit.py](#)

<https://www.allanninal.dev/twilio/messaging-service-no-status-callback/>

<https://github.com/allanninal/twilio-fixes/tree/main/messaging-service-no-status-callback>

32 **a Messaging Service with no A2P campaign fails US sends**

Staging was cloned from production last quarter and it has worked ever since — until the new tenant went live and every US message came back 30034. The brand is approved. The campaign is verified. Neither of them is attached to this Messaging Service, because A2P registration is per service and nobody registers the second one.

[twilio_a2p_registration_audit.py](#)

<https://www.allanninal.dev/twilio/messaging-service-not-a2p-registered/>

<https://github.com/allanninal/twilio-fixes/tree/main/messaging-service-not-a2p-registered>

33 **error 30019: the MMS is too big for the carrier, not for Twilio**

The image sends fine to your own phone. It sends fine to two of the three people who tested it. To the fourth it comes back undelivered with error_code 30019, content size exceeds carrier limit — and the file has not changed. Twilio's ceiling and the carrier's ceiling are different numbers, an order of magnitude apart, and only one of them rejects you up front.

[twilio_mms_size_audit.py](#)

<https://www.allanninal.dev/twilio/mms-content-size-exceeds-carrier-30019/>

<https://github.com/allanninal/twilio-fixes/tree/main/mms-content-size-exceeds-carrier-30019>

34 **no Usage Trigger, so overspend runs with nothing watching**

The invoice is for eleven thousand dollars. Most of it is SMS to a country you do not sell in, sent over a Saturday night by the verification form on your signup page. Nobody was paged, because there was nothing to page: Usage Triggers are the only spend alarm Twilio runs on its own side, and an account is created with none of them.

[twilio_usage_trigger_audit.py](#)

<https://www.allanninal.dev/twilio/no-usage-trigger-configured/>

<https://github.com/allanninal/twilio-fixes/tree/main/no-usage-trigger-configured>

35 **a number with an Application SID ignores its own voice_url**

You changed voice_url on the number this morning. You changed it again in the console an hour later and watched the page save. Calls keep arriving at an endpoint you retired last spring. Nothing is broken and nothing is cached — voice_application_sid is set on that number, and while it is, the field you keep editing is not read at all.

[twilio_number_app_precedence_audit.py](#)

<https://www.allanninal.dev/twilio/number-conflicting-url-and-application-sid/>

<https://github.com/allanninal/twilio-fixes/tree/main/number-conflicting-url-and-application-sid>

36 **a 10DLC number outside the sender pool is never registered**

Somebody bought a second number for the marketing send, because the support number was busy. The brand is APPROVED, the campaign is VERIFIED, so the number is registered — that is how everyone on the team understood it. Except registration does not attach to an account or to a brand. It attaches to numbers, one at a time, through the sender pool of the Messaging Service that carries the campaign, and this number was never added to one.

[twilio_10dlc_sender_pool_gap.py](#)

<https://www.allanninal.dev/twilio/number-missing-from-campaign-sender-pool/>

<https://github.com/allanninal/twilio-fixes/tree/main/number-missing-from-campaign-sender-pool>

37 **sends to recipients who texted STOP bounce with 21610**

Someone replied STOP four months ago. Twilio recorded it, blocked that sender from reaching them, and has been rejecting your sends with 21610 ever since. You were never charged, so nothing showed up on the bill; your send queue treated the rejection as a transient failure and retried; and the only place the whole story exists is the Messages list, which has no filter for it.

[twilio_opt_out_audit.py](#)

<https://www.allanninal.dev/twilio/opted-out-recipients-21610/>

<https://github.com/allanninal/twilio-fixes/tree/main/opted-out-recipients-21610>

38 a rising share of outbound calls end in status failed

Nobody can point at an error. Support says calls are not going through; the Debugger has its usual scattering of alerts and none of them is new; the code has not changed. What has changed is a ratio: the share of outbound calls ending in failed rather than completed. A ratio is not an event, so nothing raised it, and nothing will — you have to go and compute it.

[twilio_call_failure_rate_audit.py](#)

<https://www.allanninal.dev/twilio/outbound-call-failure-rate-spike/>

<https://github.com/allanninal/twilio-fixes/tree/main/outbound-call-failure-rate-spike>

39 outbound messaging is off, so every send fails with 30037

One tenant stopped receiving messages. Not slowly, not partially — every send from that subaccount comes back with `error_code=30037`, “outbound message not allowed”, while the other nineteen tenants on the same code, the same numbers and the same deploy are entirely unaffected. Nothing changed on your side, which is exactly what makes it hard to look for.

[twilio_outbound_disabled_audit.py](#)

<https://www.allanninal.dev/twilio/outbound-messaging-disabled-30037/>

<https://github.com/allanninal/twilio-fixes/tree/main/outbound-messaging-disabled-30037>

40 number webhooks on http, a private address or a dev tunnel

Somebody wired a number to `http://` eighteen months ago and it has worked ever since, which is the problem. Somebody else pointed one at the ngrok URL from their laptop to test an idea on a Friday. A third pointed one at `10.0.4.31`, copied from a staging config. Nothing about any of these appears in the Debugger until the day it breaks, and the first one never will.

[twilio_webhook_url_audit.py](#)

<https://www.allanninal.dev/twilio/phone-number-insecure-or-unreachable-webhook-url/>

<https://github.com/allanninal/twilio-fixes/tree/main/phone-number-insecure-or-unreachable-webhook-url>

41 a number with no fallback URL drops the call when yours 500s

Your webhook was down for ninety seconds during a deploy. Twilio requested it, got a 502, logged an 11200 and hung up on whoever was calling. There was a mitigation for exactly this, it costs one field on the number, and it is empty on every number you own.

[twilio_fallback_audit.py](#)

<https://www.allanninal.dev/twilio/phone-number-missing-fallback-url/>

<https://github.com/allanninal/twilio-fixes/tree/main/phone-number-missing-fallback-url>

42 a phone number still points at Twilio's demo TwiML

The number rings. It answers. It plays a cheerful message about Twilio and hangs up. Nothing appears in the Debugger, nothing appears in your logs, and every call in the console is marked completed — because the webhook Twilio fetched answered perfectly. It just was not yours.

[twilio_demo_twiml_audit.py](#)

<https://www.allanninal.dev/twilio/phone-number-still-on-demo-twiml/>

<https://github.com/allanninal/twilio-fixes/tree/main/phone-number-still-on-demo-twiml>

43 **20003 on a read key: dead credential or a real boundary**

Every other note in this section opens by telling you to run its script with an API Key that has read access. This is the one you run when that key comes back 401 with a body whose code is 20003, and you have to decide, before changing anything, whether the credential is broken or whether it just met a wall it was always going to meet.

[twilio_read_credential_check.py](#)

<https://www.allanninal.dev/twilio/read-credential-permission-denied/>

<https://github.com/allanninal/twilio-fixes/tree/main/read-credential-permission-denied>

44 **an approved regulatory bundle is counting down to expiry**

Eighteen months of German numbers working perfectly, and then one Tuesday they stop. Nothing was deployed. The bundle that proved your business address to the regulator reached its valid_until, flipped out of twilio-approved on its own, and the numbers attached to it are now non-compliant. There was a date, it was in the API the whole time, and nothing ever mentioned it.

[twilio_bundle_expiry_audit.py](#)

<https://www.allanninal.dev/twilio/regulatory-bundle-expiring/>

<https://github.com/allanninal/twilio-fixes/tree/main/regulatory-bundle-expiring>

45 **a rejected regulatory bundle blocks every number purchase**

A number that was available yesterday cannot be bought today, and the API is saying something about regulatory requirements rather than about the number. Nothing changed in your code. Somebody on Twilio's regulatory team opened the bundle that proves who you are to that country's regulator, read the documents attached to it, and refused them. That happened days ago, in a resource nobody on your team has a reason to open.

[twilio_bundle_rejection_audit.py](#)

<https://www.allanninal.dev/twilio/regulatory-bundle-rejected/>

<https://github.com/allanninal/twilio-fixes/tree/main/regulatory-bundle-rejected>

46 **REST concurrency exhausted, so bursts come back 20429**

The fan-out worked in staging with fifty recipients and fell over in production with fifty thousand. Not slowly: a wall of HTTP 429s with 20429 in the body, all at once, from a client that was doing nothing wrong except doing it all at the same moment. Retrying fixed it, which is exactly why the underlying number went unmeasured for another six months.

[twilio_concurrency_probe.py](#)

<https://www.allanninal.dev/twilio/rest-api-concurrency-exhausted/>

<https://github.com/allanninal/twilio-fixes/tree/main/rest-api-concurrency-exhausted>

47 **30035 and 30024 are a clock, not a configuration mistake**

The number was added to the Messaging Service an hour before the launch, which felt like plenty of margin. Sends come back 30035. Somebody removes the number and adds it again, because that is what you do when a config change did not take. The clock they were forty minutes from the end of has just been set back to zero, and they will do it twice more before the day is out.

[twilio_sender_provisioning_clock.py](#)

<https://www.allanninal.dev/twilio/sender-pending-carrier-provisioning/>

<https://github.com/allanninal/twilio-fixes/tree/main/sender-pending-carrier-provisioning>

48 **a short code used outside its own country fails 21612**

The short code has been delivering domestic traffic for two years at a throughput no long code can match. Then a customer in Canada is added to the same campaign and those messages come back 21612. Nothing changed about the short code, the Messaging Service or the campaign registration — the destination changed, and a short code is licensed for exactly one country.

[twilio_short_code_audit.py](#)

<https://www.allanninal.dev/twilio/shortcode-cross-border-sender-mismatch/>

<https://github.com/allanninal/twilio-fixes/tree/main/shortcode-cross-border-sender-mismatch>

49 **a SIP Domain with no auth_type accepts no traffic at all**

The domain exists. It has a name, it has a voice_url, it appears in the console alongside the ones that work, and it rejects every call. Not with a 500, not with a TwiML error, not with anything your application can see — the INVITE is refused at authentication, which happens before Twilio ever looks at the URL you configured. The domain looks provisioned because provisioning it and making it able to accept traffic are two different operations.

[twilio_sip_domain_auth_audit.py](#)

<https://www.allanninal.dev/twilio/sip-domain-no-auth-type/>

<https://github.com/allanninal/twilio-fixes/tree/main/sip-domain-no-auth-type>

50 **Dial fails with 32009 because the SIP endpoint is not there**

PSTN legs work. SIP legs fail. Same TwiML, same account, same day — the <Dial><Number> connects and the <Dial><Sip> beside it comes back 32009 The user you tried to dial is not registered with the corresponding SIP Domain. The error names the endpoint, which reads like it is the endpoint's fault, and about half the time it is not: the softphone is sitting there registered under a username that differs from the one your TwiML asks for by a letter or a capital.

[twilio_sip_registration_audit.py](#)

<https://www.allanninal.dev/twilio/sip-endpoint-not-registered-32009/>

<https://github.com/allanninal/twilio-fixes/tree/main/sip-endpoint-not-registered-32009>

51 **32011: Twilio cannot reach your SIP infrastructure**

Call setup gets slow, then calls stop. The trunk configuration has not been touched in months and does not need to have been: 32011 Error communicating with your SIP communications infrastructure means Twilio sent an INVITE to the address you gave it and got nothing back, or got a 5xx, or got something it could not make sense of. The change was on your side of the boundary, and it was probably a firewall rule, a TLS version, or a host that has quietly been carrying every origination URI on the trunk.

[twilio_trunk_origination_audit.py](#)

<https://www.allanninal.dev/twilio/sip-infrastructure-communication-error-32011/>

<https://github.com/allanninal/twilio-fixes/tree/main/sip-infrastructure-communication-error-32011>

52 SMS Geo Permissions are off for the destination country

The German customers onboarded this morning have received nothing. The same code, the same template and the same Messaging Service deliver perfectly at home. Every one of the failed messages carries 21408, and there is no setting you can read through the API to confirm why — SMS Geo Permissions is a console-only switch, in both directions.

[twilio_geo_permission_audit.py](#)

<https://www.allanninal.dev/twilio/sms-geo-permissions-disabled/>

<https://github.com/allanninal/twilio-fixes/tree/main/sms-geo-permissions-disabled>

53 SMS Pumping Protection blocks legitimate OTPs with 30450

The one-time passcodes were arriving. Then, for one country, they stopped: error_code 30450, a few hundred of them, over about twenty minutes. By the time the first support ticket reached anyone the sends had resumed on their own and every dashboard was green again. Nothing in your code changed, nothing in the account changed, and there is nothing left to point at — except a login page where a few hundred people could not get in.

[twilio_pumping_block_audit.py](#)

<https://www.allanninal.dev/twilio/sms-pumping-protection-30450/>

<https://github.com/allanninal/twilio-fixes/tree/main/sms-pumping-protection-30450>

54 years-old API keys are still live with nobody owning them

There are eleven keys on the account. Four have names. One of the unnamed ones was created in March 2023 by a contractor whose email address stopped working two years ago, and nobody can say what it authenticates. It has never expired, because Twilio keys do not. It has no last-used timestamp, because that field does not exist. And deleting it to find out will also invalidate every Access Token it ever signed.

[twilio_api_key_audit.py](#)

<https://www.allanninal.dev/twilio/stale-or-orphaned-api-keys/>

<https://github.com/allanninal/twilio-fixes/tree/main/stale-or-orphaned-api-keys>

55 status callback failures with 11200 leave delivery state blind

Support says the customer never got the text. Your dashboard agrees: the row still reads queued, hours later. Then you open the Twilio Console, paste the Message SID, and it says delivered — forty seconds after you sent it. Nothing was lost. Twilio tried to tell you, your endpoint returned something other than a 2xx, and the update went in the bin along with every other one that day.

[twilio_status_callback_audit.py](#)

<https://www.allanninal.dev/twilio/status-callback-webhook-failing-11200/>

<https://github.com/allanninal/twilio-fixes/tree/main/status-callback-webhook-failing-11200>

56 a Studio Flow left in draft, so your edits are live nowhere

Someone opened the Flow, moved a widget, changed the greeting, saved, and tested it from their own handset. It worked. Two weeks later a customer quotes the old greeting back at you. Nothing failed, nothing was rolled back, and the Console still shows the new version exactly as it was left — because the Console shows the draft, and every real caller is running the last revision somebody pressed Publish on.

[twilio_studio_draft_audit.py](#)

<https://www.allanninal.dev/twilio/studio-flow-draft-not-published/>

<https://github.com/allanninal/twilio-fixes/tree/main/studio-flow-draft-not-published>

57 **a published Studio Flow that no phone number points at**

The Flow is built, published, and correct. Its Executions tab is empty, and it has been empty since the day it was created. Meanwhile the support line still plays whatever it played last year, because publishing a Flow tells Studio the definition is live — it does not tell a single phone number to send anything to it.

[twilio_studio_wiring_audit.py](#)

<https://www.allanninal.dev/twilio/studio-flow-not-wired-to-number/>

<https://github.com/allanninal/twilio-fixes/tree/main/studio-flow-not-wired-to-number>

58 **a suspended subaccount, so one tenant's traffic 20005s**

One customer opens a ticket saying none of their messages have gone out since Thursday. Every other customer is fine. The parent account dashboard is green, the balance is healthy, the Debugger is quiet, and the only thing wrong is a three-letter field on a resource nobody on the team has read since the tenant was provisioned: that subaccount's status is suspended, and Twilio told nobody.

[twilio_subaccount_status_audit.py](#)

<https://www.allanninal.dev/twilio/subaccount-suspended-silently/>

<https://github.com/allanninal/twilio-fixes/tree/main/subaccount-suspended-silently>

59 **an unverified toll-free number is blocked, not throttled**

Toll-free was the easy option: no brand, no campaign, no EIN, buy the number and send. That stopped being true on 31 January 2024. Unverified toll-free traffic to US and Canadian mobiles is now blocked outright rather than throttled, every message comes back 30032, and you are still billed for the attempts.

[twilio_tollfree_verification_audit.py](#)

<https://www.allanninal.dev/twilio/tollfree-number-not-verified/>

<https://github.com/allanninal/twilio-fixes/tree/main/tollfree-number-not-verified>

60 **a rejected toll-free verification is fixable or it is not**

The verification was filed, it came back TWILIO_REJECTED, somebody read the prose, changed a sentence in the use-case summary and resubmitted. It was rejected again. The reason is a code, the code says the business category is one Twilio will not carry on US and Canadian SMS routes at all, and no edit to the summary was ever going to change that. Meanwhile the window in which cheap edits were possible has been spent on them.

[twilio_tollfree_rejection_audit.py](#)

<https://www.allanninal.dev/twilio/tollfree-verification-rejected/>

<https://github.com/allanninal/twilio-fixes/tree/main/tollfree-verification-rejected>

61 **a trial account rejects multi-segment messages with 30044**

“Test” sends. “Your verification code is 481920” sends. The real welcome message, the one with the customer's name and a link and a single cheerful emoji at the end, comes back undelivered with error_code=30044. Everyone's first theory is the link. It is not the link.

[twilio_trial_segment_audit.py](#)

<https://www.allanninal.dev/twilio/trial-account-segment-limit-30044/>

<https://github.com/allanninal/twilio-fixes/tree/main/trial-account-segment-limit-30044>

62 a production integration is still running on a trial account

The integration works. It has worked for weeks, on the developer's phone and on the tester's phone, and every message arrived. Then it goes in front of real users and most of them get nothing at all, while the few that do get a message find it starts with the words Sent from your Twilio trial account. Nobody chose this. The account was made for a spike, the spike became the product, and no one step in that sequence was the moment to upgrade.

[twilio_trial_account_audit.py](#)

<https://www.allanninal.dev/twilio/trial-account-still-in-use/>

<https://github.com/allanninal/twilio-fixes/tree/main/trial-account-still-in-use>

63 the trial account's three verified numbers are spent

It works on your phone. It has always worked on your phone. A colleague joins the project, adds their number to the test list, and gets nothing at all — 21608, on a number that is switched on, in coverage, and perfectly capable of receiving messages from everyone else. Nothing changed in the code between the two runs. What changed is that the account had already spent the three verifications it was ever going to get.

[twilio_verified_caller_ids_audit.py](#)

<https://www.allanninal.dev/twilio/trial-verified-caller-ids-exhausted/>

<https://github.com/allanninal/twilio-fixes/tree/main/trial-verified-caller-ids-exhausted>

64 a trunk sheds calls at its CPS limit and the average hides it

The dialer starts a campaign and the first second of it is thrown away. 32001 SIP: Trunk CPS limit exceeded, a hundred of them, and then nothing for an hour. Anybody who looks at the hourly call rate sees a number well under the limit and concludes the limit is not the problem. It is: a ceiling measured per second cannot be checked against a rate measured per hour, and every graph you own is drawn at the wrong resolution to show it.

[twilio_trunk_cps_audit.py](#)

<https://www.allanninal.dev/twilio/trunk-cps-limit-exceeded-32001/>

<https://github.com/allanninal/twilio-fixes/tree/main/trunk-cps-limit-exceeded-32001>

65 a SIP trunk with no disaster recovery URL loses every call

The trunk works. It has worked for a year. Then the PBX reboots, or the firewall rule expires, or the datacentre link flaps for four minutes, and every inbound call in those four minutes is dropped at Twilio — not sent to voicemail, not answered by an apology, dropped. The field that would have caught them is empty, and it has always been empty, because nothing ever asked you to fill it in.

[twilio_trunk_dr_audit.py](#)

<https://www.allanninal.dev/twilio/trunk-missing-disaster-recovery-url/>

<https://github.com/allanninal/twilio-fixes/tree/main/trunk-missing-disaster-recovery-url>

66 **one rejected Trust Hub profile fails brands and toll-free**

Two people are debugging two problems. One is on the A2P brand, which came back with a code about business identity. The other is on a toll-free verification, rejected for reasons about the business name. They are not related in any dashboard, they are being worked in separate tickets, and they are the same failure: the Trust Hub Customer Profile both of them were built from was rejected, and every product that hangs off it is failing in its own vocabulary.

[twilio_customer_profile_audit.py](#)

<https://www.allanninal.dev/twilio/trusthub-customer-profile-rejected/>

<https://github.com/allanninal/twilio-fixes/tree/main/trusthub-customer-profile-rejected>

67 **Twiml that is not well-formed XML fails with 12100**

The caller hears “an application error has occurred” and the line goes dead. Your handler ran, returned 200, and logged nothing unusual. Twilio logged 12100 Document parse failure, which means an XML parser looked at what you sent and refused it — and the usual reason is a single blank line that no code review will ever show you.

[twilio_twiml_parse_audit.py](#)

<https://www.allanninal.dev/twilio/twiml-document-parse-failure-12100/>

<https://github.com/allanninal/twilio-fixes/tree/main/twiml-document-parse-failure-12100>

68 **a Twiml response over 64 kB drops the call with 11750**

11750 Twiml response body too large reads like a capacity problem, so people go looking for the enormous document they must have generated. Usually there isn't one. The handler threw, the framework returned its debug page, and a stack trace with syntax highlighting and every local variable inlined sails past 64 kB without difficulty.

[twilio_twiml_size_audit.py](#)

<https://www.allanninal.dev/twilio/twiml-response-body-too-large-11750/>

<https://github.com/allanninal/twilio-fixes/tree/main/twiml-response-body-too-large-11750>

69 **one smart quote triples your segment count and your bill**

Nothing failed. Every message says delivered, every customer got it, and the only thing that changed is the invoice: the SMS line is three times what it was on the same send volume. Somewhere in a template, an edit made in a rich text box replaced a straight apostrophe with a curly one. Every message that template renders now costs three segments instead of one, and there is no error code anywhere in the account to say so.

[twilio_segment_audit.py](#)

<https://www.allanninal.dev/twilio/ucs2-segment-inflation/>

<https://github.com/allanninal/twilio-fixes/tree/main/ucs2-segment-inflation>

70 **error 30005 is permanent: the carrier has no such number**

The same number fails every campaign. Every time, undelivered, error_code 30005, and every time the retry queue picks it up again because the handler that wrote it treated 30005 the way it treats 30003. It is not the same thing. The carrier is not saying the handset was busy; it is saying it has never heard of that number.

[twilio_dead_number_audit.py](#)

<https://www.allanninal.dev/twilio/unknown-destination-handset-30005/>

<https://github.com/allanninal/twilio-fixes/tree/main/unknown-destination-handset-30005>

71 **error 30003 is a handset that is off, not a dead number**

The send succeeded. The status walked queued, sent, then undelivered with error_code 30003, and the docs say the handset was unreachable — powered off, out of coverage, roaming. That is usually true and usually fixes itself. It is also exactly what a carrier block looks like from the outside, and the difference is arithmetic you have to do yourself.

[twilio_unreachable_handset_audit.py](#)

<https://www.allanninal.dev/twilio/unreachable-destination-handset-30003/>

<https://github.com/allanninal/twilio-fixes/tree/main/unreachable-destination-handset-30003>

72 **recordings billed for storage until something deletes them**

Somebody enabled recording on a support line in 2022, wrote the code that downloads each file into your own bucket, and never wrote the line that deletes the Twilio-side copy. Every one of those recordings is still there. You are paying to store all of them, every month, and the charge is a small enough line on the invoice that it has survived four years of expense reviews.

[twilio_recording_storage_audit.py](#)

<https://www.allanninal.dev/twilio/unreleased-recordings-storage/>

<https://github.com/allanninal/twilio-fixes/tree/main/unreleased-recordings-storage>

73 **error 30036: messages expire in the queue before they send**

The messages were accepted. They were never sent. error_code 30036 means the message sat in the sender's queue until its ValidityPeriod ran out and Twilio dropped it — a deadline your own code set, enforced against a queue whose depth your own code did not know.

[twilio_validity_period_audit.py](#)

<https://www.allanninal.dev/twilio/validity-period-expired-30036/>

<https://github.com/allanninal/twilio-fixes/tree/main/validity-period-expired-30036>

74 **a Verify Service issuing four-digit codes to production**

Nothing is failing. Codes arrive, users type them in, verifications approve, and conversion rate is flat and healthy. The only thing to notice is one integer in the Service resource, set during the first week of the integration when a four-digit code was faster to read off a phone during QA — and that has been the length of every code you have sent since.

[twilio_verify_code_length_audit.py](#)

<https://www.allanninal.dev/twilio/verify-code-length-too-short/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-code-length-too-short>

75 **Verify conversion collapses in one country: SMS pumping**

The Verify bill for the month is five times last month's. Nothing is failing: no 4xx, no error code, no delivery problem, no support tickets. The sends are being accepted, delivered and charged exactly as designed. The only thing that changed is that in one country almost nobody types the code in any more — and that single number is the difference between a growth spurt and somebody quietly farming your signup form.

[twilio_verify_conversion_audit.py](#)

<https://www.allanninal.dev/twilio/verify-conversion-rate-collapse/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-conversion-rate-collapse>

76 **OTP codes sent without the do-not-share warning line**

Somebody phoned your customer, said they were from your support team, told them there was a suspicious login and that a code was on its way to confirm it was really them. The code arrived, on time, from your number, saying nothing except what the code was. The customer read it out. Nothing in that message gave them a reason not to.

[twilio_verify_warning_audit.py](#)

<https://www.allanninal.dev/twilio/verify-do-not-share-warning-off/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-do-not-share-warning-off>

77 **60202: a verification that burned all five check attempts**

The support ticket says the code does not work. It does work; the user is holding the right one. Somewhere between the key-pad and your server the five checks that verification was allowed have already been spent, the verification has moved to `max_attempts_reached`, and every further attempt returns 60202 until it expires. The screen offers a Verify button that can no longer do anything.

[twilio_verify_check_attempts_audit.py](#)

<https://www.allanninal.dev/twilio/verify-max-check-attempts/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-max-check-attempts>

78 **60203: a resend button with no cooldown burns five sends**

SMS took eleven seconds to arrive, so the user pressed Resend. Then again. Then once more, because the first three had not landed yet either — they had, all four of them, in a burst, several seconds after the fourth press. Now 60203 comes back, the button does nothing, and you have paid for four messages to deliver one code.

[twilio_verify_send_attempts_audit.py](#)

<https://www.allanninal.dev/twilio/verify-max-send-attempts/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-max-send-attempts>

79 **a Verify Service with zero rate limits configured**

Verify looks protected. There is a limit on how often one phone number can be sent a code, and you have seen 60212 in the logs, so something is clearly throttling something. Then a scripted signup endpoint sends ten thousand verifications to ten thousand different numbers from a single host, hits no limit at all, and the invoice explains why: the protection you were relying on is keyed on the destination, and the attacker changes the destination every time.

[twilio_verify_rate_limit_audit.py](#)

<https://www.allanninal.dev/twilio/verify-no-rate-limits/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-no-rate-limits>

80 **Verify sends SMS to a landline: 60205, or just silence**

A small, stubborn fraction of your signups never complete. They are not bots, they do not retry three times and give up, and support cannot reproduce any of it. The numbers look fine: right length, right country, valid E.164. They are landlines. An SMS to a landline either comes back 60205 or, if Lookup is off, disappears into a verification that stays pending until it expires — billed, delivered nowhere.

[twilio_verify_landline_audit.py](#)

<https://www.allanninal.dev/twilio/verify-sms-to-landline/>

<https://github.com/allanninal/twilio-fixes/tree/main/verify-sms-to-landline>

81 **twilio cannot open a TCP connection to your webhook (11205)**

You have the URL open in a browser tab and it works. Curl works. The health check is green. And the Twilio Debugger is filling with 11205 HTTP connection failure for that exact URL, while your access log has no entry for it at all — not a 500, not a 404, nothing. The request never arrived, because the connection was never opened.

[twilio_webhook_timeout_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-connection-timeout-11205/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-connection-timeout-11205>

82 **a webhook hostname with no public DNS record fails with 11210**

It worked on the laptop it was written on. It worked in staging. It reached production and every inbound call to that number now produces 11210 HTTP bad host name, because the hostname in the webhook resolves through an /etc/hosts line, an internal zone, or a tunnel that died when someone closed a terminal. Twilio resolves from the public internet and gets nothing back.

[twilio_webhook_dns_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-dns-resolution-failure-11210/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-dns-resolution-failure-11210>

83 **error 11206: Twilio cannot parse your webhook's HTTP response**

Your access log shows 200 for the request. Your framework's own instrumentation shows the handler completed in nine milliseconds and returned valid TwiML. And Twilio recorded 11206 HTTP protocol violation for that exact request, which is not a complaint about your status code or your XML — it is Twilio saying that the bytes coming back were not a well-formed HTTP response at all.

[twilio_webhook_protocol_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-http-protocol-violation-11206/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-http-protocol-violation-11206>

84 **a TwiML response with the wrong Content-Type fails with 12300**

You paste the URL into a browser and the TwiML is right there, well-formed, exactly what you meant to send. Twilio disagrees: 12300 Invalid Content-Type, and the call ends. Nothing is wrong with the document. The rejection happened on a header, before Twilio looked at a single byte of the body.

[twilio_content_type_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-invalid-content-type-12300/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-invalid-content-type-12300>

85 **signature validation rejects Twilio with 403 behind a proxy**

It works on the laptop with the tunnel running. It works in staging. Then it goes behind the load balancer and every Twilio request comes back 403 from your own middleware — the code you added to keep other people out. Twilio logs it as 11200, exactly like a 404 or a crash, and the Debugger row looks the same as every other retrieval failure on the account.

[twilio_signature_403_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-signature-validation-403-behind-proxy/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-signature-validation-403-behind-proxy>

86 **an expired webhook certificate fails every request with 11236**

At 14:07 UTC everything was fine. At 14:08 every webhook on one hostname started failing with 11236 Certificate Invalid - Certificate Expired, and it has not stopped since. No deploy went out. No configuration changed. A renewal job stopped working ninety days ago and nobody noticed, because a certificate does not degrade — it works perfectly until the second it does not.

[twilio_webhook_cert_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-tls-certificate-expired-11236/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-tls-certificate-expired-11236>

87 **error 11237: your webhook sends a chain Twilio cannot verify**

The certificate is valid. It was issued last week, it does not expire for a year, and every browser in the office shows a padlock. Twilio still refuses it with 11237 Certificate Invalid - Could not find path to certificate, because your server is sending one certificate where it should be sending two, and the browsers have been quietly covering for it since the day it was installed.

[twilio_webhook_chain_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-tls-chain-untrusted-11237/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-tls-chain-untrusted-11237>

88 **error 11220: the TLS handshake with your webhook never completes**

You paste the webhook URL into a browser and it loads, padlock and all. You run curl against it and get your TwiML back. And the Debugger keeps filling with 11220 SSL/TLS Handshake Error for that exact URL. Nothing is wrong with the certificate, because nothing ever got as far as looking at the certificate — the two ends could not agree on how to talk before either of them said who they were.

[twilio_tls_handshake_audit.py](#)

<https://www.allanninal.dev/twilio/webhook-tls-handshake-failure-11220/>

<https://github.com/allanninal/twilio-fixes/tree/main/webhook-tls-handshake-failure-11220>
