

Slack Field Guide

Slack answers almost everything with HTTP 200 and puts the failure in the body as `ok: false`, so a bot that never posted looks like one that did. Every script here is read only.

108 fixes, each one a written note with diagrams and a small Python and Node.js script that finds the problem and repairs it. All 108 have a script in the public repo.

Before you run anything. Every script starts in a dry run: it reports what it would change and writes nothing. Read that output first, then set `DRY_RUN=false` when you are satisfied it has understood your data.

Scripts: github.com/allanninal/slack-fixes

Guides: allanninal.dev/slack

All 14 repos: github.com/allanninal

The fixes

1 **accesslimited: the right token from the wrong network**

The token works. Someone pastes the same curl into their laptop terminal and it comes back `ok: true`, in front of witnesses. The identical command in the production container answers `{"ok": false, "error": "accesslimited"}`, and the deploy that shipped an hour earlier gets blamed for it.

[slack_egress_allowlist.py](#)

<https://www.allanninal.dev/slack/accesslimited-ip-allowlist/>

<https://github.com/allanninal/slack-fixes/tree/main/accesslimited-ip-allowlist>

2 **account_inactive: the installer left and took the token**

The nightly export ran for two years and stopped on a Tuesday. Nothing was deployed, no scope changed, the app is still listed in the workspace. The error is `{"ok": false, "error": "account_inactive"}`, and the explanation is in the HR system rather than yours: the engineer who installed the app in 2024 left the company on Monday, and SSO deprovisioning deactivated her account overnight.

[slack_installer_account_watch.py](#)

<https://www.allanninal.dev/slack/account-inactive/>

<https://github.com/allanninal/slack-fixes/tree/main/account-inactive>

3 **admin.* needs a user token your install never stored**

The scope is granted. You can see it in the app configuration, you added it deliberately, and the install went through without complaint: `admin.apps:read`, right there on the list. And `admin.apps.approved.list` comes back `{"ok": false, "error": "not_allowed_token_type"}` every single time.

[slack_admin_credential.py](#)

<https://www.allanninal.dev/slack/admin-method-needs-user-token/>

<https://github.com/allanninal/slack-fixes/tree/main/admin-method-needs-user-token>

4 **app_access_restricted: an admin blocked the app for a user**

The bug report says the app is broken. The dashboard says the app is fine. Both are right: 340 people used it this week and four did not, and the four are all in the same customer's org, and one of them is the person who filed the ticket.

[slack_app_restriction.py](#)

<https://www.allanninal.dev/slack/app-access-restricted/>

<https://github.com/allanninal/slack-fixes/tree/main/app-access-restricted>

5 **views.publish succeeds and the Home tab is switched off**

The dashboard is finished. Four sections, a refresh button, a chart that took a fortnight, and `views.publish` returns `{"ok": true}` with a view object and a real view id every single time it runs. You open the app in Slack to admire it and there is no Home tab on the profile at all — just About, and a Messages tab you never asked for.

[slack_home_tab.py](#)

<https://www.allanninal.dev/slack/app-home-tab-disabled/>

<https://github.com/allanninal/slack-fixes/tree/main/app-home-tab-disabled>

6 **Socket Mode never connects: the xapp- token is underscoped**

The process starts, Bolt announces that it is connecting, and then it retries. Forever. No events arrive, nothing crashes, and the only line in the log that matters is `missing_scope` from `apps.connections.open` — a method your read-only audit script is not allowed to call, because opening a connection is a write.

[slack_socket_readiness.py](#)

<https://www.allanninal.dev/slack/app-level-token-missing-connections-write/>

<https://github.com/allanninal/slack-fixes/tree/main/app-level-token-missing-connections-write>

7 **One mention, two events: app_mention and message both fire**

Somebody types `@deploybot status` and the bot answers, and then answers again, with the identical text, so fast that the two replies land in the same visual block in the client. It happens every time, for everyone, in every channel. It is not flaky and it is not load: it is exactly two, always.

[slack_event_overlap_audit.py](#)

<https://www.allanninal.dev/slack/app-mention-vs-message-double-fire/>

<https://github.com/allanninal/slack-fixes/tree/main/app-mention-vs-message-double-fire>

8 Add to Slack works in one workspace and nowhere else

The pilot customer said yes on a Tuesday and asked for the install link. Somebody pasted the “Add to Slack” URL from the README, the customer's admin clicked it, and Slack showed an error page instead of a permissions screen.

[slack_distribution_readiness.py](#)

<https://www.allanninal.dev/slack/app-not-distributed/>

<https://github.com/allanninal/slack-fixes/tree/main/app-not-distributed>

9 Approved in 37 workspaces and restricted in three

Installs from one customer stopped six weeks ago. Not failed — stopped. There is no error in your logs, because the request that would have produced one was never made: the person clicking Add to Slack is told by Slack that an administrator has to approve this, and whatever happens next happens entirely inside the customer's organization.

[slack_app_approval_map.py](#)

<https://www.allanninal.dev/slack/app-restricted-by-admin/>

<https://github.com/allanninal/slack-fixes/tree/main/app-restricted-by-admin>

10 The install store keeps rows for uninstalled workspaces

The nightly digest job iterates four hundred installations and logs a hundred and twenty errors. It has done that every night for eleven months. Nobody looks at the log any more, because the log is a hundred and twenty lines of token_revoked followed by the two lines that actually matter, and after the fourth week of that you stop scrolling.

[slack_install_store_sweep.py](#)

<https://www.allanninal.dev/slack/app-uninstalled-orphan-install-record/>

<https://github.com/allanninal/slack-fixes/tree/main/app-uninstalled-orphan-install-record>

11 is_archived: the target channel was archived months ago

Nobody filed a ticket, because nothing looks broken. The channel is still there if you search for it, the ID in the config still resolves, and conversations.info still answers ok: true. What changed is one boolean inside that response, set during a reorganization in March, and every alert since has been refused on the way in.

[slack_archived_target_sweep.py](#)

<https://www.allanninal.dev/slack/archived-channel-target/>

<https://github.com/allanninal/slack-fixes/tree/main/archived-channel-target>

12 One event, many installs: authorizations:read fans it out

Support says the bot only works for some customers. Your logs disagree: every event was received, handled, and acknowledged, with no errors on any of them. Both are true. Slack delivered one event that several installations should have seen, your handler processed it for the one workspace named in the payload, and nothing anywhere recorded the ones it skipped.

[slack_event_fanout_audit.py](#)

<https://www.allanninal.dev/slack/authorizations-read-missing/>

<https://github.com/allanninal/slack-fixes/tree/main/authorizations-read-missing>

13 **Blocks with no fallback text, so notifications are blank**

Somebody says the bot's alerts are useless on their phone. You open the channel and the messages are perfect: headers, coloured context lines, a button. You open the API logs and every call returned ok: true. Nothing has ever errored.

[slack_fallback_text.py](#)

<https://www.allanninal.dev/slack/blocks-without-text-fallback/>

<https://github.com/allanninal/slack-fixes/tree/main/blocks-without-text-fallback>

14 **The bot joined 4,000 channels and the nightly sweep dies**

The job that enumerates the bot's channels used to take four seconds. It now takes eleven minutes, and last Tuesday it stopped taking any time at all because it died on ratelimited before it finished. Nothing in the code changed. Nothing is mis-configured. The bot is a member of every channel it is a member of, legitimately, because an onboarding automation has been inviting it to every new channel for two years.

[slack_channel_footprint.py](#)

<https://www.allanninal.dev/slack/bot-in-too-many-channels/>

<https://github.com/allanninal/slack-fixes/tree/main/bot-in-too-many-channels>

15 **the bot answers its own messages in an endless loop**

A channel fills with hundreds of identical bot messages in a few seconds. Slack starts rate-limiting the app, which slows the flood without stopping it, and in the end somebody removes the bot from the channel to make it stop. The cause is one line that was never written: the handler subscribed to message.channels, which delivers every message in the channel, including the one the app posted a moment ago.

[slack_echo_loop_audit.py](#)

<https://www.allanninal.dev/slack/bot-message-echo-loop/>

<https://github.com/allanninal/slack-fixes/tree/main/bot-message-echo-loop>

16 **not_in_channel: the bot was never invited to the channel**

The app is installed. The token authenticates. The channel ID was copied out of the URL and is correct. Every call still comes back {"ok": false, "error": "not_in_channel"}, because installing an app to a workspace does not put it in a single channel — and this is, by view count, the most-asked Slack API question there is.

[slack_channel_membership.py](#)

<https://www.allanninal.dev/slack/bot-not-in-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/bot-not-in-channel>

17 **the scope was granted to the user token, not the bot**

You added the scope. The consent screen listed it, an admin approved it, you reinstalled, you replaced the stored token, and the call still returns missing_scope with that exact scope in needed. Open the app configuration and there it is, plainly granted — under User Token Scopes, while every line of your code authenticates with the xoxb- bot token.

[slack_token_identity_split.py](#)

<https://www.allanninal.dev/slack/bot-vs-user-scope-mixup/>

<https://github.com/allanninal/slack-fixes/tree/main/bot-vs-user-scope-mixup>

18 **cannot_reply_to_message: the parent stopped taking replies**

The deploy bot has threaded every status update under the same parent message for three weeks. This morning it returned {"ok": false, "error": "cannot_reply_to_message"} for every update, and the channel is fine, the bot is in it, and the token is valid.

[slack_thread_parent.py](#)

<https://www.allanninal.dev/slack/cannot-reply-to-message/>

<https://github.com/allanninal/slack-fixes/tree/main/cannot-reply-to-message>

19 **cant_update_message: that message is not yours to edit**

The message exists. You just read it back from conversations.history, the ts is exactly right, the channel is right, and chat.update answers {"ok": false, "error": "cant_update_message"}. This is not message_not_found. Slack found it. Slack will not let you touch it.

[slack_cant_update_message.py](#)

<https://www.allanninal.dev/slack/cant-update-or-delete-message/>

<https://github.com/allanninal/slack-fixes/tree/main/cant-update-or-delete-message>

20 **is_private: the public channel you read was converted**

The reader has been pulling history out of #incidents for a year. This morning it returns channel_not_found, and the day before it returned messages. Nothing was deployed, the ID in the config is the ID it has always been, and the channel is still there. Somebody converted it to private on Tuesday, which moved it across a scope boundary without moving its identifier.

[slack_visibility_change.py](#)

<https://www.allanninal.dev/slack/channel-converted-to-private/>

<https://github.com/allanninal/slack-fixes/tree/main/channel-converted-to-private>

21 **channel_not_found: a channel name where an ID belongs**

{"ok": false, "error": "channel_not_found"} for a channel that is open on the other monitor. The name in the config is spelled right, the bot is in the room, the token is fine. And the daily digest that posts to that same string has been working for a year. The difference is not the channel. It is which method you handed the string to.

[slack_channel_reference_form.py](#)

<https://www.allanninal.dev/slack/channel-name-instead-of-id/>

<https://github.com/allanninal/slack-fixes/tree/main/channel-name-instead-of-id>

22 **channel_not_found after a rename, or worse, the wrong room**

An integration that has run untouched for two years stops on a Tuesday. Nothing was deployed, no token expired, no scope changed. What happened is that a team tidied up and renamed #ops-alerts to #platform-alerts. If you are lucky, you get channel_not_found and a page. If you are not, somebody created a new #ops-alerts the following week and your alerts are still being delivered, to strangers.

[slack_channel_name_drift.py](#)

<https://www.allanninal.dev/slack/channel-renamed-hardcoded/>

<https://github.com/allanninal/slack-fixes/tree/main/channel-renamed-hardcoded>

23 **message_not_found: the ts no longer resolves to a message**

The bot posts a status message and then edits it every thirty seconds as the deploy progresses. It has done this for months. This afternoon the first edit comes back `{"ok": false, "error": "message_not_found"}` and every edit after it does the same, so the message in the channel is frozen at starting forever.

[slack_update_message_not_found.py](#)

<https://www.allanninal.dev/slack/chat-update-message-not-found/>

<https://github.com/allanninal/slack-fixes/tree/main/chat-update-message-not-found>

24 **Classic Slack app: the scope list says bot, client, read**

You go to add one scope. The OAuth & Permissions page does not offer the scope picker you have seen in every tutorial, the code references `chat:write:bot` which the documentation says does not exist, and the header on every API response reads `bot,client,identify,post,read`. Nothing is broken yet. What is broken is the assumption that this app can be fixed by adding something to it.

[slack_classic_scope_audit.py](#)

<https://www.allanninal.dev/slack/classic-app-coarse-scopes/>

<https://github.com/allanninal/slack-fixes/tree/main/classic-app-coarse-scopes>

25 **The Slack app configuration token died twelve hours ago**

The manifest step in CI passed yesterday and fails today. Someone regenerates the token by hand, the build goes green, and the same thing happens tomorrow morning. Meanwhile the audit that runs beside it reports every manifest-derived check as clean, because a check that could not run returned nothing to complain about.

[slack_config_token_state.py](#)

<https://www.allanninal.dev/slack/config-token-expired/>

<https://github.com/allanninal/slack-fixes/tree/main/config-token-expired>

26 **The value in SLACK_APP_TOKEN is not an app-level token**

The deploy went out on a Tuesday and the service has been green ever since. The pod is running, the readiness probe passes, the log says connecting to Slack and then says it again a few seconds later, and again, and has been saying it for nine days. Nobody reads that line because nothing about it is an error.

[slack_socket_credential.py](#)

<https://www.allanninal.dev/slack/connections-open-unusable/>

<https://github.com/allanninal/slack-fixes/tree/main/connections-open-unusable>

27 **method_deprecated: still on channels.*, groups.* and im.***

Nothing broke. That is the whole difficulty. The integration was written in 2019 against a tutorial that was already a year old, it calls `channels.list` and `channels.history`, and it has run every fifteen minutes for six years without a single error. Then one morning it returns nothing at all, and the body says `{"ok": false, "error": "method_deprecated"}`.

[slack_deprecated_methods.py](#)

<https://www.allanninal.dev/slack/deprecated-method-in-use/>

<https://github.com/allanninal/slack-fixes/tree/main/deprecated-method-in-use>

28 **channel_not_found: the DM conversation was never opened**

The onboarding bot DMs every new hire. It works for the twelve people who tried it during the pilot and fails for everybody since with `channel_not_found`, for a user ID copied straight out of the profile panel. Nothing is wrong with the ID. There is no conversation for it to be delivered into, because a direct message is a channel and nobody has ever opened this one.

[slack_dm_targets.py](#)

<https://www.allanninal.dev/slack/dm-never-opened/>

<https://github.com/allanninal/slack-fixes/tree/main/dm-never-opened>

29 **DMs delivered into deactivated accounts, with ok: true**

The approval bot has a 96% delivery rate and a 41% response rate, and nobody can explain the gap. Every send returns `ok: true`. The messages are arriving, in DMs, with people who left the company: the account is deactivated, the conversation still exists, and Slack is faithfully writing into a room that nobody will ever open again.

[slack_dm_recipient_audit.py](#)

<https://www.allanninal.dev/slack/dm-to-deactivated-user/>

<https://github.com/allanninal/slack-fixes/tree/main/dm-to-deactivated-user>

30 **the same message posted three times, and the ts says why**

The alert channel has the same incident in it four times. Every one of those messages is a real, successful `chat.postMessage` call that returned `ok: true` and a distinct `ts`, so nothing failed and nothing will appear in your error tracker. The duplicates are not a display bug — they are four separate decisions your system made to send, and the record of all four is sitting in `conversations.history` waiting to be read.

[slack_duplicate_messages.py](#)

<https://www.allanninal.dev/slack/duplicate-messages-no-dedupe/>

<https://github.com/allanninal/slack-fixes/tree/main/duplicate-messages-no-dedupe>

31 **The dedupe key that does not survive the retry**

There is a dedupe check in the handler. Somebody added it after the last incident, it has a Redis set behind it and a TTL and a test, and there are still three Jira tickets for one Slack message.

[slack_dedupe_key_audit.py](#)

<https://www.allanninal.dev/slack/duplicate-processing-on-retry/>

<https://github.com/allanninal/slack-fixes/tree/main/duplicate-processing-on-retry>

32 **ekm_access_denied: the customer holds the keys**

`{"ok": false, "error": "ekm_access_denied"}`, and the human-readable version Slack prints beside it: “Your message couldn't be sent because your admins have disabled sending messages to this channel.” It affects eleven channels out of two hundred. It started on a Thursday. Nothing you deployed went out that week.

[slack_ekm_extent.py](#)

<https://www.allanninal.dev/slack/ekm-access-denied/>

<https://github.com/allanninal/slack-fixes/tree/main/ekm-access-denied>

33 **installs keyed on team_id alone collide on Enterprise Grid**

Two customers file the same ticket in the same week: messages from their Slack app are arriving in a channel that belongs to somebody else. Both are on the same Enterprise Grid organisation. Your installation store has one row per team_id, it has always had one row per team_id, and on a single-workspace customer that was correct. On Grid it is a cross-tenant data leak with a green dashboard.

[slack_install_key_audit.py](#)

<https://www.allanninal.dev/slack/enterprise-id-not-stored/>

<https://github.com/allanninal/slack-fixes/tree/main/enterprise-id-not-stored>

34 **enterprise_is_restricted: the method is barred on Grid**

One customer, out of two hundred, is on Enterprise Grid. Their evaluation started on Monday and by Wednesday the integration engineer has a list of four methods that answer {"ok": false, "error": "enterprise_is_restricted"} — the method cannot be called from an Enterprise.

[slack_enterprise_method_audit.py](#)

<https://www.allanninal.dev/slack/enterprise-is-restricted/>

<https://github.com/allanninal/slack-fixes/tree/main/enterprise-is-restricted>

35 **user_not_in_channel: an ephemeral nobody ever sees**

A user runs the slash command, the handler answers with chat.postEphemeral, and the API says {"ok": true, "message_ts": "1755000000.000200"}. There is a timestamp. There is no error. The user says nothing happened.

[slack_ephemeral_recipient.py](#)

<https://www.allanninal.dev/slack/ephemeral-user-not-in-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/ephemeral-user-not-in-channel>

36 **A subscribed event whose scope the token never received**

The app handles messages in public channels perfectly. In private channels it is deaf. The subscription is there, on the same screen, one line below the one that works; the handler is the same function; the logs have nothing in them because there is nothing to log.

[slack_event_scope_gap.py](#)

<https://www.allanninal.dev/slack/event-scope-mismatch/>

<https://github.com/allanninal/slack-fixes/tree/main/event-scope-mismatch>

37 **Slack disabled event delivery and will not turn it back on**

There was a two-hour outage on Tuesday. The service came back, the health checks went green, the on-call went to bed. On Thursday somebody asks why the bot has not answered anyone since Tuesday. Slack turned event delivery off during the outage, emailed the app owner about it, and does not turn it back on when you recover — a human has to click a button that nobody knows exists.

[slack_event_silence_audit.py](#)

<https://www.allanninal.dev/slack/event-subscriptions-auto-disabled/>

<https://github.com/allanninal/slack-fixes/tree/main/event-subscriptions-auto-disabled>

38 **feature_not_enabled: the admin API needs Enterprise**

The token is a user token, the human behind it is an org owner, the scopes are exactly right, and admin.teams.list answers {"ok": false, "error": "feature_not_enabled"}. You have now spent an afternoon fixing two things that were never broken.

[slack_admin_capability.py](#)

<https://www.allanninal.dev/slack/feature-not-enabled/>

<https://github.com/allanninal/slack-fixes/tree/main/feature-not-enabled>

39 **file_deleted: the message survives and the file does not**

The knowledge base was built two years ago by walking every channel, pulling every attachment, and storing the file ids beside the extracted text. It worked. It still works, for most of it. Roughly one search result in nine now opens to {"ok": false, "error": "file_deleted"}, and last quarter it was one in twelve.

[slack_file_link_rot.py](#)

<https://www.allanninal.dev/slack/file-deleted-link-rot/>

<https://github.com/allanninal/slack-fixes/tree/main/file-deleted-link-rot>

40 **url_private without a bearer header saves the login page**

The archiver has been running for a year and has never logged an error. Every fetch returned 200, every write succeeded, and the folder has fourteen thousand files in it. Then somebody tries to open one and their PDF reader says the file is damaged.

[slack_download_audit.py](#)

<https://www.allanninal.dev/slack/file-download-without-auth/>

<https://github.com/allanninal/slack-fixes/tree/main/file-download-without-auth>

41 **Files that uploaded fine and were shared into no channel**

The nightly job uploads a CSV every morning and logs uploaded ok every morning. Nobody has ever seen one. The channel it was supposed to land in has been empty for eleven weeks, and files.list comes back with seventy-seven CSVs, all present, all owned by the app, all shared into nothing at all.

[slack_unshared_files.py](#)

<https://www.allanninal.dev/slack/file-not-shared-to-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/file-not-shared-to-channel>

42 **not_visible: the file exists and your token is not in the room**

A file_shared event arrives. It carries a file id, a user, a channel and a timestamp, and the handler does the obvious next thing: files.info on that id, so it can index the attachment. Slack answers {"ok": false, "error": "not_visible"}.

[slack_file_visibility.py](#)

<https://www.allanninal.dev/slack/file-not-visible/>

<https://github.com/allanninal/slack-fixes/tree/main/file-not-visible>

43 **Retention deletes the history your app treats as storage**

The compliance export has a hole in it, and the hole is suspiciously tidy. Everything from the last three months is there. Everything before that is not, in every channel, for every kind of content, with no gaps at the edges and no errors in the ingestion log. It looks like a bug in the backfill, so somebody rewrites the backfill.

[slack_retention_horizon.py](#)

<https://www.allanninal.dev/slack/file-retention-deletes-history/>

<https://github.com/allanninal/slack-fixes/tree/main/file-retention-deletes-history>

44 **The 1 GB file ceiling, and how much headroom is left**

The nightly export used to be four megabytes. It is sixty now, because the company grew, and three mornings a week it does not arrive. The log is no help: sometimes `file_too_large`, sometimes `internal_error`, most often a read timeout from a host that is not slack.com at all and that nobody on the team has ever heard of.

[slack_file_sizes.py](#)

<https://www.allanninal.dev/slack/file-size-limit/>

<https://github.com/allanninal/slack-fixes/tree/main/file-size-limit>

45 **files.upload is retired: one probe returns method_deprecated**

Every internal tool that posts a screenshot into Slack stopped posting screenshots, all of them on the same day, none of them deployed that week. The logs say 200. The bodies say `{"ok": false, "error": "method_deprecated"}`. Nothing broke: `files.upload` reached the end of a sunset that was announced eighteen months earlier and moved once.

[slack_files_upload_probe.py](#)

<https://www.allanninal.dev/slack/files-upload-retired/>

<https://github.com/allanninal/slack-fixes/tree/main/files-upload-retired>

46 **posting_to_general_channel_denied: the default channel**

Every other channel takes the message. The one that does not is the channel the integration was pointed at on the afternoon somebody wired it up, because it was the channel that already existed and already had everyone in it. The webhook comes back HTTP 403 with three words of plain text. `chat.postMessage` comes back `restricted_action`. No scope you add will move either of them.

[slack_general_channel_target.py](#)

<https://www.allanninal.dev/slack/general-channel-restricted/>

<https://github.com/allanninal/slack-fixes/tree/main/general-channel-restricted>

47 **slack answers HTTP 200 and puts the failure in the body**

The deploy is green. The log line reads `POST https://slack.com/api/chat.postMessage 200`. Nothing has appeared in the channel for three weeks. When somebody finally logs the response body it reads `{"ok": false, "error": "not_in_channel"}` — and it has read that, unchanged, every single time.

[slack_ok_false_audit.py](#)

<https://www.allanninal.dev/slack/http-200-ok-false/>

<https://github.com/allanninal/slack-fixes/tree/main/http-200-ok-false>

48 **The Request URL verified once, on a laptop that is now closed**

The app configuration page has a green tick next to the Request URL. Somebody checked, twice. Event subscriptions are on, the scopes are right, the bot is in the channel, and nothing has arrived for four months.

[slack_request_url_origin.py](#)

<https://www.allanninal.dev/slack/http-or-dead-tunnel-request-url/>

<https://github.com/allanninal/slack-fixes/tree/main/http-or-dead-tunnel-request-url>

49 **no_service: the incoming webhook died with its install**

The deploy notifications stopped. Nobody noticed for five weeks, because the absence of a message is not a message, and a channel that has gone quiet looks exactly like a channel where nothing has gone wrong. When somebody finally checks, the build server is still calling the same URL it has called for two years, the URL still looks perfectly well formed, and Slack has been answering 404 with the four words no_service into a curl whose exit status nothing has ever read.

[slack_webhook_inventory.py](#)

<https://www.allanninal.dev/slack/incoming-webhook-dead/>

<https://github.com/allanninal/slack-fixes/tree/main/incoming-webhook-dead>

50 **Half finished uploads leave a file id that names nothing**

The report generator says it uploaded the PDF. The log line is there, no exception was raised, and the message announcing it went out on time. The message links to a file that does not exist.

[slack_upload_gaps.py](#)

<https://www.allanninal.dev/slack/incomplete-external-upload/>

<https://github.com/allanninal/slack-fixes/tree/main/incomplete-external-upload>

51 **Buttons render, clicks vanish: interactivity is switched off**

The approval flow demoed beautifully. A deploy request arrives in #releases as a tidy message with two buttons, Approve and Reject, rendered exactly as they were designed, in the right colours, with the right text. Everyone agreed it looked finished.

[slack_interactivity_route.py](#)

<https://www.allanninal.dev/slack/interactivity-not-enabled/>

<https://github.com/allanninal/slack-fixes/tree/main/interactivity-not-enabled>

52 **invalid_auth: the xapp- token is in the Web API slot**

{"ok": false, "error": "invalid_auth"} on a call that plainly should work, with a token copied out of the app configuration ten minutes ago. The token is not expired, not revoked, and not missing a scope. It starts with xapp-, and the Web API has never accepted one of those.

[slack_token_class_check.py](#)

<https://www.allanninal.dev/slack/invalid-auth-wrong-token-type/>

<https://github.com/allanninal/slack-fixes/tree/main/invalid-auth-wrong-token-type>

53 **invalid_blocks: the whole message dies on one block**

The payload renders perfectly in Block Kit Builder. The JSON parses. The same generator produced a hundred messages that worked. This one comes back {"ok": false, "error": "invalid_blocks"} and Slack does not say which block, which field, or which rule.

[slack_invalid_blocks.py](#)

<https://www.allanninal.dev/slack/invalid-blocks/>

<https://github.com/allanninal/slack-fixes/tree/main/invalid-blocks>

54 **invalid_cursor: a stored cursor replayed after expiry**

The sync job is careful. It follows every cursor, it handles rate limits, and when it is interrupted it writes next_cursor to the database so the next run can pick up where it left off. That last part was tested by restarting the job immediately, which worked perfectly.

[slack_cursor_checkpoint_audit.py](#)

<https://www.allanninal.dev/slack/invalid-cursor/>

<https://github.com/allanninal/slack-fixes/tree/main/invalid-cursor>

55 **invalid_limit: asking for more than a page can hold**

Somebody read the pagination documentation, decided that following cursors was a lot of code for a workspace with three hundred channels, and wrote limit=5000. It is an entirely rational thing to try, and Slack answers it with HTTP 200 carrying ok: false and error: invalid_limit.

[slack_page_size_audit.py](#)

<https://www.allanninal.dev/slack/invalid-limit/>

<https://github.com/allanninal/slack-fixes/tree/main/invalid-limit>

56 **Steps from Apps was retired and the manifest still lists it**

Somebody in operations files a ticket saying the onboarding workflow has stopped creating tickets. You look at the app. It is installed, the token works, the handler is deployed, the tests pass, and the logs contain nothing at all — not an error, not a request, nothing. The workflow itself, opened in Workflow Builder, is not running either.

[slack_legacy_workflow_steps.py](#)

<https://www.allanninal.dev/slack/legacy-workflow-steps/>

<https://github.com/allanninal/slack-fixes/tree/main/legacy-workflow-steps>

57 **The repo manifest, the live manifest and the granted scopes**

The reinstall was supposed to be routine. A new workspace, the same app, the same install link everyone has used for a year. Twenty minutes later half the app is broken: it cannot read the channel list, it cannot see reactions, and the two event subscriptions that drive the whole product are gone.

[slack_manifest_drift.py](#)

<https://www.allanninal.dev/slack/manifest-drift/>

<https://github.com/allanninal/slack-fixes/tree/main/manifest-drift>

58 **Membership lost: the bot was removed and nothing said so**

The Monday digest ran for eleven months. Somebody tidied up the channel membership list three weeks ago, the app was in it, and out it went. No email, no error, no ticket. The job still runs, still exits 0, and the only trace is a `not_in_channel` in a response body nobody reads. The state is easy to check. Nobody checked, because nothing asked them to.

[slack_membership_drift.py](#)

<https://www.allanninal.dev/slack/membership-lost-silently/>

<https://github.com/allanninal/slack-fixes/tree/main/membership-lost-silently>

59 **message_limit_exceeded: the workspace posting cap**

Your app posts eleven messages a day. This morning every one of them failed with `message_limit_exceeded`, and the human-readable half of the error says that members on this team are sending too many messages. Nobody on your team is sending anything. Your retry logic, which is well written and honours `Retry-After`, does not help, because this is not your quota.

[slack_workspace_send_volume.py](#)

<https://www.allanninal.dev/slack/message-limit-exceeded/>

<https://github.com/allanninal/slack-fixes/tree/main/message-limit-exceeded>

60 **Edits, joins and deletes handled as brand new messages**

Somebody fixes a typo in a message they posted an hour ago, and the bot answers it again. Somebody joins the channel, and the ticket pipeline opens a ticket for “Ana has joined the channel”. Somebody deletes a message, and it turns up in the archive anyway, which is the version of this bug that ends up in a compliance conversation.

[slack_message_subtypes.py](#)

<https://www.allanninal.dev/slack/message-subtypes-ignored/>

<https://github.com/allanninal/slack-fixes/tree/main/message-subtypes-ignored>

61 **messages_tab_disabled: the App Home DM surface is off**

The onboarding flow is a conversation. The app DMs a new hire, asks four questions, and files the answers. It works beautifully in the demo, because the demo was recorded in the workspace where the app was first built and somebody clicked something there eighteen months ago.

[slack_app_home_messages.py](#)

<https://www.allanninal.dev/slack/messages-tab-disabled/>

<https://github.com/allanninal/slack-fixes/tree/main/messages-tab-disabled>

62 **missing_scope tells you the scope needed and the ones you have**

`{"ok": false, "error": "missing_scope", "needed": "channels:history", "provided": "chat:write,commands,users:read"}`. The developer swears the scope is in the app configuration, and it is — but the app was never reinstalled, so the token in production still carries the grant it was issued with.

[slack_scope_audit.py](#)

<https://www.allanninal.dev/slack/missing-scope-on-read/>

<https://github.com/allanninal/slack-fixes/tree/main/missing-scope-on-read>

63 **msg_blocks_too_long: the digest that grew past 50**

The nightly digest has run for eight months. This morning it returned `{"ok": false, "error": "msg_blocks_too_long"}` and nobody deployed anything. The incident yesterday produced sixty failing checks instead of the usual twenty, the generator emitted one block per check, and the message crossed a ceiling that has been sitting there since the day it was written.

[slack_block_budget.py](#)

<https://www.allanninal.dev/slack/msg-blocks-too-long/>

<https://github.com/allanninal/slack-fixes/tree/main/msg-blocks-too-long>

64 **The app subscribes to no events, so nothing is delivered**

The bot is installed. It is in the channel, which somebody has checked four times. The token is valid, the scopes include `app_mentions:read`, the request URL is up and returns 200 to a browser. Someone types `@deploybot` status and nothing happens, and nothing appears in the logs, because nothing arrived.

[slack_event_subscription_audit.py](#)

<https://www.allanninal.dev/slack/no-event-subscriptions/>

<https://github.com/allanninal/slack-fixes/tree/main/no-event-subscriptions>

65 **no_text: the message that rendered to nothing**

The digest has run every morning for a year. This morning it returned `{"ok": false, "error": "no_text"}`, and the only thing different about this morning is that the query it runs returned zero rows.

[slack_empty_message.py](#)

<https://www.allanninal.dev/slack/no-text-empty-message/>

<https://github.com/allanninal/slack-fixes/tree/main/no-text-empty-message>

66 **conversations.history clamped to 15 objects and 1 per minute**

A backfill that used to take an hour now takes weeks, and nothing in your code changed. `conversations.history` still returns `ok: true`, still returns a valid page, still gives you a cursor — it just returns 15 messages when you asked for 200, and refuses the second call inside the same minute. This is Slack's May 2025 rate-limit change for apps that are not approved for the Marketplace, and it is working exactly as designed.

[slack_history_clamp_probe.py](#)

<https://www.allanninal.dev/slack/non-marketplace-history-clamp/>

<https://github.com/allanninal/slack-fixes/tree/main/non-marketplace-history-clamp>

67 **not_allowed_token_type: right secret, wrong token class**

`{"ok": false, "error": "not_allowed_token_type"}`. The token works. It authenticates, it has scopes, it calls a dozen other methods happily. This one method, and only this one, will not take it — and the error names the problem without naming the solution, because it says what is wrong with the class you brought and nothing about which class it wanted.

[slack_method_token_class.py](#)

<https://www.allanninal.dev/slack/not-allowed-token-type/>

<https://github.com/allanninal/slack-fixes/tree/main/not-allowed-token-type>

68 **not_an_admin: workspace admin is not the org role**

The token is a user token. The scopes are on it — you checked, twice. And `admin.teams.list` answers `{"ok": false, "error": "not_an_admin"}`, which is a strange thing to be told when you are, demonstrably, an admin: it says so on your own profile.

[slack_admin_role.py](#)

<https://www.allanninal.dev/slack/not-an-admin/>

<https://github.com/allanninal/slack-fixes/tree/main/not-an-admin>

69 **bad_redirect_uri: the callback URL is not on the allow list**

The install works. You have run it forty times on your laptop, and every one of them came back with a workspace, a bot user and a token. Then the app goes to production behind a real domain, the first customer clicks Add to Slack, and the browser lands on a Slack error page or your callback logs `{"ok": false, "error": "bad_redirect_uri"}` and nothing else.

[slack_oauth_redirect.py](#)

<https://www.allanninal.dev/slack/oauth-redirect-mismatch/>

<https://github.com/allanninal/slack-fixes/tree/main/oauth-redirect-mismatch>

70 **org_login_required: hold the installation, do not retire it**

At 06:40 a customer stops working. Every scheduled job for them fails, every webhook delivery fails, and the body is the same each time: `{"ok": false, "error": "org_login_required"}` — the workspace is undergoing an enterprise migration and will not be available until migration is complete.

[slack_migration_hold.py](#)

<https://www.allanninal.dev/slack/org-login-required/>

<https://github.com/allanninal/slack-fixes/tree/main/org-login-required>

71 **is_enterprise_install: one row for forty workspaces**

The install went perfectly. An org owner at the customer approved the app at the organization level, the OAuth callback fired, your store wrote a row, and the welcome message posted. Three days later somebody in a workspace called `#brand-studio` runs the global shortcut and gets an error, and so does everybody in the other thirty-eight workspaces, and the one workspace where it works is the one whose id happened to land in the row.

[slack_org_install_coverage.py](#)

<https://www.allanninal.dev/slack/org-wide-install-mishandled/>

<https://github.com/allanninal/slack-fixes/tree/main/org-wide-install-mishandled>

72 **the token holds admin scopes the app has never called**

The security review asks a reasonable question: why does the nightly digest bot hold `admin.users:write`, `files:write`, `chat:write.public` and `users:read.email`? Nobody knows. Nothing is broken, no error has ever been logged, and every scope on that list was added by somebody who needed it for ten minutes in 2023.

[slack_scope_surplus.py](#)

<https://www.allanninal.dev/slack/over-broad-scopes/>

<https://github.com/allanninal/slack-fixes/tree/main/over-broad-scopes>

73 **next_cursor is ignored so only the first page is ever seen**

The channel inventory has exactly 100 entries. So does the user directory. Nobody questions either number until somebody reports that a channel which plainly exists is missing from the report — and by then the sync has been dropping four fifths of the workspace every night for a year, with ok: true on every single response.

[slack_pagination_audit.py](#)

<https://www.allanninal.dev/slack/pagination-not-followed/>

<https://github.com/allanninal/slack-fixes/tree/main/pagination-not-followed>

74 **One quota bucket, eight workers that think they are alone**

The backfill was slow, so it was given eight workers. It got slower. Each worker has its own client, its own connection pool and its own carefully written backoff, and each of them spends most of its life asleep.

[slack_shared_quota_audit.py](#)

<https://www.allanninal.dev/slack/parallel-workers-share-quota/>

<https://github.com/allanninal/slack-fixes/tree/main/parallel-workers-share-quota>

75 **chat.postMessage is one per second, per channel**

A fan-out job posts two hundred alerts. Around sixty land. The rest come back ratelimited, and the tier table does not explain it, because the number in the tier table is per minute and this failure happens in the first minute.

[slack_send_cadence.py](#)

<https://www.allanninal.dev/slack/postmessage-one-per-second/>

<https://github.com/allanninal/slack-fixes/tree/main/postmessage-one-per-second>

76 **channel_not_found: private, and the token cannot see it**

You are looking at the channel. It is on the screen, the ID is copied from its details panel, other people are talking in it. conversations.info says channel_not_found, and conversations.list returns four hundred channels without it. Nothing is wrong with the ID. The token has not been told that private channels exist.

[slack_private_visibility_probe.py](#)

<https://www.allanninal.dev/slack/private-channel-invisible/>

<https://github.com/allanninal/slack-fixes/tree/main/private-channel-invisible>

77 **files made public with a link that works without a Slack login**

Nothing errored, and nothing is going to. Somewhere in the app's history a developer needed an image URL that Block Kit could actually fetch, called files.sharedPublicURL, and it worked. Every file that call has been made against since — customer exports, database dumps, screenshots with a token still on screen — is readable by anyone holding the link, with no Slack account, no workspace membership and no expiry. The flag is on each file, and files.list will hand you all of them.

[slack_public_files_audit.py](#)

<https://www.allanninal.dev/slack/public-file-links-exposed/>

<https://github.com/allanninal/slack-fixes/tree/main/public-file-links-exposed>

78 **ratelimited: the Retry-After header nobody read**

The backfill runs beautifully for ninety seconds and then produces a wall of the same line. `ratelimited`. Sometimes a real HTTP 429, sometimes an HTTP 200 whose body says `ok: false`. The client sees a failure, does what it does with failures, and tries again immediately, which is the one response guaranteed to make it last longer.

[slack_retry_after_audit.py](#)

<https://www.allanninal.dev/slack/ratelimited-retry-after-ignored/>

<https://github.com/allanninal/slack-fixes/tree/main/ratelimited-retry-after-ignored>

79 **restricted_action_read_only_channel: the channel is locked**

The bot is a member: `is_member` is true and you have checked it twice. The token holds `chat:write` and the grant screen agrees. The channel is not archived, not private, not the workspace default. The message is still refused, and the error names something that is not in the OAuth screen at all.

[slack_channel_posting_policy.py](#)

<https://www.allanninal.dev/slack/read-only-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/read-only-channel>

80 **refresh_requested: Slack takes the socket back every few hours**

The dashboard has a sawtooth in it. Every few hours the bot's response count drops to nothing for about forty seconds and then recovers on its own, and because it recovers on its own nobody has ever opened a ticket. The supervisor restarts the process, the restart is logged as normal, and the four or five messages that arrived during the restart are simply not in the app's database.

[slack_socket_refresh_gaps.py](#)

<https://www.allanninal.dev/slack/refresh-requested-unhandled/>

<https://github.com/allanninal/slack-fixes/tree/main/refresh-requested-unhandled>

81 **Slack refresh tokens are single use: a replay kills the pair**

Rotation was working. Then one afternoon every call returns `token_expired`, the refresh call answers `invalid_refresh_token`, and the only recovery is to send a customer through the install flow again. Nothing was deployed. What changed is that the service went from one replica to two, and both of them woke up on the same cron minute.

[slack_refresh_ledger_audit.py](#)

<https://www.allanninal.dev/slack/refresh-token-reused/>

<https://github.com/allanninal/slack-fixes/tree/main/refresh-token-reused>

82 **The Request URL never echoed back the challenge**

The app is installed. The scopes are right. The bot is in the channel and people are talking to it. Not one line has appeared in the handler's log, ever, because the handler has never been called: on the Event Subscriptions page there is a red line under the Request URL that says the URL did not respond with the value of the challenge parameter.

[slack_request_url_handshake.py](#)

<https://www.allanninal.dev/slack/request-url-unverified/>

<https://github.com/allanninal/slack-fixes/tree/main/request-url-unverified>

83 **One missed ack becomes four deliveries and a 429**

It is fine at ten events a minute and it is fine at forty, and then one afternoon it is not fine at anything. The handler slows down a little, some deliveries miss the deadline, Slack sends them again, the extra deliveries make the same API calls, the calls start coming back ratelimited, the handler waits on them, and now it is missing far more deadlines than it was a minute ago.

[slack_retry_amplification.py](#)

<https://www.allanninal.dev/slack/retry-storm-from-event-retries/>

<https://github.com/allanninal/slack-fixes/tree/main/retry-storm-from-event-retries>

84 **Still on RTM: the retired transport and the next reinstall**

The bot has been up for four years. It connects with `rtm.connect`, holds a websocket open, and has never once been the thing that broke. Nobody has touched it, which is the highest compliment this industry pays a service.

[slack_rtm_migration_audit.py](#)

<https://www.allanninal.dev/slack/rtm-legacy-still-used/>

<https://github.com/allanninal/slack-fixes/tree/main/rtm-legacy-still-used>

85 **time_in_past: the scheduled send is behind the clock**

The digest is scheduled for nine in the morning. Most days it goes out. Some days the scheduler logs `{"ok": false, "error": "time_in_past"}` and there is no digest, and nobody notices until somebody asks where Tuesday went.

[slack_scheduled_in_past.py](#)

<https://www.allanninal.dev/slack/scheduled-message-in-past/>

<https://github.com/allanninal/slack-fixes/tree/main/scheduled-message-in-past>

86 **Scheduled messages outlive the app that queued them**

The reminder bot is redeployed on Tuesday with a rewritten scheduler. On Wednesday morning people start getting two nudges for every task: one from the new code, and one from the old code, for a ticket that was closed nine days ago.

[slack_scheduled_orphans.py](#)

<https://www.allanninal.dev/slack/scheduled-messages-orphaned/>

<https://github.com/allanninal/slack-fixes/tree/main/scheduled-messages-orphaned>

87 **is_ext_shared: the channel is shared with another org**

Every other note in this batch is about a message that did not arrive. This one is about a message that arrived perfectly, for eight months, in a room that has a vendor in it.

[slack_external_channel_audit.py](#)

<https://www.allanninal.dev/slack/slack-connect-external-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/slack-connect-external-channel>

88 **A slash command your code handles was never registered**

The handler is written. It has a unit test. Somebody reviewed it, it went out in the release, and the release notes said you can now type `/deploy` in any channel.

[slack_slash_commands.py](#)

<https://www.allanninal.dev/slack/slash-command-not-registered/>

<https://github.com/allanninal/slack-fixes/tree/main/slash-command-not-registered>

89 **too_many_websockets: ten is the ceiling and ghosts fill it**

Roughly three button clicks in four do nothing. Not the same button, not the same person, not the same time of day — three in four, forever, with no pattern anybody can find. Events mostly work. The handler is never invoked for the ones that vanish, so there is nothing to debug: no error, no timeout, no partial write, just a payload that was never delivered to this process.

[slack_socket_headroom.py](#)

<https://www.allanninal.dev/slack/socket-connection-cap/>

<https://github.com/allanninal/slack-fixes/tree/main/socket-connection-cap>

90 **Socket Mode and a Request URL both switched on**

Two people are debugging the same incident from opposite ends. One says the bot replied twice to a single mention. The other, running the app on her laptop, says her local console is full of production events that have nothing to do with what she is working on, and that staging has been silent since Tuesday.

[slack_delivery_paths.py](#)

<https://www.allanninal.dev/slack/socket-mode-and-request-url-both-on/>

<https://github.com/allanninal/slack-fixes/tree/main/socket-mode-and-request-url-both-on>

91 **Socket Mode apps cannot be listed on the Marketplace**

The app has been running happily for a year. It was built on Socket Mode on the first afternoon, because Socket Mode is genuinely the fastest way from nothing to a working Slack app, and it has never given anybody a moment's trouble.

[slack_distribution_block.py](#)

<https://www.allanninal.dev/slack/socket-mode-blocks-distribution/>

<https://github.com/allanninal/slack-fixes/tree/main/socket-mode-blocks-distribution>

92 **Socket Mode off, no Request URL, and nowhere to deliver**

Somebody turned Socket Mode off. It was a reasonable thing to do — the team is preparing to submit the app, and a listed app has to receive events over HTTPS, so the switch had to move eventually. It moved on a Thursday afternoon and nothing happened, which everyone took as a good sign.

[slack_event_transport.py](#)

<https://www.allanninal.dev/slack/socket-mode-off-but-no-request-url/>

<https://github.com/allanninal/slack-fixes/tree/main/socket-mode-off-but-no-request-url>

93 **Socket Mode does not load balance: replicas duplicate and drop**

The app was scaled from one pod to three on Thursday afternoon, for headroom before a launch. By Friday morning the support channel had two complaints that the bot had answered the same request twice and one that it had not answered at all. Restarting a pod changes which of those happens. Rolling back to one pod makes both stop.

[slack_socket_replica_fingerprint.py](#)

<https://www.allanninal.dev/slack/socket-mode-single-instance/>

<https://github.com/allanninal/slack-fixes/tree/main/socket-mode-single-instance>

94 **team_added_to_org: user ids are renumbered by the migration**

The migration finished on Saturday and the app came back on its own, which is what everybody hoped for. On Monday a report comes in that notifications are going to the wrong people, or to nobody, and the log is full of `user_not_found` for ids that resolved perfectly a week ago.

[slack_id_remap_audit.py](#)

<https://www.allanninal.dev/slack/team-added-to-org/>

<https://github.com/allanninal/slack-fixes/tree/main/team-added-to-org>

95 **Block Kit field ceilings: some reject, some truncate**

The alert works for months. Then a service produces a stack trace instead of a one-line error, the formatter interpolates it into a section, and the message is refused with `invalid_blocks`. The block is the right shape. The message is nowhere near 50 blocks. One field is 3,140 characters long and the ceiling is 3,000.

[slack_block_field_limits.py](#)

<https://www.allanninal.dev/slack/text-length-limits/>

<https://github.com/allanninal/slack-fixes/tree/main/text-length-limits>

96 **Thread-only and non-threadable channels refuse your post**

This one is not a permission. The app is a member, the token is fine, the channel accepts messages from it all day — just not that message, in that position. A top-level post comes back `restricted_action_thread_only_channel`. A reply comes back `restricted_action_non_threadable_channel`, or `cannot_reply_to_message`, which is a different failure again.

[slack_thread_mode_match.py](#)

<https://www.allanninal.dev/slack/thread-only-or-non-threadable/>

<https://github.com/allanninal/slack-fixes/tree/main/thread-only-or-non-threadable>

97 **A reply ts used as thread_ts, so the thread flattens**

The support bot replies to whoever mentioned it, in the thread where they mentioned it. Mostly it works. Sometimes an answer appears next to the question instead of under it, and the person who asked follows up under the answer, and the thread turns into two conversations interleaved.

[slack_thread_root.py](#)

<https://www.allanninal.dev/slack/thread-ts-is-a-reply/>

<https://github.com/allanninal/slack-fixes/tree/main/thread-ts-is-a-reply>

98 **Three seconds to acknowledge, and what you spend them on**

Somebody submits the modal and gets We had some trouble connecting. Try again? The record was created. It was created twice, actually, and both times correctly. The slash command says `operation_timeout` and then does the thing anyway.

[slack_ack_budget.py](#)

<https://www.allanninal.dev/slack/three-second-timeout/>

<https://github.com/allanninal/slack-fixes/tree/main/three-second-timeout>

99 **A Tier 1 method polled as if it were cheap**

One call throttles. Not the app — one method, over and over, while everything around it is perfectly healthy. Adding backoff makes the loop slower and does not make it work, because the loop is asking for more than the method has ever been allowed to give.

[slack_method_tier_budget.py](#)

<https://www.allanninal.dev/slack/tier1-method-hammered/>

<https://github.com/allanninal/slack-fixes/tree/main/tier1-method-hammered>

100 **token_expired every 12 hours because rotation is on**

The app is perfect for half a day after every deploy and then every call returns `{"ok": false, "error": "token_expired"}`. A nightly redeploy hid it for four months, because each deploy ran the install flow again and each install handed back a fresh token. Then the redeploy was removed as an optimisation, and the app started dying every lunchtime.

[slack_rotation_clock.py](#)

<https://www.allanninal.dev/slack/token-expired-rotation/>

<https://github.com/allanninal/slack-fixes/tree/main/token-expired-rotation>

101 **token_revoked: the app is gone and retrying will not help**

One tenant of your multi-workspace app has received nothing for six weeks. No alert fired. The installation row is still there, still marked active, still being handed to the scheduler every fifteen minutes, and every call it makes returns `{"ok": false, "error": "token_revoked"}`. Somebody removed the app from Manage apps in January and your store has been retrying ever since.

[slack_dead_install_sweep.py](#)

<https://www.allanninal.dev/slack/token-revoked/>

<https://github.com/allanninal/slack-fixes/tree/main/token-revoked>

102 **too_many_attachments: the legacy array has its own ceiling**

The alert integration has posted one coloured bar per failing check for four years. This afternoon a dependency went down, 140 checks failed at once, and the alert came back `{"ok": false, "error": "too_many_attachments"}`. Nothing was deployed. The message that would have explained the outage is the one the outage suppressed.

[slack_attachment_budget.py](#)

<https://www.allanninal.dev/slack/too-many-attachments/>

<https://github.com/allanninal/slack-fixes/tree/main/too-many-attachments>

103 **expired_trigger_id: the modal opened a moment too late**

Clicking the button opens the modal about four times out of five. The fifth time the user gets We had some trouble connecting. Try again?, clicks again, and it works. Nobody can reproduce it on a laptop, and it happens constantly in production on Monday mornings.

[slack_trigger_budget.py](#)

<https://www.allanninal.dev/slack/trigger-id-expired/>

<https://github.com/allanninal/slack-fixes/tree/main/trigger-id-expired>

104 **link_shared never fires: no domain was ever registered**

The handler is written, deployed and covered by tests. Somebody pastes a link to your product into #support and it posts as a bare blue URL with no preview at all. Nothing appears in the logs, because nothing arrived. The handler was never called.

[slack_unfurl_silence.py](#)

<https://www.allanninal.dev/slack/unfurl-domain-not-configured/>

<https://github.com/allanninal/slack-fixes/tree/main/unfurl-domain-not-configured>

105 **every Slack profile has a null email and nothing errored**

The nightly user sync has been green for four months. It reads every member out of Slack, writes them to the warehouse, and joins them against the HR system on email. The join has matched nothing since the day it shipped, because every row it wrote has email = null — and users.list returned ok: true, with complete-looking profiles, every single night.

[slack_email_scope_audit.py](#)

<https://www.allanninal.dev/slack/users-read-email-missing/>

<https://github.com/allanninal/slack-fixes/tree/main/users-read-email-missing>

106 **invalid_payload: the webhook body stopped being JSON**

The release notification has worked for two years. Then one release goes out with a commit message that reads fix: don't drop the "retry" header, and the notification does not arrive. The pipeline is green. The step that sends the message exited zero. Slack answered 400 with the plain text body invalid_payload, into a curl that was never given --fail, and the body of that response went to /dev/null along with the message.

[slack_webhook_payload.py](#)

<https://www.allanninal.dev/slack/webhook-invalid-payload/>

<https://github.com/allanninal/slack-fixes/tree/main/webhook-invalid-payload>

107 **The webhook posts to one channel whatever the payload says**

The alert router has four destinations. Database alerts go to #db-oncall, deploy notices to #releases, security events to #sec-ops, and everything else to #alerts. The code sets a channel field on every payload, exactly as the tutorial it was written from does, and every send comes back ok.

[slack_webhook_routing.py](#)

<https://www.allanninal.dev/slack/webhook-locked-to-one-channel/>

<https://github.com/allanninal/slack-fixes/tree/main/webhook-locked-to-one-channel>

108 **team_access_not_granted: the token reaches one workspace**

The customer is one company with one contract and one invoice. Inside Slack they are forty workspaces in an Enterprise Grid organization, and your app was installed into exactly one of them, on a Tuesday, by somebody in Marketing who was trying to get a notification working.

[slack_grid_token_reach.py](#)

<https://www.allanninal.dev/slack/workspace-token-in-grid/>

<https://github.com/allanninal/slack-fixes/tree/main/workspace-token-in-grid>
