

CHAPTER 8

100-DAY TAPER SCHEDULE AND DAILY REDUCTION GUIDE

Daily Reduction Rule

- Remove 1 ml more than the previous day
- Drink the remaining mixture
- The total volume starts at 100 ml and decreases each day.

100-Day Taper Schedule

Each row shows how much to remove and how much to drink for that day.

Day	Mixture Removed (ml)	Mixture to Drink (ml)
Day 1	1 ml	99 ml
Day 2	2 ml	98 ml
Day 3	3 ml	97 ml
Day 4	4 ml	96 ml
Day 5	5 ml	95 ml
Day 6	6 ml	94 ml
Day 7	7 ml	93 ml
Day 8	8 ml	92 ml
Day 9	9 ml	91 ml
Day 10	10 ml	90 ml
Day 11	11 ml	89 ml
Day 12	12 ml	88 ml
Day 13	13 ml	87 ml
Day 14	14 ml	86 ml
Day 15	15 ml	85 ml
Day 16	16 ml	84 ml
Day 17	17 ml	83 ml
Day 18	18 ml	82 ml

Day 19	19 ml	81 ml
Day 20	20 ml	80 ml
Day 21	21 ml	79 ml
Day 22	22 ml	78 ml
Day 23	23 ml	77 ml
Day 24	24 ml	76 ml
Day 25	25 ml	75 ml
Day 26	26 ml	74 ml
Day 27	27 ml	73 ml
Day 28	28 ml	72 ml
Day 29	29 ml	71 ml
Day 30	30 ml	70 ml
Day 31	31 ml	69 ml
Day 32	32 ml	68 ml
Day 33	33 ml	67 ml
Day 34	34 ml	66 ml
Day 35	35 ml	65 ml
Day 36	36 ml	64 ml
Day 37	37 ml	63 ml
Day 38	38 ml	62 ml
Day 39	39 ml	61 ml
Day 40	40 ml	60 ml
Day 41	41 ml	59 ml
Day 42	42 ml	58 ml
Day 43	43 ml	57 ml
Day 44	44 ml	56 ml
Day 45	45 ml	55 ml
Day 46	46 ml	54 ml
Day 47	47 ml	53 ml
Day 48	48 ml	52 ml
Day 49	49 ml	51 ml
Day 50	50 ml	50 ml
Day 51	51 ml	49 ml
Day 52	52 ml	48 ml
Day 53	53 ml	47 ml
Day 54	54 ml	46 ml
Day 55	55 ml	45 ml
Day 56	56 ml	44 ml

Day 57	57 ml	43 ml
Day 58	58 ml	42 ml
Day 59	59 ml	41 ml
Day 60	60 ml	40 ml
Day 61	61 ml	39 ml
Day 62	62 ml	38 ml
Day 63	63 ml	37 ml
Day 64	64 ml	36 ml
Day 65	65 ml	35 ml
Day 66	66 ml	34 ml
Day 67	67 ml	33 ml
Day 68	68 ml	32 ml
Day 69	69 ml	31 ml
Day 70	70 ml	30 ml
Day 71	71 ml	29 ml
Day 72	72 ml	28 ml
Day 73	73 ml	27 ml
Day 74	74 ml	26 ml
Day 75	75 ml	25 ml
Day 76	76 ml	24 ml
Day 77	77 ml	23 ml
Day 78	78 ml	22 ml
Day 79	79 ml	21 ml
Day 80	80 ml	20 ml
Day 81	81 ml	19 ml
Day 82	82 ml	18 ml
Day 83	83 ml	17 ml
Day 84	84 ml	16 ml
Day 85	85 ml	15 ml
Day 86	86 ml	14 ml
Day 87	87 ml	13 ml
Day 88	88 ml	12 ml
Day 89	89 ml	11 ml
Day 90	90 ml	10 ml
Day 91	91 ml	9 ml
Day 92	92 ml	8 ml
Day 93	93 ml	7 ml
Day 94	94 ml	6 ml

Day 95	95 ml	5 ml
Day 96	96 ml	4 ml
Day 97	97 ml	3 ml
Day 98	98 ml	2 ml
Day 99	99 ml	1 ml
Day 100	100 ml	0 ml

IMPORTANT REMINDERS WHEN USING THE WATER TAPER METHOD

1. Understand the Mixture (Critical for Accuracy)

- Alprazolam does **not fully dissolve in water**.
- What you are preparing is a **suspension**, not a true solution.

This means:

- Medication particles can **settle at the bottom**
- The concentration may become **uneven if not mixed properly**

To maintain consistency:

- Always **stir or mix thoroughly before every use**
- **Draw immediately after mixing**
- **Mix again before every single draw**, even if only a short time has passed
- Do not let the mixture sit without mixing, as particles may settle

2. Consistency in Preparation

- Use the **same amount of water (100 ml)** every day
- Prepare a **fresh mixture daily** (do not reuse leftovers)
- Follow the **same routine and steps each day**

Consistency helps maintain a stable and predictable taper.

3. Accurate Measuring and Dosing

- Always mix thoroughly before drawing
- Use an **oral syringe for precise measurement** (do not estimate)
- Draw the liquid **immediately after mixing**

Mixing method:

- If using a jar with a lid → gently shake
- If using a glass → stir thoroughly with a spoon

4. Take the Full Dose

- After drinking the mixture, **rinse the container with a small amount of water and drink it**
- This helps ensure no medication is left behind

5. Tablet Preparation

- If the tablet forms clumps or does not break apart properly:
 - Gently **crush the tablet before adding it to the water**
- This helps improve distribution and dosing consistency

6. Equipment and Hygiene

- Keep your syringe and container **clean**
- Rinse after each use and allow to dry

7. Daily Routine and Tracking

- Take your dose at the **same time each day**
- Keep a simple record of:
 - Day number
 - Amount removed
 - How you feel

This helps monitor progress and identify patterns.

8. Mindset and Expectations

- Be **patient and consistent**
- This method works through **very gradual changes**, allowing the body to adjust step by step

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 11

Complete 100-Day Taper Schedule Using 1 mg Tablet + 1 mg Mixture

Each dose includes a 1 mg tablet plus a measured amount from the 1 mg mixture.

Definitions (for the table below)

- **1 mg (tablet):**
Regular 1 mg alprazolam taken as a standard dose.
- **1 mg mixture:**
A solution made by dissolving 1 mg alprazolam in 100 ml of water.
- **“1 mg + XX ml (1 mg mixture)”**
Take one 1 mg tablet plus the measured amount from the mixture.

100-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM, 1 PM, and 8 PM for that day.

Day	All Doses (8 AM, 1 PM, 8 PM)
Day 1	1 mg + 99 ml (1 mg mixture)
Day 2	1 mg + 98 ml (1 mg mixture)
Day 3	1 mg + 97 ml (1 mg mixture)
Day 4	1 mg + 96 ml (1 mg mixture)
Day 5	1 mg + 95 ml (1 mg mixture)
Day 6	1 mg + 94 ml (1 mg mixture)
Day 7	1 mg + 93 ml (1 mg mixture)
Day 8	1 mg + 92 ml (1 mg mixture)
Day 9	1 mg + 91 ml (1 mg mixture)
Day 10	1 mg + 90 ml (1 mg mixture)
Day 11	1 mg + 89 ml (1 mg mixture)
Day 12	1 mg + 88 ml (1 mg mixture)
Day 13	1 mg + 87 ml (1 mg mixture)

Day 14	1 mg + 86 ml (1 mg mixture)
Day 15	1 mg + 85 ml (1 mg mixture)
Day 16	1 mg + 84 ml (1 mg mixture)
Day 17	1 mg + 83 ml (1 mg mixture)
Day 18	1 mg + 82 ml (1 mg mixture)
Day 19	1 mg + 81 ml (1 mg mixture)
Day 20	1 mg + 80 ml (1 mg mixture)
Day 21	1 mg + 79 ml (1 mg mixture)
Day 22	1 mg + 78 ml (1 mg mixture)
Day 23	1 mg + 77 ml (1 mg mixture)
Day 24	1 mg + 76 ml (1 mg mixture)
Day 25	1 mg + 75 ml (1 mg mixture)
Day 26	1 mg + 74 ml (1 mg mixture)
Day 27	1 mg + 73 ml (1 mg mixture)
Day 28	1 mg + 72 ml (1 mg mixture)
Day 29	1 mg + 71 ml (1 mg mixture)
Day 30	1 mg + 70 ml (1 mg mixture)
Day 31	1 mg + 69 ml (1 mg mixture)
Day 32	1 mg + 68 ml (1 mg mixture)
Day 33	1 mg + 67 ml (1 mg mixture)
Day 34	1 mg + 66 ml (1 mg mixture)
Day 35	1 mg + 65 ml (1 mg mixture)
Day 36	1 mg + 64 ml (1 mg mixture)
Day 37	1 mg + 63 ml (1 mg mixture)
Day 38	1 mg + 62 ml (1 mg mixture)
Day 39	1 mg + 61 ml (1 mg mixture)
Day 40	1 mg + 60 ml (1 mg mixture)
Day 41	1 mg + 59 ml (1 mg mixture)
Day 42	1 mg + 58 ml (1 mg mixture)
Day 43	1 mg + 57 ml (1 mg mixture)
Day 44	1 mg + 56 ml (1 mg mixture)
Day 45	1 mg + 55 ml (1 mg mixture)
Day 46	1 mg + 54 ml (1 mg mixture)
Day 47	1 mg + 53 ml (1 mg mixture)
Day 48	1 mg + 52 ml (1 mg mixture)
Day 49	1 mg + 51 ml (1 mg mixture)
Day 50	1 mg + 50 ml (1 mg mixture)
Day 51	1 mg + 49 ml (1 mg mixture)

Day 52	1 mg + 48 ml (1 mg mixture)
Day 53	1 mg + 47 ml (1 mg mixture)
Day 54	1 mg + 46 ml (1 mg mixture)
Day 55	1 mg + 45 ml (1 mg mixture)
Day 56	1 mg + 44 ml (1 mg mixture)
Day 57	1 mg + 43 ml (1 mg mixture)
Day 58	1 mg + 42 ml (1 mg mixture)
Day 59	1 mg + 41 ml (1 mg mixture)
Day 60	1 mg + 40 ml (1 mg mixture)
Day 61	1 mg + 39 ml (1 mg mixture)
Day 62	1 mg + 38 ml (1 mg mixture)
Day 63	1 mg + 37 ml (1 mg mixture)
Day 64	1 mg + 36 ml (1 mg mixture)
Day 65	1 mg + 35 ml (1 mg mixture)
Day 66	1 mg + 34 ml (1 mg mixture)
Day 67	1 mg + 33 ml (1 mg mixture)
Day 68	1 mg + 32 ml (1 mg mixture)
Day 69	1 mg + 31 ml (1 mg mixture)
Day 70	1 mg + 30 ml (1 mg mixture)
Day 71	1 mg + 29 ml (1 mg mixture)
Day 72	1 mg + 28 ml (1 mg mixture)
Day 73	1 mg + 27 ml (1 mg mixture)
Day 74	1 mg + 26 ml (1 mg mixture)
Day 75	1 mg + 25 ml (1 mg mixture)
Day 76	1 mg + 24 ml (1 mg mixture)
Day 77	1 mg + 23 ml (1 mg mixture)
Day 78	1 mg + 22 ml (1 mg mixture)
Day 79	1 mg + 21 ml (1 mg mixture)
Day 80	1 mg + 20 ml (1 mg mixture)
Day 81	1 mg + 19 ml (1 mg mixture)
Day 82	1 mg + 18 ml (1 mg mixture)
Day 83	1 mg + 17 ml (1 mg mixture)
Day 84	1 mg + 16 ml (1 mg mixture)
Day 85	1 mg + 15 ml (1 mg mixture)
Day 86	1 mg + 14 ml (1 mg mixture)
Day 87	1 mg + 13 ml (1 mg mixture)
Day 88	1 mg + 12 ml (1 mg mixture)
Day 89	1 mg + 11 ml (1 mg mixture)

Day 90	1 mg + 10 ml (1 mg mixture)
Day 91	1 mg + 9 ml (1 mg mixture)
Day 92	1 mg + 8 ml (1 mg mixture)
Day 93	1 mg + 7 ml (1 mg mixture)
Day 94	1 mg + 6 ml (1 mg mixture)
Day 95	1 mg + 5 ml (1 mg mixture)
Day 96	1 mg + 4 ml (1 mg mixture)
Day 97	1 mg + 3 ml (1 mg mixture)
Day 98	1 mg + 2 ml (1 mg mixture)
Day 99	1 mg + 1 ml (1 mg mixture)
Day 100	1 mg + 0 ml (1 mg mixture)

Important Reminders

- Prepare a **fresh 1 mg mixture for each dose (8 AM, 1 PM, and 8 PM)**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 1

At the completion of the 100-day water taper, the mixture portion has been fully reduced to zero for each dose.

At this point, only the regular tablet doses remain:

- **8 AM** = 1 mg Alprazolam
- **1 PM** = 1 mg alprazolam
- **8 PM** = 1 mg alprazolam

Total daily dose: 3 mg

You are now ready to proceed to Phase 2 of the taper.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 12

Complete 100-Day Taper Schedule Using 0.5 mg Tablet + 0.5 mg Mixture

Each dose includes a 0.5 mg tablet plus a measured amount from the 0.5 mg mixture.

Definitions (for the table below)

- **0.5 mg (tablet):**
Regular 0.5 mg alprazolam taken as a standard dose.
- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 100 ml of water.
- **“0.5 mg + XX ml (0.5 mg mixture)”**
Take one 0.5 mg tablet plus the measured amount from the mixture.

100-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM, 1 PM, and 8 PM for that day.

Day	All Doses (8 AM, 1 PM, 8 PM)
Day 1	0.5 mg + 99 ml (0.5 mg mixture)
Day 2	0.5 mg + 98 ml (0.5 mg mixture)
Day 3	0.5 mg + 97 ml (0.5 mg mixture)
Day 4	0.5 mg + 96 ml (0.5 mg mixture)
Day 5	0.5 mg + 95 ml (0.5 mg mixture)
Day 6	0.5 mg + 94 ml (0.5 mg mixture)
Day 7	0.5 mg + 93 ml (0.5 mg mixture)
Day 8	0.5 mg + 92 ml (0.5 mg mixture)
Day 9	0.5 mg + 91 ml (0.5 mg mixture)
Day 10	0.5 mg + 90 ml (0.5 mg mixture)
Day 11	0.5 mg + 89 ml (0.5 mg mixture)
Day 12	0.5 mg + 88 ml (0.5 mg mixture)
Day 13	0.5 mg + 87 ml (0.5 mg mixture)

Day 14	0.5 mg + 86 ml (0.5 mg mixture)
Day 15	0.5 mg + 85 ml (0.5 mg mixture)
Day 16	0.5 mg + 84 ml (0.5 mg mixture)
Day 17	0.5 mg + 83 ml (0.5 mg mixture)
Day 18	0.5 mg + 82 ml (0.5 mg mixture)
Day 19	0.5 mg + 81 ml (0.5 mg mixture)
Day 20	0.5 mg + 80 ml (0.5 mg mixture)
Day 21	0.5 mg + 79 ml (0.5 mg mixture)
Day 22	0.5 mg + 78 ml (0.5 mg mixture)
Day 23	0.5 mg + 77 ml (0.5 mg mixture)
Day 24	0.5 mg + 76 ml (0.5 mg mixture)
Day 25	0.5 mg + 75 ml (0.5 mg mixture)
Day 26	0.5 mg + 74 ml (0.5 mg mixture)
Day 27	0.5 mg + 73 ml (0.5 mg mixture)
Day 28	0.5 mg + 72 ml (0.5 mg mixture)
Day 29	0.5 mg + 71 ml (0.5 mg mixture)
Day 30	0.5 mg + 70 ml (0.5 mg mixture)
Day 31	0.5 mg + 69 ml (0.5 mg mixture)
Day 32	0.5 mg + 68 ml (0.5 mg mixture)
Day 33	0.5 mg + 67 ml (0.5 mg mixture)
Day 34	0.5 mg + 66 ml (0.5 mg mixture)
Day 35	0.5 mg + 65 ml (0.5 mg mixture)
Day 36	0.5 mg + 64 ml (0.5 mg mixture)
Day 37	0.5 mg + 63 ml (0.5 mg mixture)
Day 38	0.5 mg + 62 ml (0.5 mg mixture)
Day 39	0.5 mg + 61 ml (0.5 mg mixture)
Day 40	0.5 mg + 60 ml (0.5 mg mixture)
Day 41	0.5 mg + 59 ml (0.5 mg mixture)
Day 42	0.5 mg + 58 ml (0.5 mg mixture)
Day 43	0.5 mg + 57 ml (0.5 mg mixture)
Day 44	0.5 mg + 56 ml (0.5 mg mixture)
Day 45	0.5 mg + 55 ml (0.5 mg mixture)
Day 46	0.5 mg + 54 ml (0.5 mg mixture)
Day 47	0.5 mg + 53 ml (0.5 mg mixture)
Day 48	0.5 mg + 52 ml (0.5 mg mixture)
Day 49	0.5 mg + 51 ml (0.5 mg mixture)
Day 50	0.5 mg + 50 ml (0.5 mg mixture)
Day 51	0.5 mg + 49 ml (0.5 mg mixture)

Day 52	0.5 mg + 48 ml (0.5 mg mixture)
Day 53	0.5 mg + 47 ml (0.5 mg mixture)
Day 54	0.5 mg + 46 ml (0.5 mg mixture)
Day 55	0.5 mg + 45 ml (0.5 mg mixture)
Day 56	0.5 mg + 44 ml (0.5 mg mixture)
Day 57	0.5 mg + 43 ml (0.5 mg mixture)
Day 58	0.5 mg + 42 ml (0.5 mg mixture)
Day 59	0.5 mg + 41 ml (0.5 mg mixture)
Day 60	0.5 mg + 40 ml (0.5 mg mixture)
Day 61	0.5 mg + 39 ml (0.5 mg mixture)
Day 62	0.5 mg + 38 ml (0.5 mg mixture)
Day 63	0.5 mg + 37 ml (0.5 mg mixture)
Day 64	0.5 mg + 36 ml (0.5 mg mixture)
Day 65	0.5 mg + 35 ml (0.5 mg mixture)
Day 66	0.5 mg + 34 ml (0.5 mg mixture)
Day 67	0.5 mg + 33 ml (0.5 mg mixture)
Day 68	0.5 mg + 32 ml (0.5 mg mixture)
Day 69	0.5 mg + 31 ml (0.5 mg mixture)
Day 70	0.5 mg + 30 ml (0.5 mg mixture)
Day 71	0.5 mg + 29 ml (0.5 mg mixture)
Day 72	0.5 mg + 28 ml (0.5 mg mixture)
Day 73	0.5 mg + 27 ml (0.5 mg mixture)
Day 74	0.5 mg + 26 ml (0.5 mg mixture)
Day 75	0.5 mg + 25 ml (0.5 mg mixture)
Day 76	0.5 mg + 24 ml (0.5 mg mixture)
Day 77	0.5 mg + 23 ml (0.5 mg mixture)
Day 78	0.5 mg + 22 ml (0.5 mg mixture)
Day 79	0.5 mg + 21 ml (0.5 mg mixture)
Day 80	0.5 mg + 20 ml (0.5 mg mixture)
Day 81	0.5 mg + 19 ml (0.5 mg mixture)
Day 82	0.5 mg + 18 ml (0.5 mg mixture)
Day 83	0.5 mg + 17 ml (0.5 mg mixture)
Day 84	0.5 mg + 16 ml (0.5 mg mixture)
Day 85	0.5 mg + 15 ml (0.5 mg mixture)
Day 86	0.5 mg + 14 ml (0.5 mg mixture)
Day 87	0.5 mg + 13 ml (0.5 mg mixture)
Day 88	0.5 mg + 12 ml (0.5 mg mixture)
Day 89	0.5 mg + 11 ml (0.5 mg mixture)

Day 90	0.5 mg + 10 ml (0.5 mg mixture)
Day 91	0.5 mg + 9 ml (0.5 mg mixture)
Day 92	0.5 mg + 8 ml (0.5 mg mixture)
Day 93	0.5 mg + 7 ml (0.5 mg mixture)
Day 94	0.5 mg + 6 ml (0.5 mg mixture)
Day 95	0.5 mg + 5 ml (0.5 mg mixture)
Day 96	0.5 mg + 4 ml (0.5 mg mixture)
Day 97	0.5 mg + 3 ml (0.5 mg mixture)
Day 98	0.5 mg + 2 ml (0.5 mg mixture)
Day 99	0.5 mg + 1 ml (0.5 mg mixture)
Day 100	0.5 mg + 0 ml (0.5 mg mixture)

Important Reminders

- Prepare a **fresh 0.5 mg mixture for each dose (8 AM, 1 PM, and 8 PM)**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 2

At the completion of the 100-day water taper, the mixture portion has been fully reduced to zero for each dose.

At this point, only the regular tablet doses remain:

- **8 AM** = 0.5 mg Alprazolam
- **1 PM** = 0.5 mg alprazolam
- **8 PM** = 0.5 mg alprazolam

Total daily dose: 1.5 mg

You are now ready to proceed to Phase 3 of the taper.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 13

Complete 315-Day Taper Schedule Using 0.5 mg Tablet + 0.5 mg Mixture

Each dose includes either a **0.5 mg tablet** or a measured amount from the **0.5 mg mixture**, depending on the stage of the taper.

Definitions (for the table below)

- **0.5 mg (tablet):**
Regular 0.5 mg Alprazolam taken as a standard dose.
- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 150 ml of water.
- **“XX ml (0.5 mg mixture)”**
Take the **specified volume (in ml)** from the prepared mixture. The amount taken from the mixture will vary each day (e.g., 149 ml, 50 ml, 9 ml) as the taper progresses.
- **Stop:**
The taper is complete and the dose is no longer taken.
- **– (dash):**
No dose is taken at this time.

During tapering, the amount taken from the mixture decreases each day.

315-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM, 1 PM, and 8 PM for that day.

Day	8 AM Dose	1 PM Dose	8 PM Dose
Day 1	0.5 mg	149 ml (0.5 mg mixture)	0.5 mg

Day 2	0.5 mg	148 ml (0.5 mg mixture)	0.5 mg
Day 3	0.5 mg	147 ml (0.5 mg mixture)	0.5 mg
Day 4	0.5 mg	146 ml (0.5 mg mixture)	0.5 mg
Day 5	0.5 mg	145 ml (0.5 mg mixture)	0.5 mg
Day 6	0.5 mg	144 ml (0.5 mg mixture)	0.5 mg
Day 7	0.5 mg	143 ml (0.5 mg mixture)	0.5 mg
Day 8	0.5 mg	142 ml (0.5 mg mixture)	0.5 mg
Day 9	0.5 mg	141 ml (0.5 mg mixture)	0.5 mg
Day 10	0.5 mg	140 ml (0.5 mg mixture)	0.5 mg
Day 11	0.5 mg	139 ml (0.5 mg mixture)	0.5 mg
Day 12	0.5 mg	138 ml (0.5 mg mixture)	0.5 mg
Day 13	0.5 mg	137 ml (0.5 mg mixture)	0.5 mg
Day 14	0.5 mg	136 ml (0.5 mg mixture)	0.5 mg
Day 15	0.5 mg	135 ml (0.5 mg mixture)	0.5 mg
Day 16	149 ml (0.5 mg mixture)	134 ml (0.5 mg mixture)	0.5 mg
Day 17	148 ml (0.5 mg mixture)	133 ml (0.5 mg mixture)	0.5 mg
Day 18	147 ml (0.5 mg mixture)	132 ml (0.5 mg mixture)	0.5 mg
Day 19	146 ml (0.5 mg mixture)	131 ml (0.5 mg mixture)	0.5 mg
Day 20	145 ml (0.5 mg mixture)	130 ml (0.5 mg mixture)	0.5 mg

Day 21	144 ml (0.5 mg mixture)	129 ml (0.5 mg mixture)	0.5 mg
Day 22	143 ml (0.5 mg mixture)	128 ml (0.5 mg mixture)	0.5 mg
Day 23	142 ml (0.5 mg mixture)	127 ml (0.5 mg mixture)	0.5 mg
Day 24	141 ml (0.5 mg mixture)	126 ml (0.5 mg mixture)	0.5 mg
Day 25	140 ml (0.5 mg mixture)	125 ml (0.5 mg mixture)	0.5 mg
Day 26	139 ml (0.5 mg mixture)	124 ml (0.5 mg mixture)	0.5 mg
Day 27	138 ml (0.5 mg mixture)	123 ml (0.5 mg mixture)	0.5 mg
Day 28	137 ml (0.5 mg mixture)	122 ml (0.5 mg mixture)	0.5 mg
Day 29	136 ml (0.5 mg mixture)	121 ml (0.5 mg mixture)	0.5 mg
Day 30	135 ml (0.5 mg mixture)	120 ml (0.5 mg mixture)	0.5 mg
Day 31	134 ml (0.5 mg mixture)	119 ml (0.5 mg mixture)	0.5 mg
Day 32	133 ml (0.5 mg mixture)	118 ml (0.5 mg mixture)	0.5 mg
Day 33	132 ml (0.5 mg mixture)	117 ml (0.5 mg mixture)	0.5 mg
Day 34	131 ml (0.5 mg mixture)	116 ml (0.5 mg mixture)	0.5 mg
Day 35	130 ml (0.5 mg mixture)	115 ml (0.5 mg mixture)	0.5 mg
Day 36	129 ml (0.5 mg mixture)	114 ml (0.5 mg mixture)	0.5 mg
Day 37	128 ml (0.5 mg mixture)	113 ml (0.5 mg mixture)	0.5 mg
Day 38	127 ml (0.5 mg mixture)	112 ml (0.5 mg mixture)	0.5 mg
Day 39	126 ml (0.5 mg mixture)	111 ml (0.5 mg mixture)	0.5 mg

Day 40	125 ml (0.5 mg mixture)	110 ml (0.5 mg mixture)	0.5 mg
Day 41	124 ml (0.5 mg mixture)	109 ml (0.5 mg mixture)	0.5 mg
Day 42	123 ml (0.5 mg mixture)	108 ml (0.5 mg mixture)	0.5 mg
Day 43	122 ml (0.5 mg mixture)	107 ml (0.5 mg mixture)	0.5 mg
Day 44	121 ml (0.5 mg mixture)	106 ml (0.5 mg mixture)	0.5 mg
Day 45	120 ml (0.5 mg mixture)	105 ml (0.5 mg mixture)	0.5 mg
Day 46	119 ml (0.5 mg mixture)	104 ml (0.5 mg mixture)	0.5 mg
Day 47	118 ml (0.5 mg mixture)	103 ml (0.5 mg mixture)	0.5 mg
Day 48	117 ml (0.5 mg mixture)	102 ml (0.5 mg mixture)	0.5 mg
Day 49	116 ml (0.5 mg mixture)	101 ml (0.5 mg mixture)	0.5 mg
Day 50	115 ml (0.5 mg mixture)	100 ml (0.5 mg mixture)	0.5 mg
Day 51	114 ml (0.5 mg mixture)	99 ml (0.5 mg mixture)	0.5 mg
Day 52	113 ml (0.5 mg mixture)	98 ml (0.5 mg mixture)	0.5 mg
Day 53	112 ml (0.5 mg mixture)	97 ml (0.5 mg mixture)	0.5 mg
Day 54	111 ml (0.5 mg mixture)	96 ml (0.5 mg mixture)	0.5 mg
Day 55	110 ml (0.5 mg mixture)	95 ml (0.5 mg mixture)	0.5 mg
Day 56	109 ml (0.5 mg mixture)	94 ml (0.5 mg mixture)	0.5 mg
Day 57	108 ml (0.5 mg mixture)	93 ml (0.5 mg mixture)	0.5 mg
Day 58	107 ml (0.5 mg mixture)	92 ml (0.5 mg mixture)	0.5 mg

Day 59	106 ml (0.5 mg mixture)	91 ml (0.5 mg mixture)	0.5 mg
Day 60	105 ml (0.5 mg mixture)	90 ml (0.5 mg mixture)	0.5 mg
Day 61	104 ml (0.5 mg mixture)	89 ml (0.5 mg mixture)	0.5 mg
Day 62	103 ml (0.5 mg mixture)	88 ml (0.5 mg mixture)	0.5 mg
Day 63	102 ml (0.5 mg mixture)	87 ml (0.5 mg mixture)	0.5 mg
Day 64	101 ml (0.5 mg mixture)	86 ml (0.5 mg mixture)	0.5 mg
Day 65	100 ml (0.5 mg mixture)	85 ml (0.5 mg mixture)	0.5 mg
Day 66	99 ml (0.5 mg mixture)	84 ml (0.5 mg mixture)	0.5 mg
Day 67	98 ml (0.5 mg mixture)	83 ml (0.5 mg mixture)	0.5 mg
Day 68	97 ml (0.5 mg mixture)	82 ml (0.5 mg mixture)	0.5 mg
Day 69	96 ml (0.5 mg mixture)	81 ml (0.5 mg mixture)	0.5 mg
Day 70	95 ml (0.5 mg mixture)	80 ml (0.5 mg mixture)	0.5 mg
Day 71	94 ml (0.5 mg mixture)	79 ml (0.5 mg mixture)	0.5 mg
Day 72	93 ml (0.5 mg mixture)	78 ml (0.5 mg mixture)	0.5 mg
Day 73	92 ml (0.5 mg mixture)	77 ml (0.5 mg mixture)	0.5 mg
Day 74	91 ml (0.5 mg mixture)	76 ml (0.5 mg mixture)	0.5 mg
Day 75	90 ml (0.5 mg mixture)	75 ml (0.5 mg mixture)	0.5 mg
Day 76	89 ml (0.5 mg mixture)	74 ml (0.5 mg mixture)	0.5 mg
Day 77	88 ml (0.5 mg mixture)	73 ml (0.5 mg mixture)	0.5 mg

Day 78	87 ml (0.5 mg mixture)	72 ml (0.5 mg mixture)	0.5 mg
Day 79	86 ml (0.5 mg mixture)	71 ml (0.5 mg mixture)	0.5 mg
Day 80	85 ml (0.5 mg mixture)	70 ml (0.5 mg mixture)	0.5 mg
Day 81	84 ml (0.5 mg mixture)	69 ml (0.5 mg mixture)	0.5 mg
Day 82	83 ml (0.5 mg mixture)	68 ml (0.5 mg mixture)	0.5 mg
Day 83	82 ml (0.5 mg mixture)	67 ml (0.5 mg mixture)	0.5 mg
Day 84	81 ml (0.5 mg mixture)	66 ml (0.5 mg mixture)	0.5 mg
Day 85	80 ml (0.5 mg mixture)	65 ml (0.5 mg mixture)	0.5 mg
Day 86	79 ml (0.5 mg mixture)	64 ml (0.5 mg mixture)	0.5 mg
Day 87	78 ml (0.5 mg mixture)	63 ml (0.5 mg mixture)	0.5 mg
Day 88	77 ml (0.5 mg mixture)	62 ml (0.5 mg mixture)	0.5 mg
Day 89	76 ml (0.5 mg mixture)	61 ml (0.5 mg mixture)	0.5 mg
Day 90	75 ml (0.5 mg mixture)	60 ml (0.5 mg mixture)	0.5 mg
Day 91	74 ml (0.5 mg mixture)	59 ml (0.5 mg mixture)	0.5 mg
Day 92	73 ml (0.5 mg mixture)	58 ml (0.5 mg mixture)	0.5 mg
Day 93	72 ml (0.5 mg mixture)	57 ml (0.5 mg mixture)	0.5 mg
Day 94	71 ml (0.5 mg mixture)	56 ml (0.5 mg mixture)	0.5 mg
Day 95	70 ml (0.5 mg mixture)	55 ml (0.5 mg mixture)	0.5 mg
Day 96	69 ml (0.5 mg mixture)	54 ml (0.5 mg mixture)	0.5 mg

Day 97	68 ml (0.5 mg mixture)	53 ml (0.5 mg mixture)	0.5 mg
Day 98	67 ml (0.5 mg mixture)	52 ml (0.5 mg mixture)	0.5 mg
Day 99	66 ml (0.5 mg mixture)	51 ml (0.5 mg mixture)	0.5 mg
Day 100	65 ml (0.5 mg mixture)	50 ml (0.5 mg mixture)	0.5 mg
Day 101	64 ml (0.5 mg mixture)	49 ml (0.5 mg mixture)	0.5 mg
Day 102	63 ml (0.5 mg mixture)	48 ml (0.5 mg mixture)	0.5 mg
Day 103	62 ml (0.5 mg mixture)	47 ml (0.5 mg mixture)	0.5 mg
Day 104	61 ml (0.5 mg mixture)	46 ml (0.5 mg mixture)	0.5 mg
Day 105	60 ml (0.5 mg mixture)	45 ml (0.5 mg mixture)	0.5 mg
Day 106	59 ml (0.5 mg mixture)	44 ml (0.5 mg mixture)	0.5 mg
Day 107	58 ml (0.5 mg mixture)	43 ml (0.5 mg mixture)	0.5 mg
Day 108	57 ml (0.5 mg mixture)	42 ml (0.5 mg mixture)	0.5 mg
Day 109	56 ml (0.5 mg mixture)	41 ml (0.5 mg mixture)	0.5 mg
Day 110	55 ml (0.5 mg mixture)	40 ml (0.5 mg mixture)	0.5 mg
Day 111	54 ml (0.5 mg mixture)	39 ml (0.5 mg mixture)	0.5 mg
Day 112	53 ml (0.5 mg mixture)	38 ml (0.5 mg mixture)	0.5 mg
Day 113	52 ml (0.5 mg mixture)	37 ml (0.5 mg mixture)	0.5 mg
Day 114	51 ml (0.5 mg mixture)	36 ml (0.5 mg mixture)	0.5 mg
Day 115	50 ml (0.5 mg mixture)	35 ml (0.5 mg mixture)	0.5 mg

Day 116	49 ml (0.5 mg mixture)	34 ml (0.5 mg mixture)	0.5 mg
Day 117	48 ml (0.5 mg mixture)	33 ml (0.5 mg mixture)	0.5 mg
Day 118	47 ml (0.5 mg mixture)	32 ml (0.5 mg mixture)	0.5 mg
Day 119	46 ml (0.5 mg mixture)	31 ml (0.5 mg mixture)	0.5 mg
Day 120	45 ml (0.5 mg mixture)	30 ml (0.5 mg mixture)	0.5 mg
Day 121	44 ml (0.5 mg mixture)	29 ml (0.5 mg mixture)	0.5 mg
Day 122	43 ml (0.5 mg mixture)	28 ml (0.5 mg mixture)	0.5 mg
Day 123	42 ml (0.5 mg mixture)	27 ml (0.5 mg mixture)	0.5 mg
Day 124	41 ml (0.5 mg mixture)	26 ml (0.5 mg mixture)	0.5 mg
Day 125	40 ml (0.5 mg mixture)	25 ml (0.5 mg mixture)	0.5 mg
Day 126	39 ml (0.5 mg mixture)	24 ml (0.5 mg mixture)	0.5 mg
Day 127	38 ml (0.5 mg mixture)	23 ml (0.5 mg mixture)	0.5 mg
Day 128	37 ml (0.5 mg mixture)	22 ml (0.5 mg mixture)	0.5 mg
Day 129	36 ml (0.5 mg mixture)	21 ml (0.5 mg mixture)	0.5 mg
Day 130	35 ml (0.5 mg mixture)	20 ml (0.5 mg mixture)	0.5 mg
Day 131	34 ml (0.5 mg mixture)	19 ml (0.5 mg mixture)	0.5 mg
Day 132	33 ml (0.5 mg mixture)	18 ml (0.5 mg mixture)	0.5 mg
Day 133	32 ml (0.5 mg mixture)	17 ml (0.5 mg mixture)	0.5 mg
Day 134	31 ml (0.5 mg mixture)	16 ml (0.5 mg mixture)	0.5 mg

Day 135	30 ml (0.5 mg mixture)	15 ml (0.5 mg mixture)	0.5 mg
Day 136	29 ml (0.5 mg mixture)	14 ml (0.5 mg mixture)	0.5 mg
Day 137	28 ml (0.5 mg mixture)	13 ml (0.5 mg mixture)	0.5 mg
Day 138	27 ml (0.5 mg mixture)	12 ml (0.5 mg mixture)	0.5 mg
Day 139	26 ml (0.5 mg mixture)	11 ml (0.5 mg mixture)	0.5 mg
Day 140	25 ml (0.5 mg mixture)	10 ml (0.5 mg mixture)	0.5 mg
Day 141	24 ml (0.5 mg mixture)	9 ml (0.5 mg mixture)	0.5 mg
Day 142	23 ml (0.5 mg mixture)	8 ml (0.5 mg mixture)	0.5 mg
Day 143	22 ml (0.5 mg mixture)	7 ml (0.5 mg mixture)	0.5 mg
Day 144	21 ml (0.5 mg mixture)	6 ml (0.5 mg mixture)	0.5 mg
Day 145	20 ml (0.5 mg mixture)	5 ml (0.5 mg mixture)	0.5 mg
Day 146	19 ml (0.5 mg mixture)	4 ml (0.5 mg mixture)	0.5 mg
Day 147	18 ml (0.5 mg mixture)	3 ml (0.5 mg mixture)	0.5 mg
Day 148	17 ml (0.5 mg mixture)	2 ml (0.5 mg mixture)	0.5 mg
Day 149	16 ml (0.5 mg mixture)	1 ml (0.5 mg mixture)	0.5 mg
Day 150	15 ml (0.5 mg mixture)	Stop	0.5 mg
Day 151	14 ml (0.5 mg mixture)	-	0.5 mg
Day 152	13 ml (0.5 mg mixture)	-	0.5 mg
Day 153	12 ml (0.5 mg mixture)	-	0.5 mg
Day 154	11 ml (0.5 mg mixture)	-	0.5 mg
Day 155	10 ml (0.5 mg mixture)	-	0.5 mg
Day 156	9 ml (0.5 mg mixture)	-	0.5 mg
Day 157	8 ml (0.5 mg mixture)	-	0.5 mg
Day 158	7 ml (0.5 mg mixture)	-	0.5 mg
Day 159	6 ml (0.5 mg mixture)	-	0.5 mg
Day 160	5 ml (0.5 mg mixture)	-	0.5 mg
Day 161	4 ml (0.5 mg mixture)	-	0.5 mg
Day 162	3 ml (0.5 mg mixture)	-	0.5 mg
Day 163	2 ml (0.5 mg mixture)	-	0.5 mg
Day 164	1 ml (0.5 mg mixture)	-	0.5 mg
Day 165	Stop	-	0.5 mg
Day 166	-	-	149 ml (0.5 mg mixture)

Day 167	-	-	148 ml (0.5 mg mixture)
Day 168	-	-	147 ml (0.5 mg mixture)
Day 169	-	-	146 ml (0.5 mg mixture)
Day 170	-	-	145 ml (0.5 mg mixture)
Day 171	-	-	144 ml (0.5 mg mixture)
Day 172	-	-	143 ml (0.5 mg mixture)
Day 173	-	-	142 ml (0.5 mg mixture)
Day 174	-	-	141 ml (0.5 mg mixture)
Day 175	-	-	140 ml (0.5 mg mixture)
Day 176	-	-	139 ml (0.5 mg mixture)
Day 177	-	-	138 ml (0.5 mg mixture)
Day 178	-	-	137 ml (0.5 mg mixture)
Day 179	-	-	136 ml (0.5 mg mixture)
Day 180	-	-	135 ml (0.5 mg mixture)
Day 181	-	-	134 ml (0.5 mg mixture)
Day 182	-	-	133 ml (0.5 mg mixture)
Day 183	-	-	132 ml (0.5 mg mixture)
Day 184	-	-	131 ml (0.5 mg mixture)
Day 185	-	-	130 ml (0.5 mg mixture)

Day 186	-	-	129 ml (0.5 mg mixture)
Day 187	-	-	128 ml (0.5 mg mixture)
Day 188	-	-	127 ml (0.5 mg mixture)
Day 189	-	-	126 ml (0.5 mg mixture)
Day 190	-	-	125 ml (0.5 mg mixture)
Day 191	-	-	124 ml (0.5 mg mixture)
Day 192	-	-	123 ml (0.5 mg mixture)
Day 193	-	-	122 ml (0.5 mg mixture)
Day 194	-	-	121 ml (0.5 mg mixture)
Day 195	-	-	120 ml (0.5 mg mixture)
Day 196	-	-	119 ml (0.5 mg mixture)
Day 197	-	-	118 ml (0.5 mg mixture)
Day 198	-	-	117 ml (0.5 mg mixture)
Day 199	-	-	116 ml (0.5 mg mixture)
Day 200	-	-	115 ml (0.5 mg mixture)
Day 201	-	-	114 ml (0.5 mg mixture)
Day 202	-	-	113 ml (0.5 mg mixture)
Day 203	-	-	112 ml (0.5 mg mixture)
Day 204	-	-	111 ml (0.5 mg mixture)

Day 205	-	-	110 ml (0.5 mg mixture)
Day 206	-	-	109 ml (0.5 mg mixture)
Day 207	-	-	108 ml (0.5 mg mixture)
Day 208	-	-	107 ml (0.5 mg mixture)
Day 209	-	-	106 ml (0.5 mg mixture)
Day 210	-	-	105 ml (0.5 mg mixture)
Day 211	-	-	104 ml (0.5 mg mixture)
Day 212	-	-	103 ml (0.5 mg mixture)
Day 213	-	-	102 ml (0.5 mg mixture)
Day 214	-	-	101 ml (0.5 mg mixture)
Day 215	-	-	100 ml (0.5 mg mixture)
Day 216	-	-	99 ml (0.5 mg mixture)
Day 217	-	-	98 ml (0.5 mg mixture)
Day 218	-	-	97 ml (0.5 mg mixture)
Day 219	-	-	96 ml (0.5 mg mixture)
Day 220	-	-	95 ml (0.5 mg mixture)
Day 221	-	-	94 ml (0.5 mg mixture)
Day 222	-	-	93 ml (0.5 mg mixture)
Day 223	-	-	92 ml (0.5 mg mixture)

Day 224	-	-	91 ml (0.5 mg mixture)
Day 225	-	-	90 ml (0.5 mg mixture)
Day 226	-	-	89 ml (0.5 mg mixture)
Day 227	-	-	88 ml (0.5 mg mixture)
Day 228	-	-	87 ml (0.5 mg mixture)
Day 229	-	-	86 ml (0.5 mg mixture)
Day 230	-	-	85 ml (0.5 mg mixture)
Day 231	-	-	84 ml (0.5 mg mixture)
Day 232	-	-	83 ml (0.5 mg mixture)
Day 233	-	-	82 ml (0.5 mg mixture)
Day 234	-	-	81 ml (0.5 mg mixture)
Day 235	-	-	80 ml (0.5 mg mixture)
Day 236	-	-	79 ml (0.5 mg mixture)
Day 237	-	-	78 ml (0.5 mg mixture)
Day 238	-	-	77 ml (0.5 mg mixture)
Day 239	-	-	76 ml (0.5 mg mixture)
Day 440	-	-	75 ml (0.5 mg mixture)
Day 241	-	-	74 ml (0.5 mg mixture)
Day 242	-	-	73 ml (0.5 mg mixture)

Day 243	-	-	72 ml (0.5 mg mixture)
Day 244	-	-	71 ml (0.5 mg mixture)
Day 245	-	-	70 ml (0.5 mg mixture)
Day 246	-	-	69 ml (0.5 mg mixture)
Day 247	-	-	68 ml (0.5 mg mixture)
Day 248	-	-	67 ml (0.5 mg mixture)
Day 249	-	-	66 ml (0.5 mg mixture)
Day 250	-	-	65 ml (0.5 mg mixture)
Day 251	-	-	64 ml (0.5 mg mixture)
Day 252	-	-	63 ml (0.5 mg mixture)
Day 253	-	-	62 ml (0.5 mg mixture)
Day 254	-	-	61 ml (0.5 mg mixture)
Day 255	-	-	60 ml (0.5 mg mixture)
Day 256	-	-	59 ml (0.5 mg mixture)
Day 257	-	-	58 ml (0.5 mg mixture)
Day 258	-	-	57 ml (0.5 mg mixture)
Day 259	-	-	56 ml (0.5 mg mixture)
Day 260	-	-	55 ml (0.5 mg mixture)
Day 261	-	-	54 ml (0.5 mg mixture)

Day 262	-	-	53 ml (0.5 mg mixture)
Day 263	-	-	52 ml (0.5 mg mixture)
Day 264	-	-	51 ml (0.5 mg mixture)
Day 265	-	-	50 ml (0.5 mg mixture)
Day 266	-	-	49 ml (0.5 mg mixture)
Day 267	-	-	48 ml (0.5 mg mixture)
Day 268	-	-	47 ml (0.5 mg mixture)
Day 269	-	-	46 ml (0.5 mg mixture)
Day 270	-	-	45 ml (0.5 mg mixture)
Day 271	-	-	44 ml (0.5 mg mixture)
Day 272	-	-	43 ml (0.5 mg mixture)
Day 273	-	-	42 ml (0.5 mg mixture)
Day 274	-	-	41 ml (0.5 mg mixture)
Day 275	-	-	40 ml (0.5 mg mixture)
Day 276	-	-	39 ml (0.5 mg mixture)
Day 277	-	-	38 ml (0.5 mg mixture)
Day 278	-	-	37 ml (0.5 mg mixture)
Day 279	-	-	36 ml (0.5 mg mixture)
Day 280	-	-	35 ml (0.5 mg mixture)

Day 281	-	-	34 ml (0.5 mg mixture)
Day 282	-	-	33 ml (0.5 mg mixture)
Day 283	-	-	32 ml (0.5 mg mixture)
Day 284	-	-	31 ml (0.5 mg mixture)
Day 285	-	-	30 ml (0.5 mg mixture)
Day 286	-	-	29 ml (0.5 mg mixture)
Day 287	-	-	28 ml (0.5 mg mixture)
Day 288	-	-	27 ml (0.5 mg mixture)
Day 289	-	-	26 ml (0.5 mg mixture)
Day 290	-	-	25 ml (0.5 mg mixture)
Day 291	-	-	24 ml (0.5 mg mixture)
Day 292	-	-	23 ml (0.5 mg mixture)
Day 293	-	-	22 ml (0.5 mg mixture)
Day 294	-	-	21 ml (0.5 mg mixture)
Day 295	-	-	20 ml (0.5 mg mixture)
Day 296	-	-	19 ml (0.5 mg mixture)
Day 297	-	-	18 ml (0.5 mg mixture)
Day 298	-	-	17 ml (0.5 mg mixture)
Day 299	-	-	16 ml (0.5 mg mixture)

Day 300	-	-	15 ml (0.5 mg mixture)
Day 301	-	-	14 ml (0.5 mg mixture)
Day 302	-	-	13 ml (0.5 mg mixture)
Day 303	-	-	12 ml (0.5 mg mixture)
Day 304	-	-	11 ml (0.5 mg mixture)
Day 305	-	-	10 ml (0.5 mg mixture)
Day 306	-	-	9 ml (0.5 mg mixture)
Day 307	-	-	8 ml (0.5 mg mixture)
Day 308	-	-	7 ml (0.5 mg mixture)
Day 309	-	-	6 ml (0.5 mg mixture)
Day 310	-	-	5 ml (0.5 mg mixture)
Day 311	-	-	4 ml (0.5 mg mixture)
Day 312	-	-	3 ml (0.5 mg mixture)
Day 313	-	-	2 ml (0.5 mg mixture)
Day 314	-	-	1 ml (0.5 mg mixture)
Day 315	-	-	Stop

Important Reminders

- Prepare a **fresh 0.5 mg mixture for each dose (8 AM, 1 PM, and 8 PM)**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 3

At the completion of Phase 3, all mixture-based doses have been fully reduced to zero.

No further doses of Alprazolam are taken at this stage, marking the end of the taper.

Completion of the Taper

You have successfully completed the full taper process.

This gradual approach allows the body to adjust step by step, reducing the risk of withdrawal symptoms and supporting long-term stability.

Total Taper Duration

- **Phase 1:** 100 days
- **Phase 2:** 100 days
- **Phase 3:** 315 days

Total duration: 515 days

You may now focus on recovery, stabilization, and maintaining healthy daily routines.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 15

Complete 150-Day Taper Schedule Using 0.5 mg Tablet + 0.5 mg Mixture

Each dose includes a 0.5 mg tablet plus a measured amount from the 0.5 mg mixture.

Definitions (for the table below)

- **0.5 mg (tablet):**
Regular 0.5 mg alprazolam taken as a standard dose.
- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 150 ml of water.
- **“0.5 mg + XX ml (0.5 mg mixture)”**
Take **one 0.5 mg tablet** plus the **specified volume (in ml)** from the prepared mixture.
The amount taken from the mixture will vary each day (e.g., 149 ml, 50 ml, 9 ml) as the taper progresses.

150-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM, 12 PM, 4 PM, and 8 PM for that day.

Day	All Doses (8 AM, 12 PM, 4 PM, 8 PM)
Day 1	0.5 mg + 149 ml (0.5 mg mixture)
Day 2	0.5 mg + 148 ml (0.5 mg mixture)
Day 3	0.5 mg + 147 ml (0.5 mg mixture)
Day 4	0.5 mg + 146 ml (0.5 mg mixture)
Day 5	0.5 mg + 145 ml (0.5 mg mixture)
Day 6	0.5 mg + 144 ml (0.5 mg mixture)
Day 7	0.5 mg + 143 ml (0.5 mg mixture)
Day 8	0.5 mg + 142 ml (0.5 mg mixture)
Day 9	0.5 mg + 141 ml (0.5 mg mixture)

Day 10	0.5 mg + 140 ml (0.5 mg mixture)
Day 11	0.5 mg + 139 ml (0.5 mg mixture)
Day 12	0.5 mg + 138 ml (0.5 mg mixture)
Day 13	0.5 mg + 137 ml (0.5 mg mixture)
Day 14	0.5 mg + 136 ml (0.5 mg mixture)
Day 15	0.5 mg + 135 ml (0.5 mg mixture)
Day 16	0.5 mg + 134 ml (0.5 mg mixture)
Day 17	0.5 mg + 133 ml (0.5 mg mixture)
Day 18	0.5 mg + 132 ml (0.5 mg mixture)
Day 19	0.5 mg + 131 ml (0.5 mg mixture)
Day 20	0.5 mg + 130 ml (0.5 mg mixture)
Day 21	0.5 mg + 129 ml (0.5 mg mixture)
Day 22	0.5 mg + 128 ml (0.5 mg mixture)
Day 23	0.5 mg + 127 ml (0.5 mg mixture)
Day 24	0.5 mg + 126 ml (0.5 mg mixture)
Day 25	0.5 mg + 125 ml (0.5 mg mixture)
Day 26	0.5 mg + 124 ml (0.5 mg mixture)
Day 27	0.5 mg + 123 ml (0.5 mg mixture)
Day 28	0.5 mg + 122 ml (0.5 mg mixture)
Day 29	0.5 mg + 121 ml (0.5 mg mixture)
Day 30	0.5 mg + 120 ml (0.5 mg mixture)
Day 31	0.5 mg + 119 ml (0.5 mg mixture)
Day 32	0.5 mg + 118 ml (0.5 mg mixture)
Day 33	0.5 mg + 117 ml (0.5 mg mixture)
Day 34	0.5 mg + 116 ml (0.5 mg mixture)
Day 35	0.5 mg + 115 ml (0.5 mg mixture)
Day 36	0.5 mg + 114 ml (0.5 mg mixture)
Day 37	0.5 mg + 113 ml (0.5 mg mixture)
Day 38	0.5 mg + 112 ml (0.5 mg mixture)
Day 39	0.5 mg + 111 ml (0.5 mg mixture)
Day 40	0.5 mg + 110 ml (0.5 mg mixture)
Day 41	0.5 mg + 109 ml (0.5 mg mixture)
Day 42	0.5 mg + 108 ml (0.5 mg mixture)
Day 43	0.5 mg + 107 ml (0.5 mg mixture)
Day 44	0.5 mg + 106 ml (0.5 mg mixture)
Day 45	0.5 mg + 105 ml (0.5 mg mixture)
Day 46	0.5 mg + 104 ml (0.5 mg mixture)
Day 47	0.5 mg + 103 ml (0.5 mg mixture)

Day 48	0.5 mg + 102 ml (0.5 mg mixture)
Day 49	0.5 mg + 101 ml (0.5 mg mixture)
Day 50	0.5 mg + 100 ml (0.5 mg mixture)
Day 51	0.5 mg + 99 ml (0.5 mg mixture)
Day 52	0.5 mg + 98 ml (0.5 mg mixture)
Day 53	0.5 mg + 97 ml (0.5 mg mixture)
Day 54	0.5 mg + 96 ml (0.5 mg mixture)
Day 55	0.5 mg + 95 ml (0.5 mg mixture)
Day 56	0.5 mg + 94 ml (0.5 mg mixture)
Day 57	0.5 mg + 93 ml (0.5 mg mixture)
Day 58	0.5 mg + 92 ml (0.5 mg mixture)
Day 59	0.5 mg + 91 ml (0.5 mg mixture)
Day 60	0.5 mg + 90 ml (0.5 mg mixture)
Day 61	0.5 mg + 89 ml (0.5 mg mixture)
Day 62	0.5 mg + 88 ml (0.5 mg mixture)
Day 63	0.5 mg + 87 ml (0.5 mg mixture)
Day 64	0.5 mg + 86 ml (0.5 mg mixture)
Day 65	0.5 mg + 85 ml (0.5 mg mixture)
Day 66	0.5 mg + 84 ml (0.5 mg mixture)
Day 67	0.5 mg + 83 ml (0.5 mg mixture)
Day 68	0.5 mg + 82 ml (0.5 mg mixture)
Day 69	0.5 mg + 81 ml (0.5 mg mixture)
Day 70	0.5 mg + 80 ml (0.5 mg mixture)
Day 71	0.5 mg + 79 ml (0.5 mg mixture)
Day 72	0.5 mg + 78 ml (0.5 mg mixture)
Day 73	0.5 mg + 77 ml (0.5 mg mixture)
Day 74	0.5 mg + 76 ml (0.5 mg mixture)
Day 75	0.5 mg + 75 ml (0.5 mg mixture)
Day 76	0.5 mg + 74 ml (0.5 mg mixture)
Day 77	0.5 mg + 73 ml (0.5 mg mixture)
Day 78	0.5 mg + 72 ml (0.5 mg mixture)
Day 79	0.5 mg + 71 ml (0.5 mg mixture)
Day 80	0.5 mg + 70 ml (0.5 mg mixture)
Day 81	0.5 mg + 69 ml (0.5 mg mixture)
Day 82	0.5 mg + 68 ml (0.5 mg mixture)
Day 83	0.5 mg + 67 ml (0.5 mg mixture)
Day 84	0.5 mg + 66 ml (0.5 mg mixture)
Day 85	0.5 mg + 65 ml (0.5 mg mixture)

Day 86	0.5 mg + 64 ml (0.5 mg mixture)
Day 87	0.5 mg + 63 ml (0.5 mg mixture)
Day 88	0.5 mg + 62 ml (0.5 mg mixture)
Day 89	0.5 mg + 61 ml (0.5 mg mixture)
Day 90	0.5 mg + 60 ml (0.5 mg mixture)
Day 91	0.5 mg + 59 ml (0.5 mg mixture)
Day 92	0.5 mg + 58 ml (0.5 mg mixture)
Day 93	0.5 mg + 57 ml (0.5 mg mixture)
Day 94	0.5 mg + 56 ml (0.5 mg mixture)
Day 95	0.5 mg + 55 ml (0.5 mg mixture)
Day 96	0.5 mg + 54 ml (0.5 mg mixture)
Day 97	0.5 mg + 53 ml (0.5 mg mixture)
Day 98	0.5 mg + 52 ml (0.5 mg mixture)
Day 99	0.5 mg + 51 ml (0.5 mg mixture)
Day 100	0.5 mg + 50 ml (0.5 mg mixture)
Day 101	0.5 mg + 49 ml (0.5 mg mixture)
Day 102	0.5 mg + 48 ml (0.5 mg mixture)
Day 103	0.5 mg + 47 ml (0.5 mg mixture)
Day 104	0.5 mg + 46 ml (0.5 mg mixture)
Day 105	0.5 mg + 45 ml (0.5 mg mixture)
Day 106	0.5 mg + 44 ml (0.5 mg mixture)
Day 107	0.5 mg + 43 ml (0.5 mg mixture)
Day 108	0.5 mg + 42 ml (0.5 mg mixture)
Day 109	0.5 mg + 41 ml (0.5 mg mixture)
Day 110	0.5 mg + 40 ml (0.5 mg mixture)
Day 111	0.5 mg + 39 ml (0.5 mg mixture)
Day 112	0.5 mg + 38 ml (0.5 mg mixture)
Day 113	0.5 mg + 37 ml (0.5 mg mixture)
Day 114	0.5 mg + 36 ml (0.5 mg mixture)
Day 115	0.5 mg + 35 ml (0.5 mg mixture)
Day 116	0.5 mg + 34 ml (0.5 mg mixture)
Day 117	0.5 mg + 33 ml (0.5 mg mixture)
Day 118	0.5 mg + 32 ml (0.5 mg mixture)
Day 119	0.5 mg + 31 ml (0.5 mg mixture)
Day 120	0.5 mg + 30 ml (0.5 mg mixture)
Day 121	0.5 mg + 29 ml (0.5 mg mixture)
Day 122	0.5 mg + 28 ml (0.5 mg mixture)
Day 123	0.5 mg + 27 ml (0.5 mg mixture)

Day 124	0.5 mg + 26 ml (0.5 mg mixture)
Day 125	0.5 mg + 25 ml (0.5 mg mixture)
Day 126	0.5 mg + 24 ml (0.5 mg mixture)
Day 127	0.5 mg + 23 ml (0.5 mg mixture)
Day 128	0.5 mg + 22 ml (0.5 mg mixture)
Day 129	0.5 mg + 21 ml (0.5 mg mixture)
Day 130	0.5 mg + 20 ml (0.5 mg mixture)
Day 131	0.5 mg + 19 ml (0.5 mg mixture)
Day 132	0.5 mg + 18 ml (0.5 mg mixture)
Day 133	0.5 mg + 17 ml (0.5 mg mixture)
Day 134	0.5 mg + 16 ml (0.5 mg mixture)
Day 135	0.5 mg + 15 ml (0.5 mg mixture)
Day 136	0.5 mg + 14 ml (0.5 mg mixture)
Day 137	0.5 mg + 13 ml (0.5 mg mixture)
Day 138	0.5 mg + 12 ml (0.5 mg mixture)
Day 139	0.5 mg + 11 ml (0.5 mg mixture)
Day 140	0.5 mg + 10 ml (0.5 mg mixture)
Day 141	0.5 mg + 9 ml (0.5 mg mixture)
Day 142	0.5 mg + 8 ml (0.5 mg mixture)
Day 143	0.5 mg + 7 ml (0.5 mg mixture)
Day 144	0.5 mg + 6 ml (0.5 mg mixture)
Day 145	0.5 mg + 5 ml (0.5 mg mixture)
Day 146	0.5 mg + 4 ml (0.5 mg mixture)
Day 147	0.5 mg + 3 ml (0.5 mg mixture)
Day 148	0.5 mg + 2 ml (0.5 mg mixture)
Day 149	0.5 mg + 1 ml (0.5 mg mixture)
Day 150	0.5 mg + 0 ml (0.5 mg mixture)

Important Reminders

- Prepare a **fresh 0.5 mg mixture for each dose (8 AM, 12 PM, 4 PM, and 8 PM)**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.

- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 2

At the completion of the 150-day water taper, the mixture portion has been fully reduced to zero for each dose.

At this point, only the regular tablet doses remain:

- **8 AM** = 0.5 mg Alprazolam
- **12 PM** = 0.5 mg alprazolam
- **4 PM** = 0.5 mg alprazolam
- **8 PM** = 0.5 mg alprazolam

Total daily dose: 2 mg

You are now ready to proceed to Phase 2 of the taper.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 16

Complete 360-Day Taper Schedule Using 0.5 mg Tablet + 0.5 mg Mixture

Each dose includes either a **0.5 mg tablet** or a measured amount from the **0.5 mg mixture**, depending on the stage of the taper.

Definitions (for the table below)

- **0.5 mg (tablet):**
Regular 0.5 mg Alprazolam taken as a standard dose.
- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 150 ml of water.
- **“XX ml (0.5 mg mixture)”**
Take the **specified volume (in ml)** from the prepared mixture. The amount taken from the mixture will vary each day (e.g., 149 ml, 50 ml, 9 ml) as the taper progresses.
- **Stop:**
The taper is complete and the dose is no longer taken.
- **– (dash):**
No dose is taken at this time.

During tapering, the amount taken from the mixture decreases each day.

360-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM, 12 PM, 4 PM, and 8 PM for that day.

Day	8 AM Dose	12 PM & 4 PM Dose	8 PM Dose
Day 1	0.5 mg	149 ml (0.5 mg mixture)	0.5 mg

Day 2	0.5 mg	148 ml (0.5 mg mixture)	0.5 mg
Day 3	0.5 mg	147 ml (0.5 mg mixture)	0.5 mg
Day 4	0.5 mg	146 ml (0.5 mg mixture)	0.5 mg
Day 5	0.5 mg	145 ml (0.5 mg mixture)	0.5 mg
Day 6	0.5 mg	144 ml (0.5 mg mixture)	0.5 mg
Day 7	0.5 mg	143 ml (0.5 mg mixture)	0.5 mg
Day 8	0.5 mg	142 ml (0.5 mg mixture)	0.5 mg
Day 9	0.5 mg	141 ml (0.5 mg mixture)	0.5 mg
Day 10	0.5 mg	140 ml (0.5 mg mixture)	0.5 mg
Day 11	0.5 mg	139 ml (0.5 mg mixture)	0.5 mg
Day 12	0.5 mg	138 ml (0.5 mg mixture)	0.5 mg
Day 13	0.5 mg	137 ml (0.5 mg mixture)	0.5 mg
Day 14	0.5 mg	136 ml (0.5 mg mixture)	0.5 mg
Day 15	0.5 mg	135 ml (0.5 mg mixture)	0.5 mg
Day 16	0.5 mg	134 ml (0.5 mg mixture)	0.5 mg
Day 17	0.5 mg	133 ml (0.5 mg mixture)	0.5 mg
Day 18	0.5 mg	132 ml (0.5 mg mixture)	0.5 mg
Day 19	0.5 mg	131 ml (0.5 mg mixture)	0.5 mg
Day 20	0.5 mg	130 ml (0.5 mg mixture)	0.5 mg
Day 21	0.5 mg	129 ml (0.5 mg mixture)	0.5 mg
Day 22	0.5 mg	128 ml (0.5 mg mixture)	0.5 mg
Day 23	0.5 mg	127 ml (0.5 mg mixture)	0.5 mg
Day 24	0.5 mg	126 ml (0.5 mg mixture)	0.5 mg
Day 25	0.5 mg	125 ml (0.5 mg mixture)	0.5 mg
Day 26	0.5 mg	124 ml (0.5 mg mixture)	0.5 mg
Day 27	0.5 mg	123 ml (0.5 mg mixture)	0.5 mg
Day 28	0.5 mg	122 ml (0.5 mg mixture)	0.5 mg
Day 29	0.5 mg	121 ml (0.5 mg mixture)	0.5 mg
Day 30	0.5 mg	120 ml (0.5 mg mixture)	0.5 mg
Day 31	0.5 mg	119 ml (0.5 mg mixture)	0.5 mg
Day 32	0.5 mg	118 ml (0.5 mg mixture)	0.5 mg
Day 33	0.5 mg	117 ml (0.5 mg mixture)	0.5 mg
Day 34	0.5 mg	116 ml (0.5 mg mixture)	0.5 mg
Day 35	0.5 mg	115 ml (0.5 mg mixture)	0.5 mg
Day 36	0.5 mg	114 ml (0.5 mg mixture)	0.5 mg
Day 37	0.5 mg	113 ml (0.5 mg mixture)	0.5 mg
Day 38	0.5 mg	112 ml (0.5 mg mixture)	0.5 mg
Day 39	0.5 mg	111 ml (0.5 mg mixture)	0.5 mg

Day 40	0.5 mg	110 ml (0.5 mg mixture)	0.5 mg
Day 41	0.5 mg	109 ml (0.5 mg mixture)	0.5 mg
Day 42	0.5 mg	108 ml (0.5 mg mixture)	0.5 mg
Day 43	0.5 mg	107 ml (0.5 mg mixture)	0.5 mg
Day 44	0.5 mg	106 ml (0.5 mg mixture)	0.5 mg
Day 45	0.5 mg	105 ml (0.5 mg mixture)	0.5 mg
Day 46	0.5 mg	104 ml (0.5 mg mixture)	0.5 mg
Day 47	0.5 mg	103 ml (0.5 mg mixture)	0.5 mg
Day 48	0.5 mg	102 ml (0.5 mg mixture)	0.5 mg
Day 49	0.5 mg	101 ml (0.5 mg mixture)	0.5 mg
Day 50	0.5 mg	100 ml (0.5 mg mixture)	0.5 mg
Day 51	0.5 mg	99 ml (0.5 mg mixture)	0.5 mg
Day 52	0.5 mg	98 ml (0.5 mg mixture)	0.5 mg
Day 53	0.5 mg	97 ml (0.5 mg mixture)	0.5 mg
Day 54	0.5 mg	96 ml (0.5 mg mixture)	0.5 mg
Day 55	0.5 mg	95 ml (0.5 mg mixture)	0.5 mg
Day 56	0.5 mg	94 ml (0.5 mg mixture)	0.5 mg
Day 57	0.5 mg	93 ml (0.5 mg mixture)	0.5 mg
Day 58	0.5 mg	92 ml (0.5 mg mixture)	0.5 mg
Day 59	0.5 mg	91 ml (0.5 mg mixture)	0.5 mg
Day 60	0.5 mg	90 ml (0.5 mg mixture)	0.5 mg
Day 61	149 ml (0.5 mg mixture)	89 ml (0.5 mg mixture)	0.5 mg
Day 62	148 ml (0.5 mg mixture)	88 ml (0.5 mg mixture)	0.5 mg
Day 63	147 ml (0.5 mg mixture)	87 ml (0.5 mg mixture)	0.5 mg
Day 64	146 ml (0.5 mg mixture)	86 ml (0.5 mg mixture)	0.5 mg
Day 65	145 ml (0.5 mg mixture)	85 ml (0.5 mg mixture)	0.5 mg
Day 66	144 ml (0.5 mg mixture)	84 ml (0.5 mg mixture)	0.5 mg
Day 67	143 ml (0.5 mg mixture)	83 ml (0.5 mg mixture)	0.5 mg
Day 68	142 ml (0.5 mg mixture)	82 ml (0.5 mg mixture)	0.5 mg
Day 69	141 ml (0.5 mg mixture)	81 ml (0.5 mg mixture)	0.5 mg

Day 70	140 ml (0.5 mg mixture)	80 ml (0.5 mg mixture)	0.5 mg
Day 71	139 ml (0.5 mg mixture)	79 ml (0.5 mg mixture)	0.5 mg
Day 72	138 ml (0.5 mg mixture)	78 ml (0.5 mg mixture)	0.5 mg
Day 73	137 ml (0.5 mg mixture)	77 ml (0.5 mg mixture)	0.5 mg
Day 74	136 ml (0.5 mg mixture)	76 ml (0.5 mg mixture)	0.5 mg
Day 75	135 ml (0.5 mg mixture)	75 ml (0.5 mg mixture)	0.5 mg
Day 76	134 ml (0.5 mg mixture)	74 ml (0.5 mg mixture)	0.5 mg
Day 77	133 ml (0.5 mg mixture)	73 ml (0.5 mg mixture)	0.5 mg
Day 78	132 ml (0.5 mg mixture)	72 ml (0.5 mg mixture)	0.5 mg
Day 79	131 ml (0.5 mg mixture)	71 ml (0.5 mg mixture)	0.5 mg
Day 80	130 ml (0.5 mg mixture)	70 ml (0.5 mg mixture)	0.5 mg
Day 81	129 ml (0.5 mg mixture)	69 ml (0.5 mg mixture)	0.5 mg
Day 82	128 ml (0.5 mg mixture)	68 ml (0.5 mg mixture)	0.5 mg
Day 83	127 ml (0.5 mg mixture)	67 ml (0.5 mg mixture)	0.5 mg
Day 84	126 ml (0.5 mg mixture)	66 ml (0.5 mg mixture)	0.5 mg
Day 85	125 ml (0.5 mg mixture)	65 ml (0.5 mg mixture)	0.5 mg
Day 86	124 ml (0.5 mg mixture)	64 ml (0.5 mg mixture)	0.5 mg
Day 87	123 ml (0.5 mg mixture)	63 ml (0.5 mg mixture)	0.5 mg
Day 88	122 ml (0.5 mg mixture)	62 ml (0.5 mg mixture)	0.5 mg

Day 89	121 ml (0.5 mg mixture)	61 ml (0.5 mg mixture)	0.5 mg
Day 90	120 ml (0.5 mg mixture)	60 ml (0.5 mg mixture)	0.5 mg
Day 91	119 ml (0.5 mg mixture)	59 ml (0.5 mg mixture)	0.5 mg
Day 92	118 ml (0.5 mg mixture)	58 ml (0.5 mg mixture)	0.5 mg
Day 93	117 ml (0.5 mg mixture)	57 ml (0.5 mg mixture)	0.5 mg
Day 94	116 ml (0.5 mg mixture)	56 ml (0.5 mg mixture)	0.5 mg
Day 95	115 ml (0.5 mg mixture)	55 ml (0.5 mg mixture)	0.5 mg
Day 96	114 ml (0.5 mg mixture)	54 ml (0.5 mg mixture)	0.5 mg
Day 97	113 ml (0.5 mg mixture)	53 ml (0.5 mg mixture)	0.5 mg
Day 98	112 ml (0.5 mg mixture)	52 ml (0.5 mg mixture)	0.5 mg
Day 99	111 ml (0.5 mg mixture)	51 ml (0.5 mg mixture)	0.5 mg
Day 100	110 ml (0.5 mg mixture)	50 ml (0.5 mg mixture)	0.5 mg
Day 101	109 ml (0.5 mg mixture)	49 ml (0.5 mg mixture)	0.5 mg
Day 102	108 ml (0.5 mg mixture)	48 ml (0.5 mg mixture)	0.5 mg
Day 103	107 ml (0.5 mg mixture)	47 ml (0.5 mg mixture)	0.5 mg
Day 104	106 ml (0.5 mg mixture)	46 ml (0.5 mg mixture)	0.5 mg
Day 105	105 ml (0.5 mg mixture)	45 ml (0.5 mg mixture)	0.5 mg
Day 106	104 ml (0.5 mg mixture)	44 ml (0.5 mg mixture)	0.5 mg
Day 107	103 ml (0.5 mg mixture)	43 ml (0.5 mg mixture)	0.5 mg

Day 108	102 ml (0.5 mg mixture)	42 ml (0.5 mg mixture)	0.5 mg
Day 109	101 ml (0.5 mg mixture)	41 ml (0.5 mg mixture)	0.5 mg
Day 110	100 ml (0.5 mg mixture)	40 ml (0.5 mg mixture)	0.5 mg
Day 111	99 ml (0.5 mg mixture)	39 ml (0.5 mg mixture)	0.5 mg
Day 112	98 ml (0.5 mg mixture)	38 ml (0.5 mg mixture)	0.5 mg
Day 113	97 ml (0.5 mg mixture)	37 ml (0.5 mg mixture)	0.5 mg
Day 114	96 ml (0.5 mg mixture)	36 ml (0.5 mg mixture)	0.5 mg
Day 115	95 ml (0.5 mg mixture)	35 ml (0.5 mg mixture)	0.5 mg
Day 116	94 ml (0.5 mg mixture)	34 ml (0.5 mg mixture)	0.5 mg
Day 117	93 ml (0.5 mg mixture)	33 ml (0.5 mg mixture)	0.5 mg
Day 118	92 ml (0.5 mg mixture)	32 ml (0.5 mg mixture)	0.5 mg
Day 119	91 ml (0.5 mg mixture)	31 ml (0.5 mg mixture)	0.5 mg
Day 120	90 ml (0.5 mg mixture)	30 ml (0.5 mg mixture)	0.5 mg
Day 121	89 ml (0.5 mg mixture)	29 ml (0.5 mg mixture)	0.5 mg
Day 122	88 ml (0.5 mg mixture)	28 ml (0.5 mg mixture)	0.5 mg
Day 123	87 ml (0.5 mg mixture)	27 ml (0.5 mg mixture)	0.5 mg
Day 124	86 ml (0.5 mg mixture)	26 ml (0.5 mg mixture)	0.5 mg
Day 125	85 ml (0.5 mg mixture)	25 ml (0.5 mg mixture)	0.5 mg
Day 126	84 ml (0.5 mg mixture)	24 ml (0.5 mg mixture)	0.5 mg

Day 127	83 ml (0.5 mg mixture)	23 ml (0.5 mg mixture)	0.5 mg
Day 128	82 ml (0.5 mg mixture)	22 ml (0.5 mg mixture)	0.5 mg
Day 129	81 ml (0.5 mg mixture)	21 ml (0.5 mg mixture)	0.5 mg
Day 130	80 ml (0.5 mg mixture)	20 ml (0.5 mg mixture)	0.5 mg
Day 131	79 ml (0.5 mg mixture)	19 ml (0.5 mg mixture)	0.5 mg
Day 132	78 ml (0.5 mg mixture)	18 ml (0.5 mg mixture)	0.5 mg
Day 133	77 ml (0.5 mg mixture)	17 ml (0.5 mg mixture)	0.5 mg
Day 134	76 ml (0.5 mg mixture)	16 ml (0.5 mg mixture)	0.5 mg
Day 135	75 ml (0.5 mg mixture)	15 ml (0.5 mg mixture)	0.5 mg
Day 136	74 ml (0.5 mg mixture)	14 ml (0.5 mg mixture)	0.5 mg
Day 137	73 ml (0.5 mg mixture)	13 ml (0.5 mg mixture)	0.5 mg
Day 138	72 ml (0.5 mg mixture)	12 ml (0.5 mg mixture)	0.5 mg
Day 139	71 ml (0.5 mg mixture)	11 ml (0.5 mg mixture)	0.5 mg
Day 140	70 ml (0.5 mg mixture)	10 ml (0.5 mg mixture)	0.5 mg
Day 141	69 ml (0.5 mg mixture)	9 ml (0.5 mg mixture)	0.5 mg
Day 142	68 ml (0.5 mg mixture)	8 ml (0.5 mg mixture)	0.5 mg
Day 143	67 ml (0.5 mg mixture)	7 ml (0.5 mg mixture)	0.5 mg
Day 144	66 ml (0.5 mg mixture)	6 ml (0.5 mg mixture)	0.5 mg
Day 145	65 ml (0.5 mg mixture)	5 ml (0.5 mg mixture)	0.5 mg

Day 146	64 ml (0.5 mg mixture)	4 ml (0.5 mg mixture)	0.5 mg
Day 147	63 ml (0.5 mg mixture)	3 ml (0.5 mg mixture)	0.5 mg
Day 148	62 ml (0.5 mg mixture)	2 ml (0.5 mg mixture)	0.5 mg
Day 149	61 ml (0.5 mg mixture)	1 ml (0.5 mg mixture)	0.5 mg
Day 150	60 ml (0.5 mg mixture)	Stop	0.5 mg
Day 151	59 ml (0.5 mg mixture)	-	0.5 mg
Day 152	58 ml (0.5 mg mixture)	-	0.5 mg
Day 153	57 ml (0.5 mg mixture)	-	0.5 mg
Day 154	56 ml (0.5 mg mixture)	-	0.5 mg
Day 155	55 ml (0.5 mg mixture)	-	0.5 mg
Day 156	54 ml (0.5 mg mixture)	-	0.5 mg
Day 157	53 ml (0.5 mg mixture)	-	0.5 mg
Day 158	52 ml (0.5 mg mixture)	-	0.5 mg
Day 159	51 ml (0.5 mg mixture)	-	0.5 mg
Day 160	50 ml (0.5 mg mixture)	-	0.5 mg
Day 161	49 ml (0.5 mg mixture)	-	0.5 mg
Day 162	48 ml (0.5 mg mixture)	-	0.5 mg
Day 163	47 ml (0.5 mg mixture)	-	0.5 mg
Day 164	46 ml (0.5 mg mixture)	-	0.5 mg

Day 165	45 ml (0.5 mg mixture)	-	0.5 mg
Day 166	44 ml (0.5 mg mixture)	-	0.5 mg
Day 167	43 ml (0.5 mg mixture)	-	0.5 mg
Day 168	42 ml (0.5 mg mixture)	-	0.5 mg
Day 169	41 ml (0.5 mg mixture)	-	0.5 mg
Day 170	40 ml (0.5 mg mixture)	-	0.5 mg
Day 171	39 ml (0.5 mg mixture)	-	0.5 mg
Day 172	38 ml (0.5 mg mixture)	-	0.5 mg
Day 173	37 ml (0.5 mg mixture)	-	0.5 mg
Day 174	36 ml (0.5 mg mixture)	-	0.5 mg
Day 175	35 ml (0.5 mg mixture)	-	0.5 mg
Day 176	34 ml (0.5 mg mixture)	-	0.5 mg
Day 177	33 ml (0.5 mg mixture)	-	0.5 mg
Day 178	32 ml (0.5 mg mixture)	-	0.5 mg
Day 179	31 ml (0.5 mg mixture)	-	0.5 mg
Day 180	30 ml (0.5 mg mixture)	-	0.5 mg
Day 181	29 ml (0.5 mg mixture)	-	0.5 mg
Day 182	28 ml (0.5 mg mixture)	-	0.5 mg
Day 183	27 ml (0.5 mg mixture)	-	0.5 mg

Day 184	26 ml (0.5 mg mixture)	-	0.5 mg
Day 185	25 ml (0.5 mg mixture)	-	0.5 mg
Day 186	24 ml (0.5 mg mixture)	-	0.5 mg
Day 187	23 ml (0.5 mg mixture)	-	0.5 mg
Day 188	22 ml (0.5 mg mixture)	-	0.5 mg
Day 189	21 ml (0.5 mg mixture)	-	0.5 mg
Day 190	20 ml (0.5 mg mixture)	-	0.5 mg
Day 191	19 ml (0.5 mg mixture)	-	0.5 mg
Day 192	18 ml (0.5 mg mixture)	-	0.5 mg
Day 193	17 ml (0.5 mg mixture)	-	0.5 mg
Day 194	16 ml (0.5 mg mixture)	-	0.5 mg
Day 195	15 ml (0.5 mg mixture)	-	0.5 mg
Day 196	14 ml (0.5 mg mixture)	-	0.5 mg
Day 197	13 ml (0.5 mg mixture)	-	0.5 mg
Day 198	12 ml (0.5 mg mixture)	-	0.5 mg
Day 199	11 ml (0.5 mg mixture)	-	0.5 mg
Day 200	10 ml (0.5 mg mixture)	-	0.5 mg
Day 201	9 ml (0.5 mg mixture)	-	0.5 mg
Day 202	8 ml (0.5 mg mixture)	-	0.5 mg

Day 203	7 ml (0.5 mg mixture)	-	0.5 mg
Day 204	6 ml (0.5 mg mixture)	-	0.5 mg
Day 205	5 ml (0.5 mg mixture)	-	0.5 mg
Day 206	4 ml (0.5 mg mixture)	-	0.5 mg
Day 207	3 ml (0.5 mg mixture)	-	0.5 mg
Day 208	2 ml (0.5 mg mixture)	-	0.5 mg
Day 209	1 ml (0.5 mg mixture)	-	0.5 mg
Day 210	Stop	-	0.5 mg
Day 211	-	-	149 ml (0.5 mg mixture)
Day 212	-	-	148 ml (0.5 mg mixture)
Day 213	-	-	147 ml (0.5 mg mixture)
Day 214	-	-	146 ml (0.5 mg mixture)
Day 215	-	-	145 ml (0.5 mg mixture)
Day 216	-	-	144 ml (0.5 mg mixture)
Day 217	-	-	143 ml (0.5 mg mixture)
Day 218	-	-	142 ml (0.5 mg mixture)
Day 219	-	-	141 ml (0.5 mg mixture)
Day 220	-	-	140 ml (0.5 mg mixture)
Day 221	-	-	139 ml (0.5 mg mixture)
Day 222	-	-	138 ml (0.5 mg mixture)

Day 223	-	-	137 ml (0.5 mg mixture)
Day 224	-	-	136 ml (0.5 mg mixture)
Day 225	-	-	135 ml (0.5 mg mixture)
Day 226	-	-	134 ml (0.5 mg mixture)
Day 227	-	-	133 ml (0.5 mg mixture)
Day 228	-	-	132 ml (0.5 mg mixture)
Day 229	-	-	131 ml (0.5 mg mixture)
Day 230	-	-	130 ml (0.5 mg mixture)
Day 231	-	-	129 ml (0.5 mg mixture)
Day 232	-	-	128 ml (0.5 mg mixture)
Day 233	-	-	127 ml (0.5 mg mixture)
Day 234	-	-	126 ml (0.5 mg mixture)
Day 235	-	-	125 ml (0.5 mg mixture)
Day 236	-	-	124 ml (0.5 mg mixture)
Day 237	-	-	123 ml (0.5 mg mixture)
Day 238	-	-	122 ml (0.5 mg mixture)
Day 239	-	-	121 ml (0.5 mg mixture)
Day 440	-	-	120 ml (0.5 mg mixture)
Day 241	-	-	119 ml (0.5 mg mixture)

Day 242	-	-	118 ml (0.5 mg mixture)
Day 243	-	-	117 ml (0.5 mg mixture)
Day 244	-	-	116 ml (0.5 mg mixture)
Day 245	-	-	115 ml (0.5 mg mixture)
Day 246	-	-	114 ml (0.5 mg mixture)
Day 247	-	-	113 ml (0.5 mg mixture)
Day 248	-	-	112 ml (0.5 mg mixture)
Day 249	-	-	111 ml (0.5 mg mixture)
Day 250	-	-	110 ml (0.5 mg mixture)
Day 251	-	-	109 ml (0.5 mg mixture)
Day 252	-	-	108 ml (0.5 mg mixture)
Day 253	-	-	107 ml (0.5 mg mixture)
Day 254	-	-	106 ml (0.5 mg mixture)
Day 255	-	-	105 ml (0.5 mg mixture)
Day 256	-	-	104 ml (0.5 mg mixture)
Day 257	-	-	103 ml (0.5 mg mixture)
Day 258	-	-	102 ml (0.5 mg mixture)
Day 259	-	-	101 ml (0.5 mg mixture)
Day 260	-	-	100 ml (0.5 mg mixture)

Day 261	-	-	99 ml (0.5 mg mixture)
Day 262	-	-	98 ml (0.5 mg mixture)
Day 263	-	-	97 ml (0.5 mg mixture)
Day 264	-	-	96 ml (0.5 mg mixture)
Day 265	-	-	95 ml (0.5 mg mixture)
Day 266	-	-	94 ml (0.5 mg mixture)
Day 267	-	-	93 ml (0.5 mg mixture)
Day 268	-	-	92 ml (0.5 mg mixture)
Day 269	-	-	91 ml (0.5 mg mixture)
Day 270	-	-	90 ml (0.5 mg mixture)
Day 271	-	-	89 ml (0.5 mg mixture)
Day 272	-	-	88 ml (0.5 mg mixture)
Day 273	-	-	87 ml (0.5 mg mixture)
Day 274	-	-	86 ml (0.5 mg mixture)
Day 275	-	-	85 ml (0.5 mg mixture)
Day 276	-	-	84 ml (0.5 mg mixture)
Day 277	-	-	83 ml (0.5 mg mixture)
Day 278	-	-	82 ml (0.5 mg mixture)
Day 279	-	-	81 ml (0.5 mg mixture)

Day 280	-	-	80 ml (0.5 mg mixture)
Day 281	-	-	79 ml (0.5 mg mixture)
Day 282	-	-	78 ml (0.5 mg mixture)
Day 283	-	-	77 ml (0.5 mg mixture)
Day 284	-	-	76 ml (0.5 mg mixture)
Day 285	-	-	75 ml (0.5 mg mixture)
Day 286	-	-	74 ml (0.5 mg mixture)
Day 287	-	-	73 ml (0.5 mg mixture)
Day 288	-	-	72 ml (0.5 mg mixture)
Day 289	-	-	71 ml (0.5 mg mixture)
Day 290	-	-	70 ml (0.5 mg mixture)
Day 291	-	-	69 ml (0.5 mg mixture)
Day 292	-	-	68 ml (0.5 mg mixture)
Day 293	-	-	67 ml (0.5 mg mixture)
Day 294	-	-	66 ml (0.5 mg mixture)
Day 295	-	-	65 ml (0.5 mg mixture)
Day 296	-	-	64 ml (0.5 mg mixture)
Day 297	-	-	63 ml (0.5 mg mixture)
Day 298	-	-	62 ml (0.5 mg mixture)

Day 299	-	-	61 ml (0.5 mg mixture)
Day 300	-	-	60 ml (0.5 mg mixture)
Day 301	-	-	59 ml (0.5 mg mixture)
Day 302	-	-	58 ml (0.5 mg mixture)
Day 303	-	-	57 ml (0.5 mg mixture)
Day 304	-	-	56 ml (0.5 mg mixture)
Day 305	-	-	55 ml (0.5 mg mixture)
Day 306	-	-	54 ml (0.5 mg mixture)
Day 307	-	-	53 ml (0.5 mg mixture)
Day 308	-	-	52 ml (0.5 mg mixture)
Day 309	-	-	51 ml (0.5 mg mixture)
Day 310	-	-	50 ml (0.5 mg mixture)
Day 311	-	-	49 ml (0.5 mg mixture)
Day 312	-	-	48 ml (0.5 mg mixture)
Day 313	-	-	47 ml (0.5 mg mixture)
Day 314	-	-	46 ml (0.5 mg mixture)
Day 315	-	-	45 ml (0.5 mg mixture)
Day 316	-	-	44 ml (0.5 mg mixture)
Day 317	-	-	43 ml (0.5 mg mixture)

Day 318	-	-	42 ml (0.5 mg mixture)
Day 319	-	-	41 ml (0.5 mg mixture)
Day 320	-	-	40 ml (0.5 mg mixture)
Day 321	-	-	39 ml (0.5 mg mixture)
Day 322	-	-	38 ml (0.5 mg mixture)
Day 323	-	-	37 ml (0.5 mg mixture)
Day 324	-	-	36 ml (0.5 mg mixture)
Day 325	-	-	35 ml (0.5 mg mixture)
Day 326	-	-	34 ml (0.5 mg mixture)
Day 327	-	-	33 ml (0.5 mg mixture)
Day 328	-	-	32 ml (0.5 mg mixture)
Day 329	-	-	31 ml (0.5 mg mixture)
Day 330	-	-	30 ml (0.5 mg mixture)
Day 331	-	-	29 ml (0.5 mg mixture)
Day 332	-	-	28 ml (0.5 mg mixture)
Day 333	-	-	27 ml (0.5 mg mixture)
Day 334	-	-	26 ml (0.5 mg mixture)
Day 335	-	-	25 ml (0.5 mg mixture)
Day 336	-	-	24 ml (0.5 mg mixture)

Day 337	-	-	23 ml (0.5 mg mixture)
Day 338	-	-	22 ml (0.5 mg mixture)
Day 339	-	-	21 ml (0.5 mg mixture)
Day 340	-	-	20 ml (0.5 mg mixture)
Day 341	-	-	19 ml (0.5 mg mixture)
Day 342	-	-	18 ml (0.5 mg mixture)
Day 343	-	-	17 ml (0.5 mg mixture)
Day 344	-	-	16 ml (0.5 mg mixture)
Day 345	-	-	15 ml (0.5 mg mixture)
Day 346	-	-	14 ml (0.5 mg mixture)
Day 347	-	-	13 ml (0.5 mg mixture)
Day 348	-	-	12 ml (0.5 mg mixture)
Day 349	-	-	11 ml (0.5 mg mixture)
Day 350	-	-	10 ml (0.5 mg mixture)
Day 351	-	-	9 ml (0.5 mg mixture)
Day 352	-	-	8 ml (0.5 mg mixture)
Day 353	-	-	7 ml (0.5 mg mixture)
Day 354	-	-	6 ml (0.5 mg mixture)
Day 355	-	-	5 ml (0.5 mg mixture)

Day 356	-	-	4 ml (0.5 mg mixture)
Day 357	-	-	3 ml (0.5 mg mixture)
Day 358	-	-	2 ml (0.5 mg mixture)
Day 359	-	-	1 ml (0.5 mg mixture)
Day 360	-	-	Stop

Important Reminders

- Prepare a **fresh 0.5 mg mixture for each dose (8 AM, 12 PM, 4 PM, and 8 PM)**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 2

At the completion of Phase 2, all mixture-based doses have been fully reduced to zero.

No further doses of Alprazolam are taken at this stage, marking the end of the taper.

Completion of the Taper

You have successfully completed the full taper process.

This gradual approach allows the body to adjust step by step, reducing the risk of withdrawal symptoms and supporting long-term stability.

Total Taper Duration

- **Phase 1:** 150 days
- **Phase 2:** 360 days

Total duration: 510 days

You may now focus on recovery, stabilization, and maintaining healthy daily routines.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

Chapter 18

Complete 100-Day Taper Schedule Using 1 mg Mixture

The dose includes a measured amount from the 1 mg mixture.

Definitions (for the table below)

- **1 mg (tablet):**
Regular 1 mg alprazolam taken as a standard dose.
- **1 mg mixture:**
A solution made by dissolving 1 mg alprazolam in 100 ml of water.
- **“1 mg + XX ml (1 mg mixture)”**
Take one 1 mg tablet plus the **specified volume (in ml)** from the prepared mixture. The amount taken from the mixture will vary each day (e.g., 99 ml, 50 ml, 9 ml) as the taper progresses.

100-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM for that day.

Day	8 AM Dose
Day 1	1 mg + 99 ml (1 mg mixture)
Day 2	1 mg + 98 ml (1 mg mixture)
Day 3	1 mg + 97 ml (1 mg mixture)
Day 4	1 mg + 96 ml (1 mg mixture)
Day 5	1 mg + 95 ml (1 mg mixture)
Day 6	1 mg + 94 ml (1 mg mixture)
Day 7	1 mg + 93 ml (1 mg mixture)
Day 8	1 mg + 92 ml (1 mg mixture)
Day 9	1 mg + 91 ml (1 mg mixture)
Day 10	1 mg + 90 ml (1 mg mixture)
Day 11	1 mg + 89 ml (1 mg mixture)

Day 12	1 mg + 88 ml (1 mg mixture)
Day 13	1 mg + 87 ml (1 mg mixture)
Day 14	1 mg + 86 ml (1 mg mixture)
Day 15	1 mg + 85 ml (1 mg mixture)
Day 16	1 mg + 84 ml (1 mg mixture)
Day 17	1 mg + 83 ml (1 mg mixture)
Day 18	1 mg + 82 ml (1 mg mixture)
Day 19	1 mg + 81 ml (1 mg mixture)
Day 20	1 mg + 80 ml (1 mg mixture)
Day 21	1 mg + 79 ml (1 mg mixture)
Day 22	1 mg + 78 ml (1 mg mixture)
Day 23	1 mg + 77 ml (1 mg mixture)
Day 24	1 mg + 76 ml (1 mg mixture)
Day 25	1 mg + 75 ml (1 mg mixture)
Day 26	1 mg + 74 ml (1 mg mixture)
Day 27	1 mg + 73 ml (1 mg mixture)
Day 28	1 mg + 72 ml (1 mg mixture)
Day 29	1 mg + 71 ml (1 mg mixture)
Day 30	1 mg + 70 ml (1 mg mixture)
Day 31	1 mg + 69 ml (1 mg mixture)
Day 32	1 mg + 68 ml (1 mg mixture)
Day 33	1 mg + 67 ml (1 mg mixture)
Day 34	1 mg + 66 ml (1 mg mixture)
Day 35	1 mg + 65 ml (1 mg mixture)
Day 36	1 mg + 64 ml (1 mg mixture)
Day 37	1 mg + 63 ml (1 mg mixture)
Day 38	1 mg + 62 ml (1 mg mixture)
Day 39	1 mg + 61 ml (1 mg mixture)
Day 40	1 mg + 60 ml (1 mg mixture)
Day 41	1 mg + 59 ml (1 mg mixture)
Day 42	1 mg + 58 ml (1 mg mixture)
Day 43	1 mg + 57 ml (1 mg mixture)
Day 44	1 mg + 56 ml (1 mg mixture)
Day 45	1 mg + 55 ml (1 mg mixture)
Day 46	1 mg + 54 ml (1 mg mixture)
Day 47	1 mg + 53 ml (1 mg mixture)
Day 48	1 mg + 52 ml (1 mg mixture)
Day 49	1 mg + 51 ml (1 mg mixture)

Day 50	1 mg + 50 ml (1 mg mixture)
Day 51	1 mg + 49 ml (1 mg mixture)
Day 52	1 mg + 48 ml (1 mg mixture)
Day 53	1 mg + 47 ml (1 mg mixture)
Day 54	1 mg + 46 ml (1 mg mixture)
Day 55	1 mg + 45 ml (1 mg mixture)
Day 56	1 mg + 44 ml (1 mg mixture)
Day 57	1 mg + 43 ml (1 mg mixture)
Day 58	1 mg + 42 ml (1 mg mixture)
Day 59	1 mg + 41 ml (1 mg mixture)
Day 60	1 mg + 40 ml (1 mg mixture)
Day 61	1 mg + 39 ml (1 mg mixture)
Day 62	1 mg + 38 ml (1 mg mixture)
Day 63	1 mg + 37 ml (1 mg mixture)
Day 64	1 mg + 36 ml (1 mg mixture)
Day 65	1 mg + 35 ml (1 mg mixture)
Day 66	1 mg + 34 ml (1 mg mixture)
Day 67	1 mg + 33 ml (1 mg mixture)
Day 68	1 mg + 32 ml (1 mg mixture)
Day 69	1 mg + 31 ml (1 mg mixture)
Day 70	1 mg + 30 ml (1 mg mixture)
Day 71	1 mg + 29 ml (1 mg mixture)
Day 72	1 mg + 28 ml (1 mg mixture)
Day 73	1 mg + 27 ml (1 mg mixture)
Day 74	1 mg + 26 ml (1 mg mixture)
Day 75	1 mg + 25 ml (1 mg mixture)
Day 76	1 mg + 24 ml (1 mg mixture)
Day 77	1 mg + 23 ml (1 mg mixture)
Day 78	1 mg + 22 ml (1 mg mixture)
Day 79	1 mg + 21 ml (1 mg mixture)
Day 80	1 mg + 20 ml (1 mg mixture)
Day 81	1 mg + 19 ml (1 mg mixture)
Day 82	1 mg + 18 ml (1 mg mixture)
Day 83	1 mg + 17 ml (1 mg mixture)
Day 84	1 mg + 16 ml (1 mg mixture)
Day 85	1 mg + 15 ml (1 mg mixture)
Day 86	1 mg + 14 ml (1 mg mixture)
Day 87	1 mg + 13 ml (1 mg mixture)

Day 88	1 mg + 12 ml (1 mg mixture)
Day 89	1 mg + 11 ml (1 mg mixture)
Day 90	1 mg + 10 ml (1 mg mixture)
Day 91	1 mg + 9 ml (1 mg mixture)
Day 92	1 mg + 8 ml (1 mg mixture)
Day 93	1 mg + 7 ml (1 mg mixture)
Day 94	1 mg + 6 ml (1 mg mixture)
Day 95	1 mg + 5 ml (1 mg mixture)
Day 96	1 mg + 4 ml (1 mg mixture)
Day 97	1 mg + 3 ml (1 mg mixture)
Day 98	1 mg + 2 ml (1 mg mixture)
Day 99	1 mg + 1 ml (1 mg mixture)
Day 100	1 mg + 0 ml (1 mg mixture)

Important Reminders

- Prepare a **fresh 1 mg mixture for 8 AM dose**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 1

At the completion of the 100-day water taper, the mixture portion has been fully reduced to zero for each dose.

At this point, only the regular tablet dose remains:

- **8 AM = 1 mg Alprazolam**

Total daily dose: 1 mg

You are now ready to proceed to Phase 2 of the taper.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 19

Complete 100-Day Taper Schedule Using 0.5 mg Tablet + 0.5 mg Mixture

Each dose includes a 0.5 mg tablet plus a measured amount from the 0.5 mg mixture.

Definitions (for the table below)

- **0.5 mg (tablet):**
Regular 0.5 mg alprazolam taken as a standard dose.
- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 100 ml of water.
- **“0.5 mg + XX ml (0.5 mg mixture)”**
Take one 0.5 mg tablet plus the **specified volume (in ml)** from the prepared mixture. The amount taken from the mixture will vary each day (e.g., 99 ml, 50 ml, 9 ml) as the taper progresses.

100-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM for that day.

Day	8 AM Dose
Day 1	0.5 mg + 99 ml (0.5 mg mixture)
Day 2	0.5 mg + 98 ml (0.5 mg mixture)
Day 3	0.5 mg + 97 ml (0.5 mg mixture)
Day 4	0.5 mg + 96 ml (0.5 mg mixture)
Day 5	0.5 mg + 95 ml (0.5 mg mixture)
Day 6	0.5 mg + 94 ml (0.5 mg mixture)
Day 7	0.5 mg + 93 ml (0.5 mg mixture)
Day 8	0.5 mg + 92 ml (0.5 mg mixture)
Day 9	0.5 mg + 91 ml (0.5 mg mixture)
Day 10	0.5 mg + 90 ml (0.5 mg mixture)
Day 11	0.5 mg + 89 ml (0.5 mg mixture)

Day 12	0.5 mg + 88 ml (0.5 mg mixture)
Day 13	0.5 mg + 87 ml (0.5 mg mixture)
Day 14	0.5 mg + 86 ml (0.5 mg mixture)
Day 15	0.5 mg + 85 ml (0.5 mg mixture)
Day 16	0.5 mg + 84 ml (0.5 mg mixture)
Day 17	0.5 mg + 83 ml (0.5 mg mixture)
Day 18	0.5 mg + 82 ml (0.5 mg mixture)
Day 19	0.5 mg + 81 ml (0.5 mg mixture)
Day 20	0.5 mg + 80 ml (0.5 mg mixture)
Day 21	0.5 mg + 79 ml (0.5 mg mixture)
Day 22	0.5 mg + 78 ml (0.5 mg mixture)
Day 23	0.5 mg + 77 ml (0.5 mg mixture)
Day 24	0.5 mg + 76 ml (0.5 mg mixture)
Day 25	0.5 mg + 75 ml (0.5 mg mixture)
Day 26	0.5 mg + 74 ml (0.5 mg mixture)
Day 27	0.5 mg + 73 ml (0.5 mg mixture)
Day 28	0.5 mg + 72 ml (0.5 mg mixture)
Day 29	0.5 mg + 71 ml (0.5 mg mixture)
Day 30	0.5 mg + 70 ml (0.5 mg mixture)
Day 31	0.5 mg + 69 ml (0.5 mg mixture)
Day 32	0.5 mg + 68 ml (0.5 mg mixture)
Day 33	0.5 mg + 67 ml (0.5 mg mixture)
Day 34	0.5 mg + 66 ml (0.5 mg mixture)
Day 35	0.5 mg + 65 ml (0.5 mg mixture)
Day 36	0.5 mg + 64 ml (0.5 mg mixture)
Day 37	0.5 mg + 63 ml (0.5 mg mixture)
Day 38	0.5 mg + 62 ml (0.5 mg mixture)
Day 39	0.5 mg + 61 ml (0.5 mg mixture)
Day 40	0.5 mg + 60 ml (0.5 mg mixture)
Day 41	0.5 mg + 59 ml (0.5 mg mixture)
Day 42	0.5 mg + 58 ml (0.5 mg mixture)
Day 43	0.5 mg + 57 ml (0.5 mg mixture)
Day 44	0.5 mg + 56 ml (0.5 mg mixture)
Day 45	0.5 mg + 55 ml (0.5 mg mixture)
Day 46	0.5 mg + 54 ml (0.5 mg mixture)
Day 47	0.5 mg + 53 ml (0.5 mg mixture)
Day 48	0.5 mg + 52 ml (0.5 mg mixture)
Day 49	0.5 mg + 51 ml (0.5 mg mixture)

Day 50	0.5 mg + 50 ml (0.5 mg mixture)
Day 51	0.5 mg + 49 ml (0.5 mg mixture)
Day 52	0.5 mg + 48 ml (0.5 mg mixture)
Day 53	0.5 mg + 47 ml (0.5 mg mixture)
Day 54	0.5 mg + 46 ml (0.5 mg mixture)
Day 55	0.5 mg + 45 ml (0.5 mg mixture)
Day 56	0.5 mg + 44 ml (0.5 mg mixture)
Day 57	0.5 mg + 43 ml (0.5 mg mixture)
Day 58	0.5 mg + 42 ml (0.5 mg mixture)
Day 59	0.5 mg + 41 ml (0.5 mg mixture)
Day 60	0.5 mg + 40 ml (0.5 mg mixture)
Day 61	0.5 mg + 39 ml (0.5 mg mixture)
Day 62	0.5 mg + 38 ml (0.5 mg mixture)
Day 63	0.5 mg + 37 ml (0.5 mg mixture)
Day 64	0.5 mg + 36 ml (0.5 mg mixture)
Day 65	0.5 mg + 35 ml (0.5 mg mixture)
Day 66	0.5 mg + 34 ml (0.5 mg mixture)
Day 67	0.5 mg + 33 ml (0.5 mg mixture)
Day 68	0.5 mg + 32 ml (0.5 mg mixture)
Day 69	0.5 mg + 31 ml (0.5 mg mixture)
Day 70	0.5 mg + 30 ml (0.5 mg mixture)
Day 71	0.5 mg + 29 ml (0.5 mg mixture)
Day 72	0.5 mg + 28 ml (0.5 mg mixture)
Day 73	0.5 mg + 27 ml (0.5 mg mixture)
Day 74	0.5 mg + 26 ml (0.5 mg mixture)
Day 75	0.5 mg + 25 ml (0.5 mg mixture)
Day 76	0.5 mg + 24 ml (0.5 mg mixture)
Day 77	0.5 mg + 23 ml (0.5 mg mixture)
Day 78	0.5 mg + 22 ml (0.5 mg mixture)
Day 79	0.5 mg + 21 ml (0.5 mg mixture)
Day 80	0.5 mg + 20 ml (0.5 mg mixture)
Day 81	0.5 mg + 19 ml (0.5 mg mixture)
Day 82	0.5 mg + 18 ml (0.5 mg mixture)
Day 83	0.5 mg + 17 ml (0.5 mg mixture)
Day 84	0.5 mg + 16 ml (0.5 mg mixture)
Day 85	0.5 mg + 15 ml (0.5 mg mixture)
Day 86	0.5 mg + 14 ml (0.5 mg mixture)
Day 87	0.5 mg + 13 ml (0.5 mg mixture)

Day 88	0.5 mg + 12 ml (0.5 mg mixture)
Day 89	0.5 mg + 11 ml (0.5 mg mixture)
Day 90	0.5 mg + 10 ml (0.5 mg mixture)
Day 91	0.5 mg + 9 ml (0.5 mg mixture)
Day 92	0.5 mg + 8 ml (0.5 mg mixture)
Day 93	0.5 mg + 7 ml (0.5 mg mixture)
Day 94	0.5 mg + 6 ml (0.5 mg mixture)
Day 95	0.5 mg + 5 ml (0.5 mg mixture)
Day 96	0.5 mg + 4 ml (0.5 mg mixture)
Day 97	0.5 mg + 3 ml (0.5 mg mixture)
Day 98	0.5 mg + 2 ml (0.5 mg mixture)
Day 99	0.5 mg + 1 ml (0.5 mg mixture)
Day 100	0.5 mg + 0 ml (0.5 mg mixture)

Important Reminders

- Prepare a **fresh 0.5 mg mixture for 8 AM dose**.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.
- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 2

At the completion of the 100-day water taper, the mixture portion has been fully reduced to zero for each dose.

At this point, only the regular tablet dose remains:

- **8 AM** = 0.5 mg Alprazolam

Total daily dose: 0.5 mg

You are now ready to proceed to Phase 3 of the taper.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.

CHAPTER 20

Complete 150-Day Taper Schedule Using 0.5 mg Mixture

The dose includes a measured amount from the **0.5 mg mixture**, depending on the stage of the taper.

Definitions (for the table below)

- **0.5 mg mixture:**
A solution made by dissolving 0.5 mg alprazolam in 150 ml of water.
- **“XX ml (0.5 mg mixture)”**
Take the **specified volume (in ml)** from the prepared mixture. The amount taken from the mixture will vary each day (e.g., 149 ml, 50 ml, 9 ml) as the taper progresses.

During tapering, the amount taken from the mixture decreases each day.

150-Day Taper Schedule

Each row shows the exact dose to be taken at 8 AM for that day.

Day	8 AM Dose
Day 1	149 ml (0.5 mg mixture)
Day 2	148 ml (0.5 mg mixture)
Day 3	147 ml (0.5 mg mixture)
Day 4	146 ml (0.5 mg mixture)
Day 5	145 ml (0.5 mg mixture)
Day 6	144 ml (0.5 mg mixture)
Day 7	143 ml (0.5 mg mixture)
Day 8	142 ml (0.5 mg mixture)
Day 9	141 ml (0.5 mg mixture)

Day 10	140 ml (0.5 mg mixture)
Day 11	139 ml (0.5 mg mixture)
Day 12	138 ml (0.5 mg mixture)
Day 13	137 ml (0.5 mg mixture)
Day 14	136 ml (0.5 mg mixture)
Day 15	135 ml (0.5 mg mixture)
Day 16	134 ml (0.5 mg mixture)
Day 17	133 ml (0.5 mg mixture)
Day 18	132 ml (0.5 mg mixture)
Day 19	131 ml (0.5 mg mixture)
Day 20	130 ml (0.5 mg mixture)
Day 21	129 ml (0.5 mg mixture)
Day 22	128 ml (0.5 mg mixture)
Day 23	127 ml (0.5 mg mixture)
Day 24	126 ml (0.5 mg mixture)
Day 25	125 ml (0.5 mg mixture)
Day 26	124 ml (0.5 mg mixture)
Day 27	123 ml (0.5 mg mixture)
Day 28	122 ml (0.5 mg mixture)
Day 29	121 ml (0.5 mg mixture)
Day 30	120 ml (0.5 mg mixture)
Day 31	119 ml (0.5 mg mixture)
Day 32	118 ml (0.5 mg mixture)
Day 33	117 ml (0.5 mg mixture)
Day 34	116 ml (0.5 mg mixture)
Day 35	115 ml (0.5 mg mixture)
Day 36	114 ml (0.5 mg mixture)
Day 37	113 ml (0.5 mg mixture)
Day 38	112 ml (0.5 mg mixture)
Day 39	111 ml (0.5 mg mixture)
Day 40	110 ml (0.5 mg mixture)
Day 41	109 ml (0.5 mg mixture)
Day 42	108 ml (0.5 mg mixture)
Day 43	107 ml (0.5 mg mixture)
Day 44	106 ml (0.5 mg mixture)
Day 45	105 ml (0.5 mg mixture)
Day 46	104 ml (0.5 mg mixture)
Day 47	103 ml (0.5 mg mixture)

Day 48	102 ml (0.5 mg mixture)
Day 49	101 ml (0.5 mg mixture)
Day 50	100 ml (0.5 mg mixture)
Day 51	99 ml (0.5 mg mixture)
Day 52	98 ml (0.5 mg mixture)
Day 53	97 ml (0.5 mg mixture)
Day 54	96 ml (0.5 mg mixture)
Day 55	95 ml (0.5 mg mixture)
Day 56	94 ml (0.5 mg mixture)
Day 57	93 ml (0.5 mg mixture)
Day 58	92 ml (0.5 mg mixture)
Day 59	91 ml (0.5 mg mixture)
Day 60	90 ml (0.5 mg mixture)
Day 61	89 ml (0.5 mg mixture)
Day 62	88 ml (0.5 mg mixture)
Day 63	87 ml (0.5 mg mixture)
Day 64	86 ml (0.5 mg mixture)
Day 65	85 ml (0.5 mg mixture)
Day 66	84 ml (0.5 mg mixture)
Day 67	83 ml (0.5 mg mixture)
Day 68	82 ml (0.5 mg mixture)
Day 69	81 ml (0.5 mg mixture)
Day 70	80 ml (0.5 mg mixture)
Day 71	79 ml (0.5 mg mixture)
Day 72	78 ml (0.5 mg mixture)
Day 73	77 ml (0.5 mg mixture)
Day 74	76 ml (0.5 mg mixture)
Day 75	75 ml (0.5 mg mixture)
Day 76	74 ml (0.5 mg mixture)
Day 77	73 ml (0.5 mg mixture)
Day 78	72 ml (0.5 mg mixture)
Day 79	71 ml (0.5 mg mixture)
Day 80	70 ml (0.5 mg mixture)
Day 81	69 ml (0.5 mg mixture)
Day 82	68 ml (0.5 mg mixture)
Day 83	67 ml (0.5 mg mixture)
Day 84	66 ml (0.5 mg mixture)
Day 85	65 ml (0.5 mg mixture)

Day 86	64 ml (0.5 mg mixture)
Day 87	63 ml (0.5 mg mixture)
Day 88	62 ml (0.5 mg mixture)
Day 89	61 ml (0.5 mg mixture)
Day 90	60 ml (0.5 mg mixture)
Day 91	59 ml (0.5 mg mixture)
Day 92	58 ml (0.5 mg mixture)
Day 93	57 ml (0.5 mg mixture)
Day 94	56 ml (0.5 mg mixture)
Day 95	55 ml (0.5 mg mixture)
Day 96	54 ml (0.5 mg mixture)
Day 97	53 ml (0.5 mg mixture)
Day 98	52 ml (0.5 mg mixture)
Day 99	51 ml (0.5 mg mixture)
Day 100	50 ml (0.5 mg mixture)
Day 101	49 ml (0.5 mg mixture)
Day 102	48 ml (0.5 mg mixture)
Day 103	47 ml (0.5 mg mixture)
Day 104	46 ml (0.5 mg mixture)
Day 105	45 ml (0.5 mg mixture)
Day 106	44 ml (0.5 mg mixture)
Day 107	43 ml (0.5 mg mixture)
Day 108	42 ml (0.5 mg mixture)
Day 109	41 ml (0.5 mg mixture)
Day 110	40 ml (0.5 mg mixture)
Day 111	39 ml (0.5 mg mixture)
Day 112	38 ml (0.5 mg mixture)
Day 113	37 ml (0.5 mg mixture)
Day 114	36 ml (0.5 mg mixture)
Day 115	35 ml (0.5 mg mixture)
Day 116	34 ml (0.5 mg mixture)
Day 117	33 ml (0.5 mg mixture)
Day 118	32 ml (0.5 mg mixture)
Day 119	31 ml (0.5 mg mixture)
Day 120	30 ml (0.5 mg mixture)
Day 121	29 ml (0.5 mg mixture)
Day 122	28 ml (0.5 mg mixture)
Day 123	27 ml (0.5 mg mixture)

Day 124	26 ml (0.5 mg mixture)
Day 125	25 ml (0.5 mg mixture)
Day 126	24 ml (0.5 mg mixture)
Day 127	23 ml (0.5 mg mixture)
Day 128	22 ml (0.5 mg mixture)
Day 129	21 ml (0.5 mg mixture)
Day 130	20 ml (0.5 mg mixture)
Day 131	19 ml (0.5 mg mixture)
Day 132	18 ml (0.5 mg mixture)
Day 133	17 ml (0.5 mg mixture)
Day 134	16 ml (0.5 mg mixture)
Day 135	15 ml (0.5 mg mixture)
Day 136	14 ml (0.5 mg mixture)
Day 137	13 ml (0.5 mg mixture)
Day 138	12 ml (0.5 mg mixture)
Day 139	11 ml (0.5 mg mixture)
Day 140	10 ml (0.5 mg mixture)
Day 141	9 ml (0.5 mg mixture)
Day 142	8 ml (0.5 mg mixture)
Day 143	7 ml (0.5 mg mixture)
Day 144	6 ml (0.5 mg mixture)
Day 145	5 ml (0.5 mg mixture)
Day 146	4 ml (0.5 mg mixture)
Day 147	3 ml (0.5 mg mixture)
Day 148	2 ml (0.5 mg mixture)
Day 149	1 ml (0.5 mg mixture)
Day 150	Stop

Important Reminders

- Prepare a **fresh 0.5 mg mixture** for 8 AM dose.
- **Do not reuse or store** any leftover mixture from a previous dose or day.
- Prepare each mixture **immediately before use**.
- **Stir thoroughly before drawing any amount**, as the medication may settle at the bottom.

- **Draw the mixture immediately after stirring** to ensure even distribution and accurate dosing.

End of Phase 3

At the completion of Phase 3, the mixture-based dose has been fully reduced to zero.

No further dose of Alprazolam is taken at this stage, marking the end of the taper.

Completion of the Taper

You have successfully completed the full taper process.

This gradual approach allows the body to adjust step by step, reducing the risk of withdrawal symptoms and supporting long-term stability.

Total Taper Duration

- **Phase 1:** 100 days
- **Phase 2:** 100 days
- **Phase 3:** 150 days

Total duration: 350 days

You may now focus on recovery, stabilization, and maintaining healthy daily routines.

If this plan helped you feel more confident about your taper, you might consider sharing your experience in a review.

Your honest feedback can help others who are going through the same process.