Paths of analysis*

Synthia

February 13, 2024

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: Expert-Coded Rules

Published Reactions: none selected

Filters: Exclude Diastereoselecitve reactions, Tunnels, FGI, FGI with protec-

tions

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol

2. Max. price - $1500 \$ /g

Published:

1. Max. molecular weight - 1000 g/mol

2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Shorter paths: no

Pathway linearity: COMBO

Protecting groups: BALANCED

^{*}The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

Reaction scoring formula: TUNNEL_COEF*FGI_COEF*STEP*20+1000 000*(FILTERS+CONFLICT+NON SELECTIVITY)+40*PROTECT

Chemical scoring formula: SMALLER^ 3,SMALLER^ 1.5

Min. search width: 400

Max. reactions per product: 60

Strategies: none selected

FGI Coeff: 1

Tunnels Coeff: 1

JSON Parameters: {}

2 Paths

1 path found. Paths are sorted by score. Reactions are sorted in appearance order for each path.

2.1 Path 1

Score: 155.65



Figure 1: Outline of path 1

2.1.1 Alkylation of ketones

Substrates:

- 1. Hexanon available at Sigma-Aldrich
- 2. Allyl bromoacetate available at Sigma-Aldrich

Products:

1. C=CCOC(=O)CC1CCCCC1=O

Typical conditions: LDA or other base.THF.-78C

Protections: none

Reference: DOI: 10.1021/ja0123554

Retrosynthesis ID: 1868

2.1.2 Addition of Grignard reagents

Substrates:

1. Allylbromomagnesium - available at Sigma-Aldrich

2. C=CCOC(=O)CC1CCCCC1=O

Products:

1. C=CCOC(=O)CC1CCCCC1(O)CC=C

Typical conditions: THF.cooling

Protections: none

Reference: 10.1021/jo010494y or 10.1016/j.steroids.2015.09.009 or

10.1021/jo061349t or 10.1021/ja056165v (SI page 19)

Retrosynthesis ID: 25134

2.1.3 Keto-Enol Tautomerism

Substrates:

 $1. \ C{=}CCOC({=}O)CC1CCCCC1(O)CC{=}C\\$

Products:

 $1. \ C{=}CCOC(O){=}CC1CCCCC1(O)CC{=}C$

Typical conditions: solvent

Protections: none

Reference: 10.1021/jo8012385 10.1021/ja01065a003

Retrosynthesis ID: 8720

2.1.4 Claisen Rearrangement

Substrates:

1. C=CCOC(O)=CC1CCCCC1(O)CC=C

Products:

1. C=CCC(C(=O)O)C1CCCCC1(O)CC=C


Typical conditions: heat

Protections: none

Reference: DOI: 10.1021/ja00206a017 and 10.1016/S0022-1139(98)00313-3

Retrosynthesis ID: 1226

2.1.5 Intramolecular Nucleophilic Acyl Addition



Substrates:

1. C=CCC(C(=O)O)C1CCCCC1(O)CC=C

Products:

 $1. \ C{=}CCC1C({=}O)OC2(CC{=}C)CCCCC12$

 $\textbf{Typical conditions:}\ \ \mathsf{DCC.4-PPY.DCM}\ \ \mathsf{or}\ \ \mathsf{MNBA.DMAP.DCM}$

Protections: none

Reference: 10.1016/S0040-4020(01)85848-8 p. 613, 615 and US2015322051A1

p. 0088

Retrosynthesis ID: 10164