

Paths of analysis*

L8_DIA

Synthia

October 11, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: Tunnels, FGI, FGI with protections

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1500 \$/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: $\text{TUNNEL_COEF} * \text{FGI_COEF} * \text{STEP} * 20 + 100000 * (\text{CONFLICT} + \text{NON_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

Chemical scoring formula: $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

Min. search width: 400

Max. reactions per product: 60

Strategies: none selected

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

FGI Coeff: 0

Tunnels Coeff: 0

JSON Parameters: {}

2 Paths

1 path found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: 164.14





Figure 1: Outline of path 1

2.1.1 Elimination of primary bromides



Substrates:

1. 3-(2-bromoethyl)oxolan-2-one - *available at Sigma-Aldrich*

Products:

1. 3-vinyl-dihydro-furan-2-one

Typical conditions: NaOH.PTC.rt

Protections: none

Reference: [10.1021/jo00133a056](#) and [10.1016/j.tet.2004.06.086](#) and [10.1039/C6CC01880G](#) (suppl. Info) and [10.1080/00397919908085979](#) and [10.1021/jo00133a056](#) and [10.1002/pola.27990](#)

Retrosynthesis ID: 23927

2.1.2 Enol esters and ethers synthesis



Substrates:

1. 3-vinyl-dihydro-furan-2-one
2. TMSCl - [available at Sigma-Aldrich](#)

Products:

1. C=CC1=C(O[Si](C)(C)C)OCC1


Typical conditions: 1. Et3N.Electrophile


Protections: none

Reference: [10.1016/S0040-4020\(03\)00977-3](#) AND [10.1021/ja00056a002](#)

Retrosynthesis ID: 7799

2.1.3 Dehydrogenation of silyl enol ethers





Substrates:

1. C=CC1=C(O[Si](C)(C)C)OCC1

Products:

1. 3-vinyl-2(5h)-furanone


Typical conditions: Pd(OAc)₂.Cu(OAc)₂.O₂.MeCN

Protections: none

Reference: [10.1271/bbb.60.405](#) and [10.1039/C3CC46778C](#) and US2015284405 p.40 and [10.1016/S0040-4039\(01\)81518-5](#) and US2010204477 p. 15-16 and [10.1016/0040-4039\(95\)00694-8](#) and [10.1021/jo00089a034](#) and [10.1016/S0040-4020\(01\)90587-3](#) and [10.1080/00397919008052802](#) and [10.1021/ja00218a060](#)

Retrosynthesis ID: 9999877

2.1.4 Coupling of alkynes and alcohols



Substrates:

1. 2-Buten-1-ol - *available at Sigma-Aldrich*
2. 1-Phenyl-1-propyne - *available at Sigma-Aldrich*

Products:

1. C₁₃H₁₆O


Typical conditions: H₂Ru(CO)(PPh₃)₃.2,4,6-(iPr)₃PhSO₃H.SL-J009-1.TBAL.IPA.THF.95C

Protections: none

Reference: DOI: [10.1021/jacs.5b00747](https://doi.org/10.1021/jacs.5b00747)

Retrosynthesis ID: 9895

2.1.5 Appel Reaction



Substrates:

1. C₁₃H₁₆O

Products:

1. C=CC(c1ccccc1)C(Br)/C=C/C


Typical conditions: PPh₃.CBr₄

Protections: none

Reference: [10.1016/j.jfluchem.2015.03.009](https://doi.org/10.1016/j.jfluchem.2015.03.009) and [10.1016/j.tet.2005.12.006](https://doi.org/10.1016/j.tet.2005.12.006) and [10.1021/jm00161a029](https://doi.org/10.1021/jm00161a029) and [10.1055/s-1995-5215](https://doi.org/10.1055/s-1995-5215)

Retrosynthesis ID: 9990042

2.1.6 Conjugated addition of organocuprate-acylation of enones and enoate esters



Substrates:

1. C=CC(c1ccccc1)C(Br)/C=C/C
2. 3-vinyl-2(5h)-furanone
3. Acetyl chloride - *available at Sigma-Aldrich*

Products:

1. C=CC(c1ccccc1)C(/C=C/C)C1COC(=O)C1(C=C)C(C)=O


Typical conditions: 1.RCuLi.2.AcCl.HMPA

Protections: none

Reference: [10.3987/COM-99-S143](#) AND [10.1021/ja00148a023](#) AND [10.1016/S0040-4039\(01\)80891-1](#)

Retrosynthesis ID: 20523

2.1.7 Ring-Closing Metathesis



Substrates:

1. C=CC(c1ccccc1)C(/C=C/C)C1COC(=O)C1(C=C)C(C)=O

Products:

1. C/C=C/C1C(c2ccccc2)C=CC2(C(C)=O)C(=O)OCC12

Typical conditions: catalyst e.g. Hoveyda-Grubbs . solvent e.g. CH₂Cl₂

Protections: none

Reference: DOI: [10.1002/anie.200800693](https://doi.org/10.1002/anie.200800693) and [10.1021/acs.orglett.8b04003](https://doi.org/10.1021/acs.orglett.8b04003) and [10.1021/jo0264729](https://doi.org/10.1021/jo0264729) and [10.1021/ja072334v](https://doi.org/10.1021/ja072334v) and [10.1002/ejoc.201001102](https://doi.org/10.1002/ejoc.201001102)

Retrosynthesis ID: 31014187