

Paths of analysis*

AS2

Synthia

October 10, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: Exclude Diastereoselective reactions, Tunnels, FGI, FGI with protections

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1500 \$/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: $\text{TUNNEL_COEF} * \text{FGI_COEF} * \text{STEP} * 20 + 1000 * (\text{CONFLICT} + \text{NON_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

Chemical scoring formula: $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

Min. search width: 400

Max. reactions per product: 60

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

JSON Parameters: $\{\}$

2 Paths

3 paths found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: 323.01





Figure 1: Outline of path 1

2.1.1 Bromination of aromatic compounds



Substrates:

1. methyl 2-(1H-1,2,3-triazol-1-yl)acetate - *available at Sigma-Aldrich*

Products:

1. COC(=O)Cn1cc(Br)nn1


Typical conditions: Br₂.Fe

Protections: none

Reference: [10.1021/acs.accounts.6b00120](#)

Retrosynthesis ID: 7777000

2.1.2 Blanc bromomethylation



Substrates:

1. COC(=O)Cn1cc(Br)nn1
2. Formalin - [available at Sigma-Aldrich](#)

Products:

1. COC(=O)Cn1nnc(Br)c1CBr


Typical conditions: HBr.heat

Protections: none

Reference: [10.1021/ja011493q](#) and [10.1021/ma012195g](#) and [10.1016/S0040-4039\(02\)01769-0](#) and [10.1021/ja002069c](#)

Retrosynthesis ID: 31010730

2.1.3 HWE/Wittig Olefination



Substrates:

1. COC(=O)Cn1nc(Br)c1CBr
2. 1,5-dithia-spiro[5.5]undecan-7-one

Products:

1. COC(=O)Cn1nc(Br)c1C=C1CCCCC12SCCSC2


Typical conditions: 1. PPh3 or trialkylphosphite. 2. base. aldehyde

Protections: none

Reference: [10.1002/anie.200705005](#) and [10.1021/ol052106a](#) and [10.1021/jo00075a064](#) and [10.1021/ol3027297](#)

Retrosynthesis ID: 24425

2.1.4 Esters reduction with LAH



Substrates:

1. COC(=O)Cn1nnc(Br)c1C=C1CCCCC12SCCCS2

Products:

1. OCCn1nnc(Br)c1C=C1CCCCC12SCCCS2


Typical conditions: LiAlH₄.THF.0-20 C

Protections: none

Reference: [10.1016/j.ejmech.2019.112011](#) p. 5, 10 and [10.1016/j.ejmech.2020.112910](#) p. 3, 7

Retrosynthesis ID: 9910006

2.1.5 Synthesis of tertiary ethers



Substrates:

1. OCCn1nnc(Br)c1C=C1CCCCC12SCCCS2

Products:

1. BrC1nnn2c1CC1(CCCCC13SCCCS3)OCC2


Typical conditions: H₂SO₄

Protections: none

Reference: [10.1016/j.tet.2009.10.055](#) and WO2009011551 (p.14 example 5) and [10.1002/chem.201304580](#) and [10.1021/jm9811209](#) and US2007/225280A1 p.58 and WO2009/62285A1 p.50 and CN106928032A p.0040

Retrosynthesis ID: 10001897

2.1.6 Synthesis of arylsilanes



Substrates:

1. Brc1nmn2c1CC1(CCCCC13SCCCS3)OCC2
2. TMS-Cl - *available at Sigma-Aldrich*

Products:

1. C[Si](C)(C)c1nmn2c1CC1(CCCCC13SCCCS3)OCC2


Typical conditions: 1. nBuLi. 2. ClSnR₃

Protections: none

Reference: *10.1071/CH9851147*.

Retrosynthesis ID: 5370

2.1.7 Synthesis of ketones from dithianes



Substrates:

1. C[Si](C)(C)c1nmn2c1CC1(CCCCC13SCCCS3)OCC2

Products:

1. C[Si](C)(C)c1nmn2c1CC1(CCCCC1=O)OCC2


Typical conditions: MeI. CaCO₃

Protections: none

Reference: [10.1016/j.tet.2013.09.075](#) and [10.1021/jo00007a015](#) and [10.1021/jo0610412](#) and [10.1021/ol901024t](#) and [10.1021/ol500553x](#) and [10.1021/jo0626459](#)

Retrosynthesis ID: 31724

2.1.8 Shapiro reaction



Substrates:

1. C[Si](C)(C)c1nnn2c1CC1(CCCCC1=O)OCC2

Products:

1. C[Si](C)(C)c1nnn2c1CC1(C=CCCC1)OCC2

Typical conditions: 1.TsNH₂NH₂2.2.N-BuLi

Protections: none

Reference: [10.1021/jm4008517](#) and [10.1016/j.bmc.2009.08.038](#) and [10.1021/jo00350a003](#)

Retrosynthesis ID: 9990398

2.2 Path 2

Score: 323.01





Figure 2: Outline of path 2

2.2.1 An azide and acetylene free synthesis of 1-substituted 1,2,3-triazoles



Substrates:

1. Tosylhydrazide - *available at Sigma-Aldrich*
2. Glyoxal dimethyl acetal - *available at Sigma-Aldrich*
3. 2-Chloroethylammonium chloride - *available at Sigma-Aldrich*

Products:

1. 1-(2-chloro-ethyl)-1h-[1,2,3]triazole


Typical conditions: 1. TsNHNH₂.MeOH.rt 2. Amine.AcOH.heat

Protections: none

Reference: [10.1016/j.tetlet.2020.152483](https://doi.org/10.1016/j.tetlet.2020.152483)

Retrosynthesis ID: 31020968

2.2.2 Bromination of aromatic compounds



Substrates:

1. 1-(2-chloro-ethyl)-1h-[1,2,3]triazole

Products:

1. ClCCn1cc(Br)nn1


Typical conditions: Br₂.Fe


Protections: none

Reference: [10.1021/acs.accounts.6b00120](#)

Retrosynthesis ID: 7777000

2.2.3 Blanc bromomethylation





Substrates:

1. ClCCn1cc(Br)nn1
2. Formalin - *available at Sigma-Aldrich*

Products:

1. ClCCn1nnc(Br)c1CBr


Typical conditions: HBr.heat

Protections: none

Reference: *10.1021/ja011493q* and *10.1021/ma012195g* and *10.1016/S0040-4039(02)01769-0* and *10.1021/ja002069c*

Retrosynthesis ID: 31010730

2.2.4 Shapiro reaction followed by alkyl bromide addition



Substrates:

1. ClCCn1nnc(Br)c1CBr
2. Cyclohexanone - *available at Sigma-Aldrich*

Products:

1. ClCCn1nnc(Br)c1CC1=CCCCC1


Typical conditions: 1.TsNH₂NH₂.2.Mes₂Mg.LiCl.THF.heating then alkyl bromide.cooling

Protections: none

Reference: *10.1016/S0040-4039(00)75263-4* and *10.1021/ol300652k* and *10.1021/ja00299a037*

Retrosynthesis ID: 9990463

2.2.5 Oxohydroxylation of unsymmetric alkenes



Substrates:

1. ClCCn1nnc(Br)c1CC1=CCCCC1

Products:

1. O=C1CCCCC1(O)Cc1c(Br)nnn1CCCl


Typical conditions: KMnO₄.Acetone/H₂O.-10 deg C

Protections: none

Reference: [10.1016/j.tetlet.2015.12.042](#) and [10.1021/jacs.5b05792](#)

Retrosynthesis ID: 10037547

2.2.6 Alkylation of tertiary alcohols



Substrates:

1. O=C1CCCCC1(O)Cc1c(Br)nnn1CCCl

Products:

1. O=C1CCCCC12Cc1c(Br)nnn1CCO2


Typical conditions: K₂CO₃.acetone.heat

Protections: none

Reference: [10.1016/S0040-4020\(01\)90106-1](#) and [10.1021/acs.analchem.5b04461](#)
and [10.3390/molecules24091643](#)

Retrosynthesis ID: 31010930

2.2.7 Shapiro reaction



Substrates:

1. O=C1CCCCC12Cc1c(Br)nnn1CCO2

Products:

1. BrC1nnn2c1CC1(C=CCCC1)OCC2


Typical conditions: 1.TsNH₂NH₂2.2.N-BuLi


Protections: none

Reference: [10.1021/jm4008517](#) and [10.1016/j.bmc.2009.08.038](#) and
[10.1021/jo00350a003](#)

Retrosynthesis ID: 9990398

2.2.8 Synthesis of arylsilanes





Substrates:

1. Brc1nnn2c1CC1(C=CCCC1)OCC2
2. TMSCl - *available at Sigma-Aldrich*

Products:

1. C[Si](C)(C)c1nnn2c1CC1(C=CCCC1)OCC2

Typical conditions: 1.nBuLi.2.ClSnR3

Protections: none

Reference: *10.1071/CH9851147.*

Retrosynthesis ID: 5370

2.3 Path 3

Score: 326.52





Figure 3: Outline of path 3

2.3.1 Protodecarboxylation of aromatic carboxylic acids



Substrates:

- 1-(2-chloroethyl)-1H-1,2,3-triazole-4-carboxylic acid - *available at Sigma-Aldrich*

Products:

- 1-(2-chloro-ethyl)-1h-[1,2,3]triazole


Typical conditions: Ag or Cu catalyst system

Protections: none

Reference: [10.1002/ejoc.201700121](#) and [10.1021/jo802628z](#) and [10.1039/B912509D](#) and [10.1039/C9SC00892F](#) and [10.1002/adsc.201201018](#) and [10.1039/C2CC33306F](#) and [10.1039/C5NJ02792F](#) and [10.1002/chem.201303200](#) and [10.1002/cctc.200900277](#)

Retrosynthesis ID: 31015628

2.3.2 Iodination of aromatic compounds



Substrates:

1. 1-(2-chloro-ethyl)-1h-[1,2,3]triazole

Products:

1. ClCCn1cc(I)nn1


Typical conditions: I₂ or other iodinating agent e.g. NIS


Protections: none

Reference: DOI: [10.1039/C5SC00964B](https://doi.org/10.1039/C5SC00964B) and [10.1016/j.tetlet.2005.05.117](https://doi.org/10.1016/j.tetlet.2005.05.117) and [10.1007/s11178-005-0256-1](https://doi.org/10.1007/s11178-005-0256-1)

Retrosynthesis ID: 10697

2.3.3 I/Li exchange





Substrates:

1. ClCCn1cc(I)nn1
2. t-BuLi - *available at Sigma-Aldrich*

Products:

1. [Li]c1cn(CCCl)nn1


Typical conditions: nBuLi.or.tBuLi.THF.-78C

Protections: none

Reference: [10.1016/j.tet.2004.09.111](#) and [10.1039/c3ob41082j](#) And [10.1016/j.bmc.2012.03.056](#) And [10.1002/chem.201300292](#)

Retrosynthesis ID: 30673

2.3.4 Addition of electrophiles to lithiated arenes/heteroarenes



Substrates:

1. TMSCl - *available at Sigma-Aldrich*
2. [Li]c1cn(CCCl)nn1

Products:

1. C[Si](C)(C)c1cn(CCCl)nn1


Typical conditions: THF

Protections: none

Reference: [10.1002/ejoc.200600589](#) and [10.1055/s-0036-1588863](#) and
[10.1002/1099-0690\(200107\)2001:14<2771::AID-EJOC2771>3.0.CO;2-Y](#) and
[10.1021/ol202873d](#) (SI)

Retrosynthesis ID: 10019541

2.3.5 Blanc bromomethylation



Substrates:

1. Formalin - *available at Sigma-Aldrich*
2. C[Si](C)(C)c1cn(CCCl)nn1

Products:

1. C[Si](C)(C)c1nnn(CCCl)c1CBr


Typical conditions: HBr.heat

Protections: none

Reference: [10.1021/ja011493q](#) and [10.1021/ma012195g](#) and [10.1016/S0040-4039\(02\)01769-0](#) and [10.1021/ja002069c](#)

Retrosynthesis ID: 31010730

2.3.6 Synthesis of alkyl Grignard reagents



Substrates:

1. Magnesium - *available at Sigma-Aldrich*
2. C[Si](C)(C)c1nnn(CCCl)c1CBr

Products:

1. C[Si](C)(C)c1nnn(CCCl)c1C[Mg]Br


Typical conditions: Mg.THF or iPrMgBr

Protections: none

Reference: DOI: [10.1021/jo00002a039](https://doi.org/10.1021/jo00002a039) and [10.1021/jo047877r](https://doi.org/10.1021/jo047877r) and [10.1021/ol006618v](https://doi.org/10.1021/ol006618v)

Retrosynthesis ID: 10011828

2.3.7 Grignard-Type Reaction



Substrates:

1. C[Si](C)(C)c1nnn(CCCl)c1C[Mg]Br
2. 2-Cyclohexen-1-one - *available at Sigma-Aldrich*

Products:

1. C[Si](C)(C)c1nnn(CCCl)c1CC1(O)C=CCCC1


Typical conditions: Mg or Li.ether

Protections: none

Reference: [10.1021/jo010494y](#) or [10.1016/j.steroids.2015.09.009](#) or [10.1021/jo061349t](#) or [10.1021/ja056165v](#) (SI page 19)

Retrosynthesis ID: 25134

2.3.8 Alkylation of tertiary alcohols



Substrates:

1. C[Si](C)(C)c1nnn(CCCl)c1CC1(O)C=CCCC1

Products:

1. C[Si](C)(C)c1nnn2c1CC1(C=CCCC1)OCC2

Typical conditions: K₂CO₃.acetone.heat

Protections: none

Reference: [10.1016/S0040-4020\(01\)90106-1](#) and [10.1021/acs.analchem.5b04461](#) and [10.3390/molecules24091643](#)

Retrosynthesis ID: 31010930