

Paths of analysis*

PG1

Synthia

October 10, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: Exclude Diastereoselective reactions, Tunnels, FGI, FGI with protections

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1500 \$/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: $\text{TUNNEL_COEF} * \text{FGI_COEF} * \text{STEP} * 20 + 1000 * (\text{CONFLICT} + \text{NON_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

Chemical scoring formula: $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

Min. search width: 400

Max. reactions per product: 60

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

Strategies: none selected

FGI Coeff: 0

Tunnels Coeff: 0

JSON Parameters: {}

2 Paths

5 paths found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: 20.00





Figure 1: Outline of path 1

2.1.1 Alkylation of secondary unhindered alcohols



Substrates:

1. Chlorallylene - *available at Sigma-Aldrich*
2. (+)-1t-phenyl-hexa-1,5-dien-3-ol

Products:

1. (3-allyloxyhexa-1,5-dienyl)-benzene

Typical conditions: K₂CO₃.acetone.heat

Protections: none

Reference: [10.1016/S0022-1139\(00\)85021-6](#) and

Retrosynthesis ID: 31011036

2.2 Path 2

Score: 31.25





Figure 2: Outline of path 2

2.2.1 Reaction of alpha-bromo carbonyl compounds with alcohols or phenols



Substrates:

1. 2-Bromo-N-methoxy-N-methylacetamide - *available at Sigma-Aldrich*
2. (+-)-1t-phenyl-hexa-1,5-dien-3-ol

Products:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)N(C)OC


Typical conditions: NaOH.EtOH

Protections: none

Reference: [10.1021/jm070511x](#) AND [10.1021/op1002038](#) AND
[10.1007/BF00758669](#) AND [10.1021/ja01117a054](#)

Retrosynthesis ID: 14804

2.2.2 Aldehyde Formation



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)N(C)OC

Products:

1. C=CCC(/C=C/c1ccccc1)OCC=O


Typical conditions: DIBAL.toluene.CO

Protections: none

Reference: [10.1021/jo202652f](#)

Retrosynthesis ID: 11504

2.2.3 Tebbe Olefination



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC=O

Products:

1. (3-allyloxyhexa-1,5-dienyl)-benzene

Typical conditions: Cp2TiCl2.AlMe3.toluene

Protections: none

Reference: [10.1016/j.tet.2007.03.015](https://doi.org/10.1016/j.tet.2007.03.015) and [10.1002/9780470638859.conrrr617](https://doi.org/10.1002/9780470638859.conrrr617)

Retrosynthesis ID: 11714

2.3 Path 3

Score: 31.25





Figure 3: Outline of path 3

2.3.1 Reaction of alpha-bromo carbonyl compounds with alcohols or phenols



Substrates:

1. Methyl bromoacetate - *available at Sigma-Aldrich*
2. (+)-1t-phenyl-hexa-1,5-dien-3-ol

Products:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)OC


Typical conditions: NaOH.EtOH

Protections: none

Reference: [10.1021/jm070511x](#) AND [10.1021/op1002038](#) AND [10.1007/BF00758669](#) AND [10.1021/ja01117a054](#)

Retrosynthesis ID: 14804

2.3.2 Aldehyde Formation



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)OC

Products:

1. C=CCC(/C=C/c1ccccc1)OCC=O


Typical conditions: DIBAL.solvent e.g. DCM

Protections: none

Reference: [10.1039/C39940000483](#) and [10.1039/C3CC47867J](#) and [10.1021/jo00222a054](#) and [10.1021/ja9934908](#) and [10.1021/jo902426z](#)

Retrosynthesis ID: 28551

2.3.3 Tebbe Olefination



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC=O

Products:

1. (3-allyloxyhexa-1,5-dienyl)-benzene

Typical conditions: Cp2TiCl2.AlMe3.toluene

Protections: none

Reference: [10.1016/j.tet.2007.03.015](#) and [10.1002/9780470638859.conrr617](#)

Retrosynthesis ID: 11714

2.4 Path 4

Score: 31.25





Figure 4: Outline of path 4

2.4.1 Ring-opening of epoxides or thiiranes with alkoxides



Substrates:

1. Oxirane - *available at Sigma-Aldrich*
2. (+)-1t-phenyl-hexa-1,5-dien-3-ol

Products:

1. trans-3-(2-hydroxyethoxy)-1-phenyl-1,5-hexadiene


Typical conditions: NaH.THF or K₂CO₃.DMF.110 C

Protections: none

Reference: [10.1021/acs.orglett.7b00756](https://doi.org/10.1021/acs.orglett.7b00756) SI p. S4, S5 and [10.1021/jm401625b](https://doi.org/10.1021/jm401625b) p. 873, 878

Retrosynthesis ID: 833

2.4.2 Oxidation of primary alcohols with DMP



Substrates:

1. trans-3-(2-hydroxyethoxy)-1-phenyl-1,5-hexadiene

Products:

1. C=CCC(/C=C/c1ccccc1)OCC=O


Typical conditions: DMP.DCM.0-25 C


Protections: none

Reference: [10.1016/j.bmc.2020.115469](https://doi.org/10.1016/j.bmc.2020.115469) p. 3, 9 and [10.1021/acs.jmedchem.8b01878](https://doi.org/10.1021/acs.jmedchem.8b01878) SI p. S43

Retrosynthesis ID: 50426

2.4.3 Tebbe Olefination





Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC=O

Products:

1. (3-allyloxyhexa-1,5-dienyl)-benzene

Typical conditions: Cp₂TiCl₂.AlMe₃.toluene

Protections: none

Reference: [10.1016/j.tet.2007.03.015](https://doi.org/10.1016/j.tet.2007.03.015) and [10.1002/9780470638859.conrrr617](https://doi.org/10.1002/9780470638859.conrrr617)

Retrosynthesis ID: 11714

2.5 Path 5

Score: 39.06





Figure 5: Outline of path 5

2.5.1 Reaction of alpha-bromo carbonyl compounds with alcohols or phenols



Substrates:

1. Bromoacetic acid - *available at Sigma-Aldrich*
2. (+-)-1t-phenyl-hexa-1,5-dien-3-ol

Products:

1. trans-3-(carboxymethoxy)-1-phenyl-1,5-hexadiene


Typical conditions: NaOH.EtOH

Protections: none

Reference: [10.1021/jm070511x](#) AND [10.1021/op1002038](#) AND [10.1007/BF00758669](#) AND [10.1021/ja01117a054](#)

Retrosynthesis ID: 14804

2.5.2 Synthesis of O-substituted N-substituted hydroxamic acids



Substrates:

1. trans-3-(carboxymethoxy)-1-phenyl-1,5-hexadiene
2. n-methoxymethylamine - *available at Sigma-Aldrich*

Products:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)N(C)OC


Typical conditions: DCC.DMAP or CDI.TEA.DCM

Protections: none

Reference: Patent: WO2007/67333A2, 2007 & [10.1016/j.bmcl.2008.09.100](#)

Retrosynthesis ID: 1152

2.5.3 Aldehyde Formation



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC(=O)N(C)OC

Products:

1. C=CCC(/C=C/c1ccccc1)OCC=O


Typical conditions: DIBAL.toluene.CO

Protections: none

Reference: [10.1021/jo202652f](#)

Retrosynthesis ID: 11504

2.5.4 Tebbe Olefination



Substrates:

1. C=CCC(/C=C/c1ccccc1)OCC=O

Products:

1. (3-allyloxyhexa-1,5-dienyl)-benzene

Typical conditions: Cp₂TiCl₂.AlMe₃.toluene

Protections: none

Reference: [10.1016/j.tet.2007.03.015](#) and [10.1002/9780470638859.conrr617](#)

Retrosynthesis ID: 11714