

Paths of analysis*

Y6A

Synthia

October 10, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: Exclude Diastereoselective reactions, Tunnels, FGI, FGI with protections

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1500 \$/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: $\text{TUNNEL_COEF} * \text{FGI_COEF} * \text{STEP} * 20 + 1000 * (\text{CONFLICT} + \text{NON_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

Chemical scoring formula: $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

Min. search width: 400

Max. reactions per product: 60

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

Strategies: none selected

FGI Coeff: 0

Tunnels Coeff: 0

JSON Parameters: {}

2 Paths

5 paths found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: 1000164.14





Figure 1: Outline of path 1

2.1.1 Aldol Condensation



Substrates:

1. Acrolein
2. p-chlor-benzoyl-dithioessigsaeure-methylester

Products:

1. C=CC=C(C(=O)c1ccc(Cl)cc1)C(=S)SC


Typical conditions: NaOEt.base

Protections: none

Reference: [10.1080/00397911.2016.1206938](#)

Retrosynthesis ID: 10049

2.1.2 Amination of aryl chlorides



Substrates:

1. C=CC=C(C(=O)c1ccc(Cl)cc1)C(=S)SC

Products:

1. C=CC=C(C(=O)c1ccc(N)cc1)C(=S)SC


Typical conditions: [Pd].Ligand.base

Protections: none

Reference: [10.1021/ja903049z](#) and [10.1021/jo060945k](#) and [10.1021/jo060190h](#) and [10.1021/ja8055358](#) and [10.1021/ja068926f](#) and [10.1002/anie.200601612](#) and [10.1021/acscatal.0c04280](#)

Retrosynthesis ID: 28545

2.1.3 One-Pot Sandmeyer Trifluoromethylation



Substrates:

1. C=CC=C(C(=O)c1ccc(N)cc1)C(=S)SC
2. TFMSTMS - *available at Sigma-Aldrich*

Products:

1. C=CC=C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC


Typical conditions: 1.pTSA.tBuONO.2.TMSCF₃.CuSCN.Cs₂CO₃.MeCN.rt or AgCF₃

Protections: none

Reference: [10.1002/adsc.201400340](#) and [10.1021/ja4056239](#)

Retrosynthesis ID: 10000381

2.1.4 Reduction of enones to saturated alcohols



Substrates:

1. C=CC=C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: NaBH₄.transition.metal.salt.(eg.Pd(OAc)₂.or.CeCl₃)

Protections: none

Reference: [10.1080/00397910902788117](#) AND [10.1021/jo00235a009](#)
 AND [10.1016/0040-4020\(95\)00125-R](#) AND [10.1021/ja01327a041](#) AND
[10.1021/jo00302a056](#) AND [10.1002/adsc.200900628](#)

Retrosynthesis ID: 15304

2.1.5 Condensation of ketones with dithioesters



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1

2. Acetophenone - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(=S)CC(=O)c1ccccc1)C(O)c1ccc(C(F)(F)F)cc1

Typical conditions: NaH.DMF

Protections:

| Functional group SMARTS | Classification | Protecting groups |
|-------------------------|----------------|-------------------------------------|
| [#6][CH]([#6])[OH] | alcohols | Methoxymethyl Ether (MOM) |
| | | 2-Methoxyethoxymethyl Ether (MEM) |
| | | Tetrahydropyranyl Ether (THP) |
| | | Benzyl Ether (PMB) |
| | | t-Butyldimethylsilyl Ether (TB-DMS) |
| | | Methyl Ether |

Reference: [10.1021/jo400599e](#) and [10.1002/ejoc.201301667](#)

Retrosynthesis ID: 9996413

2.2 Path 2

Score: 1000164.14





Figure 2: Outline of path 2

2.2.1 Eschenmoser methenylation



Substrates:

1. 4-(methylsulfanylidene)-4-sulfanylidenebutan-2-one - *available at Sigma-Aldrich*
2. Formalin - *available at Sigma-Aldrich*

Products:

1. C=C(C(C)=O)C(=S)SC


Typical conditions: iPr₂NH.TFA.HCHO.or.organocatalyst

Protections: none

Reference: DOI:[10.1016/S0040-4039\(00\)82176-0](https://doi.org/10.1016/S0040-4039(00)82176-0) AND DOI:[10.1021/jo052529q](https://doi.org/10.1021/jo052529q) AND DOI:[10.1039/b924577d](https://doi.org/10.1039/b924577d)

Retrosynthesis ID: 7270

2.2.2 Alkenylation-Aldol reaction of enones and enoate esters



Substrates:

1. a,a,a-Trifluoro-p-tolualdehyde - *available at Sigma-Aldrich*
2. C=C(C(C)=O)C(=S)SC
3. Bromoethylene - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(C)=O)(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: 1.RCuLi.2.RCHO

Protections: none

Reference: [10.1021/jo2010186](#) AND [10.1021/jo101439h](#) AND [10.1021/ja906241w](#)
AND [10.1016/S0040-4039\(01\)80891-1](#) AND [10.1016/S0040-4020\(01\)82115-3](#)

Retrosynthesis ID: 13048

2.2.3 Synthesis of Carboxylic Acids via Haloform Reaction



Substrates:

1. C=CCC(C(C)=O)(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1

Products:

1. C=CCC(C(=O)O)(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: I2.KI.KOH.H2O.dioxane

Protections: none

Reference: [10.1021/jacs.8b12242](#) SI p. S25 and [10.1021/ol5025025](#) SI p. S27

Retrosynthesis ID: 10366

2.2.4 Decarboxylation of tertiary carboxylic acids



Substrates:

1. C=CCC(C(=O)O)(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: DMSO.135C

Protections: none

Reference: DOI: [10.1021/jm990630f](https://doi.org/10.1021/jm990630f) AND [10.1016/S0040-4039\(99\)02191-7](https://doi.org/10.1016/S0040-4039(99)02191-7)

Retrosynthesis ID: 7791

2.2.5 Condensation of ketones with dithioesters



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1
2. Acetophenone - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(=S)CC(=O)c1ccccc1)C(O)c1ccc(C(F)(F)F)cc1

Typical conditions: NaH.DMF

Protections:

| Functional group SMARTS | Classification | Protecting groups |
|-------------------------|----------------|-------------------------------------|
| [#6][CH]([#6])[OH] | alcohols | Methoxymethyl Ether (MOM) |
| | | 2-Methoxyethoxymethyl Ether (MEM) |
| | | Tetrahydropyranyl Ether (THP) |
| | | Benzyl Ether (PMB) |
| | | t-Butyldimethylsilyl Ether (TB-DMS) |
| | | Methyl Ether |

Reference: [10.1021/jo400599e](#) and [10.1002/ejoc.201301667](#)

Retrosynthesis ID: 9996413

2.3 Path 3

Score: 1000164.14





Figure 3: Outline of path 3

2.3.1 Aldol Condensation



Substrates:

1. Acrolein
2. p-chlor-benzoyl-dithioessigsaeure-methylester

Products:

1. C=CC=C(C(=O)c1ccc(Cl)cc1)C(=S)SC


Typical conditions: NaOEt.base

Protections: none

Reference: [10.1080/00397911.2016.1206938](#)

Retrosynthesis ID: 10049

2.3.2 Reduction of enones to saturated alcohols



Substrates:

1. C=CC=C(C(=O)c1ccc(Cl)cc1)C(=S)SC

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(Cl)cc1


Typical conditions: NaBH₄.transition.metal.salt.(eg.Pd(OAc)₂.or.CeCl₃)

Protections: none

Reference: [10.1080/00397910902788117](#) AND [10.1021/jo00235a009](#)
AND [10.1016/0040-4020\(95\)00125-R](#) AND [10.1021/ja01327a041](#) AND
[10.1021/jo00302a056](#) AND [10.1002/adsc.200900628](#)

Retrosynthesis ID: 15304

2.3.3 Coupling of Ammonia with Aryl Halides



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(Cl)cc1

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(N)cc1


Typical conditions: Pd[(P(p-tol)₃]₂.NaOtBu.dioxane.heat

Protections: none

Reference: [10.1021/ja903049z](#) and [10.1021/ol027119s](#) and [10.1021/jo9006738](#)

Retrosynthesis ID: 10142

2.3.4 One-Pot Sandmeyer Trifluoromethylation



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(N)cc1
2. TFMTMS - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: 1.pTSA.tBuONO.2.TMSCF3.CuSCN.Cs2CO3.MeCN.rt
or AgCF₃

Protections: none

Reference: [10.1002/adsc.201400340](#) and [10.1021/ja4056239](#)

Retrosynthesis ID: 10000381

2.3.5 Condensation of ketones with dithioesters



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1
2. Acetophenone - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(=S)CC(=O)c1ccccc1)C(O)c1ccc(C(F)(F)F)cc1

Typical conditions: NaH.DMF

Protections:

| Functional group SMARTS | Classification | Protecting groups |
|---------------------------------|----------------|--|
| <chem>[*6][CH]([*6])[OH]</chem> | alcohols | Methoxymethyl Ether (MOM) 2-Methoxyethoxymethyl Ether (MEM) Tetrahydropyranyl Ether (THP) Benzyl Ether (PMB) t-Butyldimethylsilyl Ether (TB-DMS) Methyl Ether |

Reference: [10.1021/jo400599e](#) and [10.1002/ejoc.201301667](#)

Retrosynthesis ID: 9996413

2.4 Path 4

Score: 1000164.14





Figure 4: Outline of path 4

2.4.1 Synthesis of acid chlorides from esters



Substrates:

1. dimethyl-1,1-dithiooxalat

Products:


1. CSC(=S)C(=O)Cl

Typical conditions: 1. LiOH.H₂O.THF.2. evapo-
rate.3.SOCl₂.or.oxalyl.chloride

Protections: none

Reference: [10.1021/ja073476s](#) and [10.1016/j.tet.2007.04.043](#) and
[10.1002/adsc.200303011](#) and [10.3390/50500714](#)

Retrosynthesis ID: 24406

2.4.2 Hosomi-Sakurai Reaction**Substrates:**

1. CSC(=S)C(=O)Cl
2. Allyltrimethylsilane - *available at Sigma-Aldrich*

Products:

1. C=CCC(=O)C(=S)SC


Typical conditions: CuBr.TMS.OTf.TiCl₃.acetonitrile.THF.-78 C to rt

Protections: none

Reference: [10.1016/S0040-4039\(00\)78044-0](#) and [10.1021/jo0105641](#) and
[10.1246/cl.1976.941](#) and [10.1021/ar00149a004](#)

Retrosynthesis ID: 11036

2.4.3 Olefination of ketones followed by hydrolysis



Substrates:

1. triphenylphosphonium methoxymethylide
2. C=CCC(=O)C(=S)SC

Products:

1. C=CCC(C=O)C(=S)SC


Typical conditions: KHMDS.THF hydrolysis: pTsOH.water.acetone

Protections: none

Reference: [10.1002/anie.201811403](#) and [10.1002/anie.201809130](#) and [10.1002/anie.201705809](#) and [10.1002/anie.201409038](#) and [10.1021/ol3028994](#) (SI)

Retrosynthesis ID: 31014861

2.4.4 Grignard-Type Reaction



Substrates:

1. C=CCC(C=O)C(=S)SC
2. (4-trifluoromethyl-phenyl)-magnesium-bromide

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: Mg or Li.ether

Protections: none

Reference: [10.1055/s-0030-1260809](#) or [10.1021/jm061429p](#) or [10.1021/jo0621423](#) or [10.1021/ja00373a036](#) or [10.1016/S0040-4020\(01\)00457-4](#)

Retrosynthesis ID: 25123

2.4.5 Condensation of ketones with dithioesters



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1
2. Acetophenone - *available at Sigma-Aldrich*

Products:

1. C=CCC(C(=S)CC(=O)c1ccccc1)C(O)c1ccc(C(F)(F)F)cc1

Typical conditions: NaH.DMF

Protections:

| Functional group SMARTS | Classification | Protecting groups |
|-------------------------|----------------|-------------------------------------|
| [#6][CH]([#6])[OH] | alcohols | Methoxymethyl Ether (MOM) |
| | | 2-Methoxyethoxymethyl Ether (MEM) |
| | | Tetrahydropyranyl Ether (THP) |
| | | Benzyl Ether (PMB) |
| | | t-Butyldimethylsilyl Ether (TB-DMS) |
| | | Methyl Ether |

Reference: [10.1021/jo400599e](https://doi.org/10.1021/jo400599e) and [10.1002/ejoc.201301667](https://doi.org/10.1002/ejoc.201301667)

Retrosynthesis ID: 9996413

2.5 Path 5

Score: 1000176.35





Figure 5: Outline of path 5

2.5.1 Aldol Addition



Substrates:

1. Acrolein
2. p-chlor-benzoyl-dithioessigsaeure-methylester

Products:

1. C=CC(O)C(C(=O)c1ccc(Cl)cc1)C(=S)SC


Typical conditions: LDA.THF

Protections: none

Reference: [10.1021/ja991507g](https://doi.org/10.1021/ja991507g) and [10.1002/anie.200906662](https://doi.org/10.1002/anie.200906662) and [10.1007/s10593-011-0669-4](https://doi.org/10.1007/s10593-011-0669-4) and [10.1021/ol0606435](https://doi.org/10.1021/ol0606435)

Retrosynthesis ID: 14924

2.5.2 Nucleophilic aromatic substitution



Substrates:

1. C=CC(O)C(C(=O)c1ccc(Cl)cc1)C(=S)SC

Products:

1. C=CC(O)C(C(=O)c1ccc(N)cc1)C(=S)SC


Typical conditions: solvent. Heating or pressure

Protections: none

Reference: [10.1021/jm00040a009](#) or [10.1111/bph.12233](#) or [10.1246/cl.1987.1187](#)

Retrosynthesis ID: 5003

2.5.3 One-Pot Sandmeyer Trifluoromethylation



Substrates:

1. C=CC(O)C(C(=O)c1ccc(N)cc1)C(=S)SC
2. TFMTMS - *available at Sigma-Aldrich*

Products:

1. C=CC(O)C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC


Typical conditions: 1.pTSA.tBuONO.2.TMSCF3.CuSCN.Cs2CO3.MeCN.rt or AgCF3

Protections: none

Reference: [10.1002/adsc.201400340](#) and [10.1021/ja4056239](#)

Retrosynthesis ID: 10000381

2.5.4 Dehydration of Beta Hydroxy Carbonyl Compounds



Substrates:

1. C=CC(O)C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC

Products:

1. C=CC=C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC


Typical conditions: TsOH


Protections: none

Reference: DOI: [10.1002/anie.201204977](https://doi.org/10.1002/anie.201204977) AND [10.1021/ol062777o](https://doi.org/10.1021/ol062777o)

Retrosynthesis ID: 7731

2.5.5 Reduction of enones to saturated alcohols





Substrates:

1. C=CC=C(C(=O)c1ccc(C(F)(F)F)cc1)C(=S)SC

Products:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1


Typical conditions: NaBH₄.transition.metal.salt.(eg.Pd(OAc)₂.or.CeCl₃)

Protections: none

Reference: [10.1080/00397910902788117](#) AND [10.1021/jo00235a009](#)
AND [10.1016/0040-4020\(95\)00125-R](#) AND [10.1021/ja01327a041](#) AND
[10.1021/jo00302a056](#) AND [10.1002/adsc.200900628](#)

Retrosynthesis ID: 15304

2.5.6 Condensation of ketones with dithioesters



Substrates:

1. C=CCC(C(=S)SC)C(O)c1ccc(C(F)(F)F)cc1
2. Acetophenone - [available at Sigma-Aldrich](#)

Products:

1. C=CCC(C(=S)CC(=O)c1ccccc1)C(O)c1ccc(C(F)(F)F)cc1

Typical conditions: NaH.DMF

Protections:

| Functional group SMARTS | Classification | Protecting groups |
|---------------------------------|----------------|--|
| <chem>[#6][CH]([#6])[OH]</chem> | alcohols | Methoxymethyl Ether (MOM) 2-Methoxyethoxymethyl Ether (MEM) Tetrahydropyranyl Ether (THP) Benzyl Ether (PMB) t-Butyldimethylsilyl Ether (TB-DMS) Methyl Ether |

Reference: [10.1021/jo400599e](#) and [10.1002/ejoc.201301667](#)

Retrosynthesis ID: 9996413