Paths of analysis*

O3

Synthia

October 10, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: Exclude Diastereoselecitve reactions, Tunnels, FGI, FGI with protections

Max. paths returned: 50

Max. iterations: 2000

Commercial:

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1500 $/g

Published:

1. Max. molecular weight - 1000 g/mol
2. Popularity - 5

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: TUNNEL_COEF*FGI_COEF*STEP*20+1000000*(CONFLICT+NON_SELECTIVITY+FILTERS+PROTECT)

Chemical scoring formula: SMALLER^ 3,SMALLER^ 1.5

Min. search width: 400

Max. reactions per product: 60

*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

Strategies: none selected

FGI Coeff: 0

Tunnels Coeff: 0

JSON Parameters: {}

2 Paths

5 paths found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

2.1 Path 1

Score: `20.00`



Figure 1: Outline of path 1

2.1.1 Synthesis Of Alkyl Iodides Via Appel Reaction



Substrates:

1. 2-cyclohexylideneethan-1-ol - *available at Sigma-Aldrich*

Products:

1. ICC=C1CCCCC1

Typical conditions: Imidazole.PPh3.I2

Protections: none

Reference: *10.1002/1099-0690(200102)2001:3<493::AID-EJOC493>3.0.CO2-B* (compound 20) and *10.1016/j.tet.2014.09.030*

Retrosynthesis ID: 9990040

2.1.2 Takai olefination



Substrates:

1. Iodoform - *available at Sigma-Aldrich*
2. 2-formylphenyl acetate - *available at Sigma-Aldrich*

Products:

1. CC(=O)Oc1ccccc1/C=C/I

Typical conditions: CrCl2.THF

Protections: none

Reference: *10.1021/ja00283a046* and *10.1021/ja00237a081*

Retrosynthesis ID: 10497

2.1.3 Palladium catalysed alkylation of vinyl iodides



Substrates:

1. CC(=O)Oc1ccccc1/C=C/I
2. ICC=C1CCCCC1

Products:

1. CC(=O)Oc1ccccc1/C=C/CC=C1CCCCC1

Typical conditions: [Pd].catalyst

Protections: none

Reference: *10.1016/j.bmcl.2005.12.066* and *10.1021/ol052070m* and *10.1021/ol5023195* and *10.1002/anie.200703134* and *10.1016/j.bmcl.2005.09.084* and *10.1021/ol0344873*

Retrosynthesis ID: 25162

2.2 Path 2

Score: 20.00



Figure 2: Outline of path 2

2.2.1 Ozonolysis



Substrates:

1. 3-(2-Acetoxyphenyl)-1-propene - *available at Sigma-Aldrich*

Products:

1. CC(=O)Oc1ccccc1CC=O

Typical conditions: O3.MeOH.CH2Cl2.PPh3 or Me2S.low temperature

Protections: none

Reference: *10.1016/j.tet.2017.03.039*

Retrosynthesis ID: 5074

2.2.2 Synthesis of alkynes from aldehydes



Substrates:

1. CC(=O)Oc1ccccc1CC=O

Products:

1. 2-acetoxyphenylacetylene

Typical conditions: P1-base.DMF

Protections: none

Reference: *10.1055/s-0028-1087919*

Retrosynthesis ID: 15028

2.2.3 Bromination of vinylalanes



Substrates:

1. 2-acetoxyphenylacetylene

Products:

1. CC(=O)Oc1ccccc1/C=C/Br

Typical conditions: Schwartz's reagent.then.Br2

Protections: none

Reference: DOI: *10.1039/C2CC36604E* (SI, page S18) AND DOI: *10.1080/00397910008087318*

Retrosynthesis ID: 7405

2.2.4 Suzuki coupling of alkyl-9-BBNs with vinyl bromides





Substrates:

1. CC(=O)Oc1ccccc1/C=C/Br
2. 9-(3,3-pentamethyleneallyl)-9-borabicyclo3.3.1nonane

Products:

1. CC(=O)Oc1ccccc1/C=C/CC=C1CCCCC1

Typical conditions: Pd catalyst.base.solvent

Protections: none

Reference: *10.1021/ja00183a048* and *10.1039/b707338k* and *10.1016/j.tet.2015.05.039* and *10.1021/jo991064z* and *10.1021/ol060290+* and *10.1246/bcsj.65.2863*

Retrosynthesis ID: 25174

2.3 Path 3

Score: 25.00

Figure 3: Outline of path 3

2.3.1 Brown Hydroboration of Alkenes



Substrates:

1. 1-allyl-cyclohexanecarboxylic acid methyl ester

Products:

1. COC(=O)C1(CCCO)CCCCC1

Typical conditions: B2H6.H2O2.THF.NaOH

Protections: none

Reference: *10.1002/9780470638859.conrr118*

Retrosynthesis ID: 4772

2.3.2 Oxidation of primary alcohols with DMP



Substrates:

1. COC(=O)C1(CCCO)CCCCC1

Products:

1. COC(=O)C1(CCC=O)CCCCC1

Typical conditions: DMP.DCM.0-25 C

Protections: none

Reference: *10.1016/j.bmc.2020.115469* p. 3, 9 and *10.1021/acs.jmedchem.8b01878* SI p. S43

Retrosynthesis ID: 50426

2.3.3 Tebbe Olefination





Substrates:

1. COC(=O)C1(CCC=O)CCCCC1

Products:

1. 1-but-3-enyl-cyclohexanecarboxylic acid methyl ester

Typical conditions: Cp2TiCl2.AlMe3.toluene

Protections: none

Reference: *10.1016/j.tet.2007.03.015* and *10.1002/9780470638859.conrr617*

Retrosynthesis ID: 11714

2.3.4 Esters reduction with LAH



Substrates:

1. 1-but-3-enyl-cyclohexanecarboxylic acid methyl ester

Products:

1. (1-but-3-enyl-cyclohexyl)-methanol

Typical conditions: LiAlH4.THF.0-20 C

Protections: none

Reference: *10.1016/j.ejmech.2019.112011* p. 5, 10 and *10.1016/j.ejmech.2020.112910* p. 3, 7

Retrosynthesis ID: 9910006

2.3.5 Jones Oxidation



Substrates:

1. (1-but-3-enyl-cyclohexyl)-methanol

Products:

1. acide 1-(but-3-enyl)cyclohexanecarboxylique

Typical conditions: cromate.sulfate.H2O.acetone

Protections: none

Reference: *10.1002/9780470638859.conrr349* and *10.1021/jm00270a004*

Retrosynthesis ID: 11160

2.3.6 Heck Reaction



Substrates:

1. o-bromophenyl acetate
2. acide 1-(but-3-enyl)cyclohexanecarboxylique

Products:

1. CC(=O)Oc1ccccc1/C=C/CCC1(C(=O)O)CCCCC1

Typical conditions: Pd (cat). Ligand e.g. TXPTS. Base. Temp

Protections: none

Reference: DOI: *10.1039/C3GC40493E* DOI: *10.1021/ol0360288* or DOI: *10.1021/ol702755g* or DOI: *10.1055/s-0033-1340319* or DOI: *10.1016/j.tet.2004.10.049*

Retrosynthesis ID: 9180

2.3.7 Catalytic dehydrogenative decarboxyolefination of carboxylic acids



Substrates:

1. CC(=O)Oc1ccccc1/C=C/CCC1(C(=O)O)CCCCC1

Products:

1. CC(=O)Oc1ccccc1/C=C/CC=C1CCCCC1

Typical conditions: [Ir]-photocatalyst.[Co]-catalyst.Cs2CO3.DME/H2O.blue.light.rt

Protections: none

Reference: *10.1038/s41557-018-0142-4* and *10.1021/acscatal.8b03282* and *10.1021/acs.joc.9b00167*

Retrosynthesis ID: 10032330

2.4 Path 4

Score: 25.00



Figure 4: Outline of path 4

2.4.1 Oxidation of primary alcohols with DMP



Substrates:

1. 1-(hydroxymethyl)cyclohexane-1-carbonitrile - *available at Sigma-Aldrich*

Products:

1. 1-formylcyclohexanecarbonitrile

Typical conditions: DMP.DCM.0-25 C

Protections: none

Reference: *10.1016/j.bmc.2020.115469* p. 3, 9 and *10.1021/acs.jmedchem.8b01878* SI p. S43

Retrosynthesis ID: 50426

2.4.2 Corey-Fuchs reaction



Substrates:

1. 1-formylcyclohexanecarbonitrile
2. Tetrabromomethane - *available at Sigma-Aldrich*

Products:

1. 1-ethinylcyclohexylcyanid

Typical conditions: PPh3.BuLi.CBr4

Protections: none

Reference: *10.1002/ejoc.200601137* and *10.1016/S0040-4039(01)94157-7*

Retrosynthesis ID: 10912

2.4.3 Chloroformate Addtion To Terminal Alkynes



Substrates:

1. Methyl chloroformate - *available at Sigma-Aldrich*
2. 1-ethinylcyclohexylcyanid

Products:

1. COC(=O)C#CC1(C#N)CCCCC1

Typical conditions: 1)n-BuLi.solvent.2) chloroformate

Protections: none

Reference: DOI: *10.1021/jo00092a015*

Retrosynthesis ID: 2049

2.4.4 Reduction of alkyne to alkane



Substrates:

1. COC(=O)C#CC1(C#N)CCCCC1

Products:

1. COC(=O)CCC1(C#N)CCCCC1

Typical conditions: H2.Pd/C

Protections: none

Reference: *10.1016/j.bmc.2011.05.030* AND *10.1021/ol048591b* AND *10.1021/jo020486x*

Retrosynthesis ID: 14626

2.4.5 Aldehyde Formation



Substrates:

1. COC(=O)CCC1(C#N)CCCCC1

Products:

1. N#CC1(CCC=O)CCCCC1

Typical conditions: DIBAL.solvent e.g. DCM

Protections: none

Reference: *10.1039/C39940000483* and *10.1039/C3CC47867J* and *10.1021/jo00222a054* and *10.1021/ja9934908* and *10.1021/jo902426z*

Retrosynthesis ID: 28551

2.4.6 Takai olefination



Substrates:

1. Iodoform - *available at Sigma-Aldrich*
2. N#CC1(CCC=O)CCCCC1

Products:

1. N#CC1(CC/C=C/I)CCCCC1

Typical conditions: CrCl2.THF

Protections: none

Reference: *10.1021/ja00283a046* and *10.1021/ja00237a081*

Retrosynthesis ID: 10497

2.4.7 Base hydrolysis of nitriles to carboxylic acids



Substrates:

1. N#CC1(CC/C=C/I)CCCCC1

Products:

1. O=C(O)C1(CC/C=C/I)CCCCC1

Typical conditions: NaOH.heating.H2O

Protections: none

Reference: *10.1002/1099-0690(200111)2001:22<4207::AID-EJOC4207>3.0.CO;2-3* and *10.1021/acs.jmedchem.5b00702* and *10.1016/j.bmc.2011.07.045*

Retrosynthesis ID: 15107

2.4.8 Suzuki coupling of arylboronic pinacol esters with vinyl iodides





Substrates:

1. 2-Acetoxyphenylboronic acid pinacol ester - *available at Sigma-Aldrich*
2. O=C(O)C1(CC/C=C/I)CCCCC1

Products:

1. CC(=O)Oc1ccccc1/C=C/CCC1(C(=O)O)CCCCC1

Typical conditions: Pd catalyst.base.solvent

Protections: none

Reference: *10.1021/cr00039a007* and *10.1007/3418_2012_32* and *10.1021/cr0505268* and *10.1016/j.jfluchem.2016.01.018* and *10.1039/C3CS60197H*

Retrosynthesis ID: 5045

2.4.9 Catalytic dehydrogenative decarboxyolefination of carboxylic acids



Substrates:

1. CC(=O)Oc1ccccc1/C=C/CCC1(C(=O)O)CCCCC1

Products:

1. CC(=O)Oc1ccccc1/C=C/CC=C1CCCCC1

Typical conditions: [Ir]-photocatalyst.[Co]-catalyst.Cs2CO3.DME/H2O.blue.light.rt

Protections: none

Reference: *10.1038/s41557-018-0142-4* and *10.1021/acscatal.8b03282* and *10.1021/acs.joc.9b00167*

Retrosynthesis ID: 10032330

2.5 Path 5

Score: 45.00



Figure 5: Outline of path 5

2.5.1 Corey-Fuchs reaction



Substrates:

1. 2-formylphenyl acetate - *available at Sigma-Aldrich*
2. Tetrabromomethane - *available at Sigma-Aldrich*

Products:

1. 2-acetoxyphenylacetylene

Typical conditions: PPh3.BuLi.CBr4

Protections: none

Reference: *10.1002/ejoc.200601137* and *10.1016/S0040-4039(01)94157-7*

Retrosynthesis ID: 10912

2.5.2 Hydroalkylation of alkynes



Substrates:

1. 2-acetoxyphenylacetylene
2. 2-Bromoethyl trifluoromethanesulfonate - *available at Sigma-Aldrich*

Products:

1. CC(=O)Oc1ccccc1/C=C/CCBr

Typical conditions: CsF.(Me2HSi)2O.SIPrCuOTf.dioxane

Protections: none

Reference: *10.1021/ja5124368*

Retrosynthesis ID: 33512

2.5.3 HWE/Wittig Olefination



Substrates:

1. Cyclohexanone - *available at Sigma-Aldrich*
2. CC(=O)Oc1ccccc1/C=C/CCBr

Products:

1. CC(=O)Oc1ccccc1/C=C/CC=C1CCCCC1

Typical conditions: 1.PPh3 or trialkylphosphite.2.base.aldehyde

Protections: none

Reference: *10.1002/anie.200705005* and *10.1021/ol052106a* and *10.1021/jo00075a064* and *10.1021/ol3027297*

Retrosynthesis ID: 24425