

Bazzi, Fiszbein, and Gebresilasse
“Frontier Culture” README
(updated 2 July 2020)

This README file describes the contents of the replication folder and instructs users how to replicate the results of the paper and appendix. Separate files to reproduce the tables and figures, using Stata (Version 15) are stored in the `./code/` folder.

To perform the replications, run “master-results.do” in the code folder. Before doing so, change the global macro root (line 1, master-results.do) to the location of the AEJPol_2019_0291_Replication folder on your computer.

We are not able to publicly post some of the data sources used in our analysis. First, we obtained the General Social Survey (GSS) with county identifiers from the NORC. These data can be accessed by other researchers through agreement and purchase, using the instructions at the following link (accessed June 16, 2020): <https://gss.norc.umd.edu/documents/other/ObtainingGSSSensitiveDataFiles.pdf>. Second, we obtained individual-level, complete-count Population Census data from 1850-1940 via an agreement with the Minnesota Population Center and the National Bureau of Economic Research. These data can be accessed by other researchers via their own agreements.

We include in the replication files all code needed to generate the results in the paper and appendix.

CODE

The main replication `.do` files can be run from `./code/master-results.do`. The sub-files, in the `./code` folders, produce all figures and tables. We flag code run on restricted-access data with a `*` below.

- **SETUP:** `./code/setup.do`
- **RESULTS IN THE PAPER:** The following `.do` files are in `./code/do`: `table1.do`, `table2.do`, `table3.do*`, `table4.do`, `table5.do`, `table6.do*`, `table7figure6.do*`, `table8figure7.do*`, `table9.do*`, `figure4.do`, `figure5.do`.
- The following `.mxd` files are in `./code/mxd` and are used to generate the maps in Figures 1-3: `maps_for_replication_figure`j`.mxd` for `j=1a, 1b, 1c, 1d`; `maps_for_replication_figure`k`.mxd` for `k=2a, 2b, 2c, 2d, 2e, 2f, 2g, 2h, 2i, 2j, 2k`; `maps_for_replication_figure3.mxd`.
- **RESULTS IN ONLINE APPENDIX:** The following `.do` files are in `./code/do`: `tableB1.do`, `tableB2.do`, `tableB3.do`, `tableB4.do*`, `tableB5.do`, `tableB6.do`, `tableB7.do`, `tableC1.do`, `tableC2.do`, `tableD1andD2.do`, `figuresD1toD4.do`, `tableE1figureE2.do*`, `figureE1.do*`.

The following `.mxd` files are in `./code/mxd` and are used to generate maps in ArcMap: `maps_for_replication_figureA`j`.mxd` for `j=1a, 1b, 2, 2a, 2b, 2c, 2d`; `maps_for_replication_figureJ`k`.mxd` for `k=1a, 1b`.

- **RESULTS IN ADDITIONAL MATERIALS APPENDIX:** `tableF1.do`, `tableG1.do`, `tableI1.do*`, `tableJ1.do`, `tableJ2.do`, `tableJ4.do`, `figureG1.do`, `figureG2.do`, `figureG3.do`, `figureG4.do`

DATA

The following data files produce all figures and tables in the paper and appendix. We flag restricted-access data with a * below.

- anes.dta: American National Election Survey data used in Tables 3 and B.2
- cces.dta: Cooperative Congressional Election Survey data used in Tables 3, 4, 5, B.6, B.7, C.2, D.1, J.1, J.2, J.3
- historicalDescriptive.dta: county-level historical data 1790-1930 used in Tables 1, B.1, and G.1, and Figures 4, G.1, G.2, G.3, and G.4
- names1940.dta: county-level data on infrequent names 1940 used in Tables 3, 4, B.3, B.6, B.7, D.1, J.1, J.2, J.3
- proptaxvote.dta: county-level data on voting and property tax rates in the 2000s used in Tables 3, 4, B.6, B.7, D.1, J.1, J.2, J.3
- names1910_40.dta: county-level data on infrequent names 1910-1940 used in Table B.5
- centerPopShift.dta: center of population movement used in Figure D.2(a)
- congSpeech.dta: Congressional speech bigrams used in Table C.1
- disease1880.dta: disease prevalence data from 1880 Census used in Table J.4
- immigrationAnnual.dta: annual immigration inflows to the U.S. used in Figure D.1 and D.3
- selectionInstrument.dta: migrants to the frontier and annual U.S. immigration inflows used in Figures D.2(b) and D.4
- gss.dta*: restricted-access General Social Survey (GSS) data used in Table 3
- selectionreturns1850to1880.dta: subset of restricted-access, individual-level, complete-count Census data from 1850 to 1880 used in Tables 6 and 9
- moverONE.dta*: subset of restricted-access, individual-level, complete-count Census data from 1850 to 1880 used in Table 7 and Figures 6 and E.1
- moverTWO.dta*: subset of restricted-access, individual-level, complete-count Census data from 1850 to 1880 used in Tables 8 and E.1 and Figures 7 and E.2
- names_1940_individual.dta*: subset of restricted-access, individual-level, complete-count Census data from 1940 used in Table B.3
- selectionLinked.dta*: restricted-access, linked-sample of men from 1870 and 1880 complete-count Censuses

- GIS/maps.gdb: an ArcGIS geodatabase that contains all the county boundaries, spatially merged datasets and frontier lines used to generate the map figures