

ÉCOLE NATIONALE DE LA STATISTIQUE
ET DE L'ANALYSE DE L'INFORMATION



PROJECT TITLE

Project Description

TITLE

rédigé par
Allemand Instable

22 Mai 2022

Résumé

Lorem ipsum dolor sit amet. Ut expedita sunt est delectus quia ad nostrum delectus eum magni dolor. Eos nemo minima sit deleniti porro et necessitatibus minima ab quia necessitatibus in beatae autem et voluptas labore.

Lorem ipsum dolor sit amet. Ut expedita sunt est delectus quia ad nostrum delectus eum magni dolor. Eos nemo minima sit deleniti porro et necessitatibus minima ab quia necessitatibus in beatae autem et voluptas labore.

contribution

si jamais vous apercevez des fautes dans le polycopié, merci de rédiger une issue sur Github à l'adresse :

correctif



LaTeX-Template/issues

contact



mail DEV : redacted@gmail.com

Notation	Signification
Category A	
Category B	

Table des matières

1	Chapter 1	1
1.1	1
1.2	1
1.3	1
1.4	1
1.5	1
2	Chapter 2	2
2.1	2
2.2	2
2.3	2
2.4	2
2.5	2
3	Chapter 3	3
3.1	3
3.2	3
3.3	3
3.4	3
3.5	3
A	Some Appendix	i
A.1	with subsection	i
A.2	and another one	i
B	Code Examples	ii

Table des figures

List of Algorithms

Chapitre 1

Chapter 1

Contents

1.1	1
1.2	1
1.3	1
1.4	1
1.5	1

1.1

1.2

1.3

1.4

1.5

Chapitre 2

Chapter 2

Contents

2.1	2
2.2	2
2.3	2
2.4	2
2.5	2

2.1

2.2

2.3

2.4

2.5

Chapitre 3

Chapter 3

Contents

3.1	3
3.2	3
3.3	3
3.4	3
3.5	3

3.1

3.2

3.3

3.4

3.5

Annexe A

Some Appendix

Contents

A.1	with subsection	i
A.2	and another one	i

A.1 with subsection

A.2 and another one

Annexe B

Code Examples

```
1 # --- install --- #
2 install.packages(c("fda", "fda.usc"))
3 # --- general packages --- #
4 library(data.table)
5 # --- FDA packages --- #
6 library(fda)
7 library(fda.usc)
```

```
1 # |      date      |  $X_1$  |  $X_2$  |  $\dots$  |  $X_p$  |
2 # | Jan 1st 12:00 |  $\vdots$  |  $\vdots$  |      |  $\vdots$  |
3 data <- fread("data.csv")
4
5
6 # un individu = une ligne
7 # donc pour une série temporelle, il faut transposer les observations et avoir la
  ↳ suite des données disposées sur une ligne.
8 fdata_standard_index <- fda.usc::fdata(
9   mdata = t(X),
10   argvals = to_unit_interval(
11     #           ↑
12     # on doit ramener les dates dans l'intervalle [0,1]
13     data[, .(date)]
14   )
15 )
```

```
1 nb_points <- ncol(fdata)
2 nb_ts <- nrow(fdata)
3
4 fda_optim_basis <- fda.usc::optim.basis(
5   fdataobj = select_representative_observations_for_mean_function_fdata(fdata_ts
6     ↳ = fdata, is_iid = is_iid),
7   type.CV = fda.usc::GCV.S,
8   W = NULL,
9   lambda = lambda_CV_look_list,
```

```

9     numbasis = num_basis__seq,
10    type.basis = "bspline",
11    verbose = TRUE
12 )

```

```

1 fda_optimal_basis <- ...
2 fdata_obj_temp <- fda_optimal_basis[["fdata.est"]]
3 fdata_obj <- fda.usc::fdata2fd(fdata_obj_temp)
4 fpca_result <- fda::pca.fd(
5     fdojb = fdata_obj,
6     nharm = 3,
7     # centrer les données
8     centerfns = TRUE
9 )

```

Regardons désormais à quoi ressemble la sortie :

$$\text{fpca_result}\$scores = \begin{matrix} & \xrightarrow{[\phi_k]} \\ \downarrow [X_i] & \begin{bmatrix} \ddots & \dots & \vdots \\ \vdots & \xi_i^{[k]} = \langle X_i - \mu | \phi_k \rangle & \vdots \\ \dots & \dots & \ddots \end{bmatrix} \end{matrix}$$

```

1 list(
2     fpca_result = fpca_result,
3     scores = fpca_result$scores,
4     eigenfunctions = fpca_result$harmonics,
5     explained_variance = fpca_result$varprop
6 )

```

Bibliographie

- (1) Sungho Cho, Jeong Min Jeon, Dongwoo Kim, Kyusang Yu, and Byeong U Park. Partially linear additive regression with a general hilbertian response. Journal of the American Statistical Association, pages 1–15, 2023.
- (2) Tailen Hsing and Randall Eubank. Theoretical foundations of functional data analysis, with an introduction to linear operators, volume 997. John Wiley & Sons, 2015.
- (3) Jeong Min Jeon and Byeong U Park. Additive regression with hilbertian responses. 2020.
- (4) Jeong Min Jeon, Byeong U Park, and Ingrid Van Keilegom. Additive regression for non-euclidean responses and predictors. The Annals of Statistics, 49(5) :2611–2641, 2021.
- (5) Jeong Min Jeon and Germain Van Bever. Additive regression with general imperfect variables. arXiv preprint arXiv :2212.05745, 2022.