

Paper 090 — The V5 Cross-Chain Correlation Kernel

Allen Proxmire

May 2026

Abstract

The Event Density (ED) substrate is a 13-primitive generative system whose downstream content includes a hierarchy of kernel rule-types. The first such kernel, **V1**, is the substrate’s single-chain vacuum-response kernel (finite-width per Theorem N1, Paper #18; retarded-support per Theorem T18, Paper_093). This paper introduces and characterizes the second kernel rule-type: **V5**, the **cross-chain correlation kernel**. Given the postulated primitives P02, P04, P05, P07, P09, P10, P11, together with V1’s finite-width retarded structure, V5 is characterized as the substrate kernel rule-type that mediates *correlation between distinct chains* with finite memory time τ_{V5} , forward-causal support, and $U(1)$ -gauge-compatible transport.

Wedge claim. V5 provides a **structural unification of formalism across regimes with different correlation times**: the same substrate kernel rule-type — with the same structural features (finite memory, retarded support, gauge-compatibility, Lorentz covariance) — supplies a unified substrate mechanism for non-Markovian behavior across three physical regimes: (i) Maxwell viscoelastic stress-relaxation in polymer melts and non-Newtonian fluids; (ii) the substrate-level cutoff producing the Hawking spectrum’s trans-Planckian regularization at near-horizon scales; (iii) cross-chain entanglement-bandwidth modulation that controls Page-curve behavior and ER=EPR-class straddling at horizons.

The regime-specific memory times τ_{V5}^{soft} , τ_{V5}^{BH} , τ_{V5}^{ent} are inherited parameters, not predicted by the substrate. Specifically, τ_{V5}^{soft} is *identified with* the empirically-measured Maxwell relaxation time, and τ_{V5}^{BH} is *chosen to match* the substrate scale ℓ_P/c . These are operational identifications/matchings, not substrate-level predictions of the numerical values.

The Diffusion Coarse-Graining Theorem (DCGT) bridges substrate-level V5 to continuum constitutive laws in each regime. The paper is conditional: given the seven listed primitives + V1 inheritance, V5 is characterized; the primitives themselves are postulated. The cross-regime structural unification of formalism is the empirical case.

1 Introduction

1.1 What V5 is

V5 is a **substrate-level kernel rule-type** distinct from V1 (single-chain vacuum kernel) and distinct from matter rule-types (chain-carrying participation measures). Where V1 mediates a single chain’s vacuum response, V5 mediates **correlations between distinct chains** through the substrate. Operationally, V5 is the substrate-level mechanism by which one chain’s participation content can influence another chain’s participation content across substrate-graph distance, subject to finite memory time, forward-causal direction, and the gauge structure of P05–P09.

V5 is *not* a free-standing postulate of ED. It is a rule-type the substrate carries given the 13 postulated primitives + V1 inheritance: P10 (multiple structurally distinct rule-types) opens room for kernel rule-types beyond V1; P02 + P04 + P05 + P07 + P09 supply the structural mechanism for inter-chain correlation transport; P11 + V1’s retardation supply the causal-direction constraint.

1.2 Why cross-chain kernels matter

Standard physics treats correlations between distinct subsystems via field-theoretic propagators. In ED’s substrate ontology, there are no fundamental fields (ED-I-06); chains and channels are the primitive ontological objects, and correlations between distinct chains are mediated by *substrate-level kernel rule-types* rather than by continuum fields. V5 is the substrate-level analog of the cross-chain “field propagator” operating on the discrete participation graph rather than on a smooth continuum.

The interest of V5 is its **structural unification of formalism across regimes with different correlation times**: the same substrate rule-type (with the same structural features) provides a unified substrate mechanism for non-Markovian behavior across three physical regimes:

- **Soft-matter physics**: Maxwell viscoelastic stress relaxation in polymer melts, complex fluids, non-Newtonian rheology.
- **Black-hole physics**: the substrate-level cutoff at near-horizon scales that regularizes the Hawking spectrum’s trans-Planckian extrapolation.
- **Quantum entanglement**: cross-chain bandwidth that controls entanglement-entropy growth, Page-curve behavior, ER=EPR-class straddling at horizons.

The three regimes have **different correlation times** (τ_{V5}^{soft} , τ_{V5}^{BH} , τ_{V5}^{ent} , all regime-specific inherited parameters), but the **substrate-level kernel structure is the same** in all three: finite memory, retarded support, gauge-compatibility, cross-chain operational form. This structural unification of formalism is the wedge claim of V5.

1.3 V5 in the kernel hierarchy

- **V1** (Papers #18 / Paper_093): single-chain vacuum response. Finite-width, retarded, Lorentz-covariant.
- **V5** (this paper): cross-chain correlation. Finite-memory τ_{V5} , retarded, gauge-compatible.
- **N1-E, N2-E, N3-D** (future Wave-2 papers): memory-kernel cascade.
- **Lindblad limit** (future Wave-2 paper): Markovian coarse-grained limit of V1 + V5.

V1 and V5 are the two foundational kernels; the cascade and Lindblad limit are downstream of their joint action.

1.4 What this paper does

§2 lists primitive inputs. §3 defines V5. §4 establishes structural properties. §5 develops three regimes (soft-matter, Hawking, entanglement). §6 develops DCGT. §7 names what the paper does *not* claim. §8 lists falsification criteria. §9 is the position statement.

2 Primitive Inputs (postulated, not derived in this paper)

- **P02 (Participation as primitive relation).**
- **P04 (Bandwidth as non-negative additive scalar).**
- **P05 (Polarity-transport along edges).**
- **P07 (Channel structure as ontological primitive).**
- **P09 ($U(1)$ -valued polarity).**
- **P10 (Rule-type primitive).**
- **P11 (Commitment irreversibility).**

V1 inheritance:

- V1 finite-width (Theorem N1, Paper #18).
- V1 retarded support (Theorem T18, Paper_093).

Upstream paper dependencies: Papers #1, #3, #5, #18, #093.

No primitive forcing is invoked.

3 Definition of the V5 Kernel

3.1 Participation-based definition

For two chains C_A, C_B at distinct loci, V5 is:

$$K_{V5}(u_A, t_A; u_B, t_B) = \theta(t_A - t_B) F_{V5} \left(\frac{\sigma(u_A, u_B; t_A, t_B)}{\ell_{V5}^2}, \frac{t_A - t_B}{\tau_{V5}} \right)$$

where:

- $\theta(t_A - t_B)$: Heaviside step enforcing retarded support (forward-causal from V1 via P11).
- $\sigma(u_A, u_B; t_A, t_B)$: substrate-level Synge function analog.
- ℓ_{V5} : V5-characteristic spatial scale (regime-dependent; inherited from ℓ_{ED} at substrate scale, renormalized in coarse-grained regimes via DCGT).
- τ_{V5} : V5-characteristic memory time. **Regime-specific; inherited, not predicted (§3.3 below).**
- F_{V5} : V5 envelope function — bounded, decaying. The *form* (bounded, finite-width, retarded) is fixed by V5's substrate-rule-type identity; the *specific functional shape* (exponential, power-law, multi-scale) is value-layer content.

The cross-chain correlation acts:

$$\langle X^A(u_A, t_A) \cdot Y^B(u_B, t_B) \rangle_{V5} = \int K_{V5}(u_A, t_A; u_B, t_B) \mathcal{Q}_{X,Y}^{AB} d\mu(\text{intermediate}).$$

3.2 Cross-chain correlation structure

V5 acts on **pairs of chains**, distinguishing it from V1 (single-chain operator). The two-chain character is essential; without V5, the substrate would have only V1 + matter rule-types, and cross-chain correlations would require either repeated V1 cascade (Markovian only) or substrate-level fundamental fields (forbidden by ED-I-06).

V5 provides a unified substrate mechanism for non-Markovian cross-chain correlation transport without invoking continuum fields. **The substrate mechanism is unified across regimes;** the specific τ_{V5} in each regime is inherited from value-layer empirical content.

3.3 Memory time τ_{V5} — regime-specific, inherited, not predicted

The memory-time parameter τ_{V5} controls cross-chain correlation decay:

$$F_{V5} \left(\sigma / \ell_{V5}^2, t / \tau_{V5} \right) \xrightarrow{t / \tau_{V5} \rightarrow \infty} 0.$$

Structural content (substrate-derived):

- The *existence* of a finite memory time is structural (forced by V1's finite-width inheritance + UV-finiteness of substrate primitives).
- The *form* of the V5 kernel (finite-memory, retarded, gauge-compatible, Lorentz-covariant) is structural.

Value-layer content (inherited, not substrate-derived):

- The *specific numerical value* of τ_{V5} in any given physical system is **inherited from value-layer empirical content**, not predicted by the substrate.

- The *specific decay profile* (exponential, power-law, multi-scale) within the structural class is inherited.

In the regime-specific evaluations of §5, three regime-specific values appear: τ_{V5}^{soft} , τ_{V5}^{BH} , τ_{V5}^{ent} . **All three are inherited parameters, not substrate predictions.** Specifically:

- **Soft-matter regime:** τ_{V5}^{soft} is **identified with** the empirically-measured Maxwell relaxation time of polymer melts and non-Newtonian fluids ($\sim 10^{-3}$ s for typical samples). The substrate framework provides the operational mechanism (V5 cross-chain correlation); the numerical value is inherited from rheometry.
- **Black-hole / Hawking regime:** τ_{V5}^{BH} is **chosen to match the substrate scale** $\ell_P/c \sim 10^{-44}$ s. This is a substrate-scale matching, not a substrate-level derivation: ℓ_P itself is empirically identified with ℓ_{ED} via Newton-recovery (Paper_027), so $\tau_{V5}^{\text{BH}} = \ell_P/c$ matches the substrate scale by construction. The Hawking-cutoff result of §5.2 is conditional on this matching.
- **Entanglement regime:** τ_{V5}^{ent} is system-specific, inherited from the specific quantum-information context.

The substrate’s structural prediction is that V5’s memory time has a **consistent operational definition across regimes** (same substrate kernel rule-type, same structural features), but the **numerical value in any specific system is inherited from value-layer empirical content**.

3.4 Relation to V1

V5 inherits from V1:

1. **Finite-width support (V1 Theorem N1):** F_{V5} bounded, decaying outside V5-characteristic scale. V5 has no δ -function limit and no infinite-width limit.
2. **Retarded support (V1 Theorem T18 / Paper_093):** K_{V5} has $\theta(t_A - t_B)$ support. Forced by the same P11 commitment-irreversibility argument that fixes V1’s retardation. Advanced / symmetric V5 are excluded by the same substrate-operational compositional-closure arguments (Paper_093 §5.3, §6.4).

3.5 V5 is a substrate rule-type

By P10, V5 occupies the cross-chain-correlation slot in the kernel-rule-type category. V5 is not a matter rule-type, not a gauge rule-type — it is its own structural category alongside V1 and the future cascade kernels.

4 Structural Properties

4.1 Linearity

V5 acts linearly on cross-chain participation content.

4.2 Boundedness

V5 produces bounded cross-chain correlations.

4.3 Gauge-compatibility via P05 + P09

Under $U(1)$ gauge transformations, K_{V5} transforms covariantly:

$$K_{V5} \rightarrow e^{i(\alpha(u_A) - \alpha(u_B))} K_{V5}.$$

4.4 Lorentz covariance

V5 transforms as a Lorentz scalar; envelope F_{V5} depends on Lorentz-invariant separation. In curved spacetime, generalizes via Synge world-function on $g_{\mu\nu}$.

4.5 Rule-type identity via P10

V5 is a kernel rule-type alongside V1 in the rule-type category.

4.6 Retarded support and the kernel-level arrow

V5's retarded support inherits from V1 via P11 (Paper_093 §6.4 substrate-operational argument).

5 Cross-Domain Manifestations of V5

V5 provides a **unified substrate mechanism for non-Markovian behavior across regimes** with different correlation times. The three regimes have **different inherited τ_{V5} values** but share the **same substrate-level kernel formalism**.

5.1 Soft-matter Maxwell viscoelastic relaxation

The phenomenon. In polymer melts, complex fluids, and non-Newtonian rheology, stress relaxation follows the Maxwell law:

$$\sigma(t) = \sigma_0 e^{-t/\tau_{\text{Maxwell}}}.$$

In typical polymer-melt systems, τ_{Maxwell} is in the 10^{-3} s range, varying with molecular weight, temperature, chemistry.

The V5 identification. Polymer-melt molecules are extended chain structures in the substrate sense (P02 + P07). Cross-chain correlations between distinct polymer molecules are mediated at the substrate level by V5. The substrate-level V5 envelope produces an exponential-decay form in the soft-matter regime:

$$F_{V5}(\sigma/\ell_{V5}^2, t/\tau_{V5}^{\text{soft}}) \sim e^{-t/\tau_{V5}^{\text{soft}}}$$

at large temporal separations. Through DCGT (§6), this becomes the continuum Maxwell stress-relaxation law.

Identification of τ_{V5}^{soft} . τ_{V5}^{soft} is identified with the empirically-measured Maxwell relaxation time τ_{Maxwell} , not predicted by the substrate. Specifically:

- The substrate framework supplies the *operational mechanism* (V5 cross-chain correlation with exponential-envelope structural form) that produces the Maxwell stress-relaxation law via DCGT.
- The *numerical value* of τ_{V5}^{soft} in any specific polymer system is inherited from rheometry — it is the empirically-measured Maxwell relaxation time for that system.
- ED does *not* predict the specific value of τ_{Maxwell} from molecular structure (molecular weight, temperature, chemistry). That prediction would require additional substrate-level content connecting molecular structure to substrate-graph cross-chain correlation parameters, which is in-queue work.

The substrate framework's structural prediction is therefore: the **form** of stress-relaxation (exponential, Maxwell-type) in the soft-matter regime is a substrate-level structural consequence of V5's finite-memory envelope; the **value** of the relaxation time is inherited from value-layer empirical content.

Arc-D context. Substrate-level V5-Maxwell identification developed in Arc-D / DCGT memos.

5.2 Hawking-spectrum cutoff via imaginary-time periodicity

The phenomenon. Hawking radiation is thermal flux at $T_H = \kappa/(2\pi)$. Standard derivation requires extrapolation of matter-field modes to $\omega \rightarrow \infty$ — the trans-Planckian problem.

The V5 identification. Near the horizon, V5 acts as the substrate-level cross-chain correlation kernel between chains carrying Hawking-radiation excitations and substrate near-horizon vacuum structure. V5 contributes the substrate-level KMS condition:

$$\langle \phi(u_A, t_A) \phi(u_B, t_B) \rangle_{V5}^{\text{Eucl}} = \langle \phi(u_A, t_A + i\beta_H) \phi(u_B, t_B) \rangle_{V5}^{\text{Eucl}}, \quad \beta_H = 2\pi/\kappa,$$

producing thermal Planck distribution at $T_H = 1/\beta_H = \kappa/(2\pi)$.

The cutoff frequency that regularizes the trans-Planckian extrapolation is set by V5's substrate-level memory time:

$$\omega_c = \frac{1}{\tau_{V5}^{\text{BH}}} \sim \frac{c}{\ell_P}.$$

The identification $\tau_{V5}^{\text{BH}} = \ell_P/c$ is chosen to match the substrate scale, not derived from substrate-level analysis. Specifically:

- The substrate framework requires V5's near-horizon memory time to be at the substrate scale (consistent with V5's substrate-level kernel-rule-type identity).
- ℓ_P is empirically identified with ℓ_{ED} via Newton-recovery (Paper_027 §5.3); this is a value-layer empirical identification, not a substrate-level derivation.
- The matching $\tau_{V5}^{\text{BH}} = \ell_P/c$ is therefore an **operational substrate-scale matching**, conditional on $\ell_{\text{ED}} = \ell_P$.

If ℓ_{ED} were identified with a different empirical scale, τ_{V5}^{BH} would shift correspondingly. The Hawking-cutoff result is conditional on this matching.

The substrate framework's structural content (independent of the specific numerical value):

- V5 provides a substrate-level kernel mechanism that *structurally produces* a UV cutoff in the Hawking spectrum (from V5's finite-memory envelope).
- The cutoff frequency is the inverse of V5's near-horizon memory time, scaled to the substrate scale.
- The trans-Planckian extrapolation is not generated because V5-mediated cross-chain correlations cannot extrapolate to frequencies $\omega > 1/\tau_{V5}^{\text{BH}}$.

The numerical value $\omega_c \sim c/\ell_P$ matches the physical Planck scale **because** the substrate framework identifies ℓ_{ED} with ℓ_P — this is empirical matching, not substrate derivation.

Arc-Hawking context. Substrate-level V5-Hawking-cutoff developed in Arc-Hawking memos (H-4 closure).

5.3 Entanglement-bandwidth modulation

The phenomenon. Entanglement entropy growth between subsystems is bounded by cross-chain correlation capacity. In black-hole physics, the Page curve describes entanglement-entropy growth and saturation. In condensed-matter physics, entanglement-entropy growth follows analogous patterns bounded by the Lieb-Robinson velocity.

The V5 derivation. Entanglement between chains C_A, C_B is carried by V5-mediated cross-chain correlation content. Maximum entanglement-bandwidth growth rate:

$$\left. \frac{dS_E}{dt} \right|_{\text{max}} = c_{V5} \cdot \frac{\sigma_{AB}}{\tau_{V5}^{\text{ent}}}.$$

V5’s finite-memory structure produces entanglement-entropy saturation at a characteristic timescale related to τ_{V5}^{ent} .

In black-hole physics, Page-curve transition occurs at $t_{\text{Page}} \sim \tau_{V5}^{\text{ent}}(M)$; substrate-level mechanism for ER=EPR-class straddling. In condensed-matter, the Lieb-Robinson bound emerges as the DCGT continuum limit of V5.

Empirical identification: τ_{V5}^{ent} is system-specific, **inherited from value-layer empirical content**, not predicted by the substrate.

Arc-E context. Arc-E memos (E-5 closure).

5.4 The structural unification (summary)

V5 provides a unified substrate kernel rule-type with consistent structural features (finite memory, retarded, gauge-compatible, Lorentz-covariant) across three regimes with different inherited correlation times:

Regime	τ_{V5} status	Substrate role
Soft-matter polymer melts	Identified with empirical τ_{Maxwell}	V5 mechanism for Maxwell viscoelastic relaxation
Near-horizon black hole	Chosen to match substrate scale ℓ_P/c	V5 mechanism for Hawking spectrum cutoff
Entanglement (system-dependent)	Inherited from system	V5 mechanism for entanglement-bandwidth modulation

The structural unification of formalism is the wedge claim. What V5 supplies across these regimes is the **same substrate kernel structure** (the same primitive content, the same kernel-rule-type identity, the same set of structural properties — finite memory, retarded support, gauge-compatibility, cross-chain operational form), with **regime-specific inherited correlation times**.

V5 is **not** claimed to *necessarily* underlie all non-Markovian behavior. Standard frameworks (polymer-chain reptation, mode-coupling theory, Lieb-Robinson bounds derived from microscopic Hamiltonians) provide alternative descriptions in their respective regimes. V5 provides a **unified substrate mechanism** for these phenomena — a single substrate-level kernel structure that produces these effects via DCGT. Whether V5 is the *only* possible substrate-level mechanism, or whether alternative substrate ontologies could supply equally consistent mechanisms, is open.

The empirical case for V5 (and for the 13-primitive ED ontology) is the structural unification of formalism: one substrate kernel rule-type doing structurally identical jobs in three regimes that differ in correlation time. This is the wedge content.

6 Diffusion Coarse-Graining (DCGT) and Continuum Constitutive Laws

DCGT (Arc-D closure) bridges substrate-level V5 + V1 + matter-rule-type content to continuum constitutive laws in the hydrodynamic-window scale separation $\ell_{\text{ED}} \ll R_{\text{cg}} \ll L_{\text{flow}}$.

6.1 V5 $\rightarrow$ Maxwell relaxation in soft matter

DCGT coarse-graining of V5 cross-chain correlations in soft-matter produces:

$$G(t) = G_0 e^{-t/\tau_{\text{Maxwell}}}$$

with τ_{Maxwell} identified with the substrate-level τ_{V5}^{soft} rescaled by the DCGT coarse-graining kernel. Krieger-Dougherty viscosity and Cross / Carreau / Bird-Carreau constitutive laws emerge as DCGT continuum limits.

6.2 V5 $\rightarrow$ propagator structure in QFT

DCGT coarse-graining of V5 in the QFT regime produces retarded / Feynman / advanced propagator hierarchy. V5's substrate-level UV cutoff at $\omega \sim 1/\tau_{V5}$ becomes standard QFT regulators (Pauli-Villars, dimensional, lattice) in the continuum limit. In near-horizon regime, V5's $\omega_c \sim c/\ell_P$ (matched to substrate scale, §5.2) provides the trans-Planckian cutoff.

6.3 V5 $\rightarrow$ Lieb-Robinson bound in condensed matter

DCGT coarse-graining in condensed-matter:

$$v_{LR} = c_{V5} \cdot \frac{\ell_{V5}}{\tau_{V5}^{\text{ent}}}.$$

6.4 V5 $\rightarrow$ curved-spacetime entanglement at horizons

V5's curved-spacetime extension produces entanglement structure across horizons that ER=EPR-class arguments require: cross-chain correlations straddle the horizon, with committed structure (P11) interior-confined and uncommitted-entanglement amplitude straddling.

6.5 DCGT structural summary

DCGT applies to V5 wherever hydrodynamic-window scale separation holds. In each regime, the same substrate primitive produces a regime-specific continuum constitutive law via DCGT. The structural unification of formalism is preserved across these continuum limits.

7 What This Paper Does NOT Claim

7.1 The V5 memory time τ_{V5} is not predicted by the substrate

Specific numerical values of τ_{V5}^{soft} , τ_{V5}^{BH} , τ_{V5}^{ent} are inherited from value-layer empirical content, not predicted by the substrate:

- τ_{V5}^{soft} is identified with empirically-measured Maxwell relaxation time.
- $\tau_{V5}^{\text{BH}} = \ell_P/c$ is chosen to match the substrate scale; ℓ_P itself is empirically identified with ℓ_{ED} via Newton-recovery.
- τ_{V5}^{ent} is system-specific, inherited.

The substrate's structural content is the **kernel form + structural features** (finite memory, retarded support, gauge-compatibility), not the numerical values.

7.2 The V5 envelope shape is not derived

The specific functional shape of F_{V5} within the admissible class is value-layer content.

7.3 No coupling constants or masses are derived

V5 does not derive specific material constants, BH parameters, or entanglement-coupling coefficients. V5 produces the *structural form*; numerical content is value-layer inherited.

7.4 No uniqueness claim beyond the 13 primitives

V5’s characterization is conditional on the postulated primitives + V1 inheritance. Other substrate ontologies could allow different cross-chain kernel structures.

7.5 No forcing of primitives

The seven primitives are postulated; not derived from a deeper layer.

7.6 No claim of derivation from nothing

Conditional on postulated primitives + V1 inheritance + upstream papers + DCGT.

7.7 No claim of superiority over standard cross-correlation physics

Standard QFT propagators, soft-matter Maxwell viscoelasticity, Lieb-Robinson bound are empirically successful. V5 does not “replace” them — V5 produces them via DCGT and provides a **unified substrate mechanism for non-Markovian behavior across regimes**. The regime-specific continuum laws are inherited and DCGT-derived from V5.

7.8 V5 is not claimed as the only possible substrate-level mechanism

V5 provides a unified substrate mechanism for non-Markovian behavior across regimes — within the 13-primitive ED ontology. **V5 is not claimed as necessary for non-Markovian dynamics in some absolute sense**. Standard frameworks (polymer reptation, mode-coupling theory, microscopic Lieb-Robinson derivations) supply alternative descriptions in their respective regimes; V5’s distinctive content is the *substrate-level unification of formalism* across these regimes within ED’s ontology.

8 Falsification Criteria

8.1 Failure of structural unification of formalism

Discovery that soft-matter Maxwell relaxation, Hawking spectrum cutoff, and entanglement-bandwidth modulation cannot be described by a single substrate-level kernel formalism with consistent structural features (finite memory, retarded support, gauge-compatibility, cross-chain operational form) — even after accounting for regime-specific τ_{V5} — would falsify V5’s structural unification claim.

The falsification would take the form of demonstrating that the substrate-level structural features differ across the three regimes in a way that cannot be reconciled with a single kernel rule-type. For example:

- Soft-matter Maxwell exhibits non-finite-memory behavior at substrate scale that contradicts V5’s finite-memory structure.
- Hawking-cutoff structure exhibits non-gauge-compatible behavior contradicting V5’s $U(1)$ -covariance.
- Entanglement-bandwidth modulation exhibits non-retarded behavior contradicting V5’s forward-causal support.

The current state of empirical content is **consistent with single-substrate-kernel structural-formalism unification** across the three regimes. Tighter cross-regime empirical comparison could either confirm or falsify.

8.2 Observation of independent structural-formalism mechanisms for the three regimes

Specific empirical observations that would falsify V5’s structural unification:

- Substrate-level structural features (memory, support, gauge, Lorentz) differing between soft-matter and entanglement contexts.
- Hawking spectrum cutoff exhibiting non-V5-compatible structural features.
- Entanglement-bandwidth modulation exhibiting non-V5-compatible structural features.

8.3 Observation of advanced V5 support

Discovery of cross-chain correlations carrying advanced (backward-causal) support at the substrate level would falsify V5’s retarded character (§4.6 + Paper_093).

8.4 Breakdown of structural identifications

- **Soft-matter:** discovery that Maxwell-type stress relaxation has structurally non-V5 substrate origin would falsify the V5 identification of §5.1.
- **Hawking:** discovery that the trans-Planckian cutoff is at a frequency inconsistent with $\omega_c = 1/\tau_{V5}^{BH}$ (at the substrate-scale matching) would falsify the V5 mechanism of §5.2.

8.5 Breakdown of gauge-compatibility

Cross-chain correlations between gauge-coupled chains failing to transform covariantly under $U(1)$ gauge transformations would falsify §4.3.

8.6 Substrate-level kernel without V5

Discovery that the substrate-level kernel hierarchy can be exhausted by V1 alone (without V5) — i.e., that all observed cross-chain correlation phenomena can be derived from V1 composed across intermediate chains via Markovian cascade — would falsify V5’s structural role within the substrate framework, although it would not directly falsify the empirical phenomena V5 describes (which would be reattributed to V1-only cascade in such a counterfactual).

Current state: empirical non-Markovian cross-chain correlation structure is structurally inconsistent with single-V1 cascade composition (V5 supplies a unified substrate mechanism for non-Markovian behavior that V1-only cascade cannot supply within ED’s ontology). Falsification would require demonstrating that empirical non-Markovian correlations *can* be reduced to V1-only cascades.

9 Position Statement

V5 is a **substrate kernel rule-type** in the 13-Primitive Generative Substrate Ontology. V5’s identity is *conditional* on the postulated primitives P02 + P04 + P05 + P07 + P09 + P10 + P11 + V1 inheritance + upstream Wave-1 papers + DCGT.

V5’s wedge content is the structural unification of formalism across regimes with different correlation times. V5 provides a unified substrate kernel rule-type — with consistent structural features (finite memory, retarded support, gauge-compatibility, Lorentz-covariance, cross-chain operational form) — that serves as a unified substrate mechanism for non-Markovian behavior across three physical regimes:

- Soft-matter Maxwell viscoelastic relaxation (τ_{V5}^{soft} identified with empirically-measured Maxwell relaxation time).
- Hawking-spectrum cutoff ($\tau_{V5}^{\text{BH}} = \ell_P/c$ chosen to match the substrate scale).
- Entanglement-bandwidth modulation (τ_{V5}^{ent} system-specific, inherited).

The three regimes have different correlation times — **all inherited parameters, not substrate predictions**. The substrate-level structural features (kernel form, memory, support, gauge-covariance) are the same in all three. This structural unification of formalism — a single substrate kernel rule-type underlying all three — is the wedge claim.

What the paper does *not* claim:

- The primitives are not derived; they are postulated.
- τ_{V5} values are inherited from value-layer empirical content, not substrate predictions.
- V5 is not claimed as necessary for non-Markovian dynamics in some absolute sense; standard regime-specific frameworks supply alternative descriptions. V5’s distinctive content is the *substrate-level unification of formalism* across regimes.
- V5 does not replace standard continuum cross-correlation physics — it provides a unified substrate mechanism that, through DCGT, recovers standard continuum laws in each regime.
- The Hawking cutoff scale $\omega_c \sim c/\ell_P$ matches the physical Planck scale **because** the substrate framework identifies ℓ_{ED} with ℓ_P (Paper_027 §5.3); this is empirical matching, not substrate derivation.

V5 is offered for empirical engagement on these terms: a substrate primitive whose cross-regime structural-formalism unification is the empirical case, and whose specific numerical values are inherited from value-layer empirical content.

Series context. First Wave-2 Generative Paper. Wave-2 continues with Paper #21 (Memory-Kernel Cascade), Paper #22 (Lindblad Limit), Paper #23 (Kernel Hierarchy Structural Unification).

Appendix: Cross-References and Glossary

Cross-references

- **Position paper:** paper_ED_Framework_13_Primitive_Generative_System.md.
- **Primitive load-bearing audit:** PRIMITIVE_LOAD_BEARING_AUDIT.md.
- **Paper #1 (Participation Measure), #3 (Inner Product), #5 (Gauge T17).**
- **Paper #18 (V1 N1), Paper_093 (T18):** kernel inheritance.
- **Paper_027 (Newton’s G):** empirical identification $\ell_{\text{ED}} = \ell_P$ that the §5.2 Hawking matching uses.
- **Arc-D (DCGT closure):** substrate-to-continuum bridge.
- **Arc-Hawking (H-4 closure):** Hawking-cutoff via V5 KMS.
- **Arc-E (E-5 closure):** entanglement-bandwidth via V5.

Glossary

- **V5 (cross-chain correlation kernel rule-type).** Substrate kernel rule-type mediating correlations between distinct chains.
- **Kernel rule-type.** Category of substrate rule-types whose participation content is correlation amplitude between chains or substrate-graph regions. Includes V1, V5, future cascade kernels.
- **Memory time τ_{V5} .** V5-characteristic temporal scale. **Regime-specific; inherited from value-layer empirical content, not substrate-predicted.**

- **V5 envelope F_{V5} .** Bounded, decaying function defining V5's specific functional form. Structural form fixed; specific shape inherited.
- **Structural unification of formalism across regimes.** V5's cross-regime substrate-level structural-feature consistency: same substrate kernel rule-type, same structural features, different inherited correlation times. The empirical case for V5.
- **Unified substrate mechanism for non-Markovian behavior.** What V5 provides across regimes — one substrate-level kernel structure that supplies non-Markovian effects across diverse physical contexts.
- **DCGT (Diffusion Coarse-Graining Theorem).** Substrate-to-continuum bridge.
- **Imaginary-time periodicity.** Substrate-level KMS condition V5 imposes in Euclidean near-horizon BH geometry; produces Hawking spectrum at $T_H = \kappa/(2\pi)$.
- **Lieb-Robinson velocity.** DCGT continuum-limit bound on entanglement-content propagation from V5's finite-memory cross-chain correlation.
- **ER=EPR-class straddling.** V5-mediated cross-chain correlations spanning event horizons; substrate-level mechanism for BH information-paradox structural avoidance.
- **Substrate-scale matching.** Operational identification of a V5 regime-specific memory time with a substrate scale, conditional on prior substrate-scale empirical identifications (e.g., $\ell_{ED} = \ell_P$).
- **Empirical identification.** Operational identification of a V5 regime-specific memory time with an empirically-measured timescale (e.g., $\tau_{V5}^{\text{soft}} = \tau_{\text{Maxwell}}$).