Architectural Field Theory of Event Density:

A Variational Framework for Saddles, Channels, Boundaries, Horizons, and Cores

Allen Proxmire
March 2026

Abstract

Event Density (ED) exhibits a reproducible architectural organization—saddles, channels, boundaries, horizons, cores, and coherent regimes—that persists across parameters, initial conditions, and dimensions. The first five papers of the ED-Arch series 01-05 established this architecture empirically , ontologically, physically, universally, and cosmologically. This paper develops the mathematical foundation underlying that architecture. We introduce the Architectural Field Theory of Event Density, a variational framework in which ED's motifs arise as stationary solutions of an action functional. We define the ED action, derive its Euler–Lagrange equation, identify its architectural symmetries and Noether-like invariants, construct the ED stress tensor, classify the stationary spectrum of solutions, and analyze the Architectural Renormalization Group (ARG) that governs scale behavior. The result is a unified field-theoretic account of ED in which saddles, channels, boundaries, horizons, and cores are not empirical features but variational necessities; regimes are stability classes of the action landscape; universality arises because the action contains only a few relevant terms; and cosmological parallels emerge because ED and ΛCDM share the same RG structure. ED-Arch-06 completes the architectural arc of the ED program and provides the mathematical substrate for the law-scale papers, showing that quantum behavior, classical geometry, and physical law are regime-dependent expressions of a single architectural field theory.

1. Introduction — Why Event Density Requires a Field Theory

Event Density (ED) began as a dynamical rule: a minimal update that redistributes a scalar field according to gradients, curvature, mobility, suppression, and noise. Yet across the first five papers of the ED-Arch series, a deeper pattern has emerged. ED is not merely a rule that generates structure; it is a geometric engine whose motifs—saddles, channels, boundaries, horizons, cores, and regimes—arise with the inevitability of a field theory. The architecture is reproducible, universal, and dimension-agnostic. It expresses conserved quantities, flux laws, scaling relations, and horizon-like surfaces. It behaves like a physical system, a statistical system, and a cosmological system, all at once.

The purpose of this paper (06) is to make this implicit structure explicit. We develop the Architectural Field Theory of Event Density: a variational, symmetry-driven, conservation-bearing formulation in which ED's architectural motifs arise as stationary solutions of an action functional. This field-theoretic layer unifies the ontology, the physics, the universality, and the cosmological parallels into a single mathematical framework.

At the heart of this paper is a simple claim:
ED is governed by an action principle.

The ED update rule is a discrete gradient descent on an underlying architectural action. Saddles correspond to stationary points of this action; channels correspond to minimal-action paths; boundaries and horizons correspond to curvature-defined surfaces where the action's second variation changes sign; cores correspond to deep minima stabilized by suppression. The four canonical regimes—hyper-coherent, stable-coherent, marginal, and non-individuating—are phases of the action landscape, distinguished by the stability of stationary solutions and the curvature of the functional.

This field-theoretic perspective explains why ED's architecture is universal. When a system is governed by a small set of relevant terms in an action, the large-scale motifs are determined not by microscopic details but by the structure of the functional itself. This is why ED produces the same motifs across parameters, initial conditions, and dimensions. It is why ED's architecture parallels the cosmic web despite having no gravitational physics. It is why ED supports energy-like, entropy-like, and flux-like quantities that behave consistently across regimes. The action is the architectural invariant that underlies all others.

The goals of this paper are therefore fourfold:

- Define the ED action functional that encodes gradient sharpening, curvature transitions, mobility-regulated flow, suppression wells, and noise-weighted paths.
- Derive the Euler–Lagrange equations of ED and show that the architectural motifs arise as stationary solutions.
- Identify the architectural symmetries of the action and derive the corresponding Noether-like invariants: mass conservation, flux conservation, curvature-balance invariants, and channel-alignment invariants.
- Show how the field theory explains universality, regime transitions, dimensional uplift, and the cosmological parallels documented in earlier papers.

By the end of this paper, ED will no longer be a dynamical rule with architectural consequences. It will be a field theory whose architecture is the natural expression of its variational structure. The motifs from Papers 01-05 will be revealed as the stationary, conserved, and symmetry-driven structures of a unified architectural action.

This is the moment where ED becomes a complete theoretical framework: a geometry, a physics, a cosmology, and now a field theory of architectural emergence.

2. The Architectural Action Functional

The central claim of this paper is that Event Density is governed by an action principle. The ED update rule—originally introduced as a local redistribution of density—can be understood as a discrete gradient descent on a deeper functional whose stationary points encode the architectural motifs of the system. Saddles, channels, boundaries, horizons, and cores are not arbitrary features of the dynamics; they are the stationary solutions of an underlying architectural action.
This section defines that action.

2.1 Requirements for an Architectural Action

The action must encode the architectural logic established across ED-Arch series. Specifically, it must:

- Sharpen gradients (to produce saddles and channels)
- Organize curvature (to produce boundaries and horizons)
- Regulate mobility (to control channel sharpness and regime transitions)
- Stabilize wells (to produce cores)
- Incorporate noise (as a stochastic deformation of the action landscape)

The action must also be:

- local (depending on E, ∇E, and H)
- variational (yielding Euler–Lagrange equations)

- architecturally interpretable (each term corresponds to a motif)
- dimension-agnostic (generalizable to 3D and higher)

These constraints uniquely determine the form of the ED action up to irrelevant rescalings.

2.2 The Architectural Action Functional

We define the Architectural Action of Event Density as:

$$S[E] = \int[\alpha |\nabla E|^2 + \beta K(E) + \gamma M(E, \nabla E) - \delta S_{sup}(E)]\, dx\, dt$$

where each term corresponds to a structural mechanism of ED.

Term 1: Gradient Energy — the source of saddles and channels

$$\alpha |\nabla E|^2$$

This term penalizes steep gradients, but under gradient descent it sharpens them. This is the architectural paradox at the heart of ED: the system minimizes global tension by localizing it into saddles and channels.

Architectural meaning:

- Saddles arise where orthogonal gradient components flip sign.
- Channels arise along extended ridges of coherent gradient alignment.

Term 2: Curvature Functional — the source of boundaries and horizons

$$\beta K(E)$$

where K(E) is a curvature functional derived from the Hessian $H = \nabla^2 E$. The simplest choice is:

$$K(E) = \det(H)$$

because det(H) = 0 marks curvature transitions—the architectural hinges where boundaries and horizons form.

Architectural meaning:

- Positive curvature → boundaries
- Negative curvature → horizons
- Mixed curvature → channels and saddle interiors

Term 3: Mobility Functional — the source of channel sharpness

$$\gamma M(E, \nabla E)$$

Mobility in ED is a power-law function of gradient magnitude:

$$M(E, \nabla E) = |\nabla E|^a$$

The exponent a controls:

- channel sharpness
- boundary thickness
- regime transitions

Architectural meaning:

- High mobility → hyper-coherent structure
- Low mobility → marginal or non-individuating structure

Term 4: Suppression Functional — the source of cores

$$-\delta S_{sup}(E)$$

Suppression acts as a stabilizing sink:

$$S_{sup}(E) = Ep$$

with $p > 1$. This term creates wells that accumulate density and stabilize cores.

Architectural meaning:

- Cores are minima of the action
- Suppression depth controls core longevity

2.3 Architectural Interpretation of the Action
Each term corresponds to a structural motif:

$|\nabla E|^2$ → Saddles, channels → Gradient sharpening and alignment
det(H) → Boundaries, horizons → Curvature transitions
$|\nabla E|^a$ → Channel sharpness → Mobility-regulated flow
E^p → Cores → Suppression wells

The action is therefore not an arbitrary functional—it is a direct encoding of the ED ontology.

2.4 Noise as a Stochastic Deformation of the Action
Noise does not appear as an additive term in the action. Instead, it enters through the path integral:

$$Z = \int \exp((-1 / \sigma^2) S[E]) DE$$

Noise amplitude σ:

- flattens the action landscape
- destabilizes shallow minima

- suppresses saddle stability
- drives regime transitions

Architectural meaning:

- Low noise → deep minima → stable cores
- Moderate noise → metastable saddles → marginal regime
- High noise → flat landscape → non-individuating regime

Noise is therefore the temperature of the architectural field theory.

2.5 Why This Action Is Unique
Given the architectural constraints:

- gradient sharpening
- curvature transitions
- mobility regulation
- suppression wells
- noise-weighted paths

This action is the minimal functional that reproduces the ED architecture.

Any additional terms are irrelevant under architectural renormalization (Section 8).

3. Euler–Lagrange Equations of Event Density

The architectural action defined in Section 2 encodes the structural logic of Event Density: gradient sharpening, curvature transitions, mobility-regulated flow, and suppression-driven stabilization. The next step is to derive the Euler–Lagrange equations associated with this action. These equations govern the evolution of the ED field and reveal why saddles, channels, boundaries, horizons, and cores arise as stationary solutions.
The key result of this section is that the ED update rule—originally introduced as a discrete redistribution of density—is a gradient descent on the architectural action. The motifs of ED are therefore not emergent accidents; they are the stationary points of a variational principle.

3.1 Variational Derivative of the ED Action
The architectural action is:

$$S[E] = \int [\alpha |\nabla E|^2 + \beta K(E) + \gamma |\nabla E|^a - \delta E^p] \, dx \, dt$$

To obtain the field equations, we compute the functional derivative:

$$\delta S / \delta E = 0.$$

Each term contributes a distinct architectural force.

Gradient Term:

$$(\delta / \delta E) \int |\nabla E|^2 \, dx = -2\nabla^2 E.$$

Architectural meaning:

- The Laplacian drives gradient sharpening.
- Saddles arise where orthogonal components of ∇E flip sign.
- Channels arise where ∇E aligns along extended ridges.

Curvature Term:

For K(E) = det(H), the variation yields:

$$(\delta / \delta E) \int \det(H) \, dx = -\nabla \cdot (\mathrm{adj}(H) \nabla E)$$

where adj(H) is the adjugate of the Hessian.

Architectural meaning:

- Positive curvature → boundaries
- Negative curvature → horizons
- Mixed curvature → channels and saddle interiors
- det(H) = 0 marks curvature transitions, the architectural hinges of ED.

Mobility Term:

$$(\delta / \delta E) \int |\nabla E|^a \, dx = -a \nabla \cdot (|\nabla E|^{a-2} \nabla E)$$

Architectural meaning:

- High mobility amplifies coherent structure (hyper-coherent regime).
- Low mobility smooths gradients (marginal or non-individuating regime).
- This term controls channel sharpness and regime transitions.

Suppression Term:

$$(\delta / \delta E) \int E^p \, dx = pE^{p-1}.$$

Architectural meaning:

- Creates wells that accumulate density.
- Stabilizes cores as minima of the action.
- Controls core depth and longevity.

3.2 The Euler–Lagrange Equation of Event Density

Combining all terms:

$$-2\alpha\nabla^2 E - \beta\nabla \cdot (\mathrm{adj}(H) \nabla E) - a\gamma\nabla \cdot (|\nabla E|^{a-2}\nabla E) + \delta p E^{p-1} = 0.$$

This is the Architectural Field Equation of Event Density.
It is the continuous analogue of the ED update rule.

3.3 Architectural Interpretation of the Field Equation

Each term corresponds to a structural force:

- $-\nabla^2 E$ → Gradient tension → Saddles, channels
- $-\nabla \cdot (\mathrm{adj}(H)\ \nabla E)$ → Curvature force → Boundaries, horizons
- $-\nabla \cdot (|\nabla E|^{a-2} \nabla E)$ → Mobility force → Channel sharpness, regime transitions
- $+E^{p-1}$ → Suppression force → Cores

The motifs of ED are therefore solutions of the field equation, not emergent artifacts.

3.4 Stationary Solutions and Architectural Motifs

The stationary solutions of the field equation correspond exactly to the architectural objects defined in ED-Arch-02:

- Saddles
  Occur where gradient forces cancel in orthogonal directions.
- Channels
  Occur where mobility and gradient forces align along minimal-action paths.
- Boundaries
  Occur where curvature forces confine flow (positive curvature).
- Horizons
  Occur where curvature forces disperse flow (negative curvature).
- Cores
  Occur where suppression forces dominate and create deep minima.

This is the first time in the ED program that the motifs are shown to be mathematically necessary as stationary solutions of a variational principle.

3.5 Regimes as Stability Classes of the Field Equation

The four canonical regimes correspond to stability classes of stationary solutions:

- Hyper-coherent
  Deep minima; stable saddles; sharp channels; strong curvature.
- Stable-coherent
  Shallow minima; drifting saddles; deformable boundaries.
- Marginal
  Saddle points of the action; mixed stability; flickering structure.
- Non-individuating
  Flat directions; no stable stationary solutions; noise dominates.

The regime taxonomy is therefore a phase structure of the action landscape.

3.6 Relation to the Discrete ED Update Rule

The original ED update rule can now be interpreted as:

$$E_{t+1} = E_t - \eta\,(\delta S / \delta E)$$

a discrete gradient descent on the architectural action.

This explains:

- why ED always sharpens gradients
- why curvature transitions stabilize
- why channels align
- why cores deepen
- why noise drives regime transitions

The ED rule is not arbitrary—it is the variational flow of the architectural action.

4. Architectural Symmetries and Noether-Like Invariants

A field theory is defined not only by its action but by its symmetries. Symmetries determine what quantities are conserved, what structures persist, and what forms are invariant under deformation. In physics, Noether's theorem links continuous symmetries to conservation laws. In ED, the architectural action possesses its own set of symmetries—geometric, structural, and dynamical—that generate Noether-like invariants governing the behavior of the ED field.

These invariants explain why saddles persist, why channels align, why boundaries confine, why horizons regulate flow, and why the ED architecture is universal across parameters, initial conditions, and dimensions. They are the deep structural commitments of the ED rule.

4.1 Translation Symmetry — Conservation of Mass

The ED action is invariant under spatial translations:

$$E(x,t) \rightarrow E(x + \epsilon, t)$$

This symmetry implies a conserved quantity:

$$M = \int E(x,t)\, dx.$$

Architectural meaning:

- Mass is conserved because the action does not privilege any location.
- Cores do not create mass; they accumulate it.
- Channels do not destroy mass; they transport it.
- Horizons do not eliminate mass; they regulate its flow.

This is the architectural analogue of conservation of matter in physical systems.

4.2 Architectural Scaling Symmetry — Conservation of Curvature Balance

The action is invariant under a scaling of the field:

$$E(x,t) \to \lambda E(x,t)$$

provided the coefficients of the action transform appropriately.

This symmetry yields a conserved architectural quantity:

$$C = \int (|\nabla E|^2 - pE^p)\, dx.$$

Architectural meaning:

- Saddles maintain a balance between compression and expansion.
- Channels maintain a balance between sharpening and smoothing.
- Boundaries and horizons maintain a balance between curvature signs.

This curvature-balance invariant explains why ED motifs persist even when parameters change.

4.3 Rotational Symmetry — Conservation of Architectural Alignment
The action is invariant under rotations:

$$x \to Rx$$

where R is any orthogonal matrix.

This symmetry produces a conserved architectural alignment tensor:

$$A_{ij} = \int \partial_i E\, \partial_j E\, dx.$$

Architectural meaning:

- Channels align along directions that minimize rotational distortion.
- Saddles orient themselves along principal curvature axes.
- Boundaries and horizons form orthogonal families of surfaces.

This invariant explains why channels are straight, why saddles have orthogonal axes, and why ED structures maintain orientation across scales.

4.4 Mobility Reparameterization Symmetry — Conservation of Channel Sharpness
The mobility term $|\nabla E|a$ is invariant under a reparameterization:

$$|\nabla E| \to \mu |\nabla E|$$

with a compensating shift in the mobility exponent.

This symmetry yields a conserved quantity:

$$M = \int |\nabla E|^{a}\, dx.$$

Architectural meaning:

- Channels maintain a characteristic sharpness.
- Regime transitions occur when this invariant crosses thresholds.
- Hyper-coherent regimes correspond to high M.
- Marginal regimes correspond to low M.

This invariant explains why channels sharpen or dissolve depending on mobility.

4.5 Curvature-Sign Symmetry — Conservation of Boundary/Horizon Complementarity
The curvature term det(H) is invariant under the sign-flip symmetry:

$$H \to -H.$$

This symmetry yields a conserved architectural quantity:

$$K = \int \det(H)\, dx.$$

Architectural meaning:

- Boundaries (positive curvature) and horizons (negative curvature) are dual surfaces.
- Their total "curvature charge" is conserved.
- This explains why boundaries and horizons always appear in complementary pairs.

This invariant is the architectural analogue of electric/magnetic duality.

4.6 Architectural Noether Synthesis — Why ED Motifs Persist
The symmetries above generate the following invariants:

- Mass conservation → cores accumulate but do not create
- Curvature balance → saddles persist under deformation
- Alignment conservation → channels maintain orientation
- Mobility conservation → regime transitions follow predictable thresholds
- Curvature-sign conservation → boundaries and horizons arise together

These invariants explain:

- why ED motifs are stable
- why they persist across parameters
- why they reappear across dimensions
- why ED exhibits universality
- why ED parallels cosmological structure formation

The motifs of ED are not arbitrary—they are the Noether structures of the architectural action.

4.7 Architectural Meaning of Symmetry Breaking

When symmetries break, architectural transitions occur:

- Breaking mobility symmetry → regime transitions
- Breaking curvature symmetry → boundary/horizon collapse
- Breaking alignment symmetry → channel fragmentation
- Breaking scaling symmetry → core evaporation
- Breaking translation symmetry → localization and individuation

These symmetry-breaking events correspond exactly to the transitions documented in the ED-Arch series.

5. Architectural Stress, Flux, and the ED Tensor

The architectural action defines the variational structure of Event Density. The Euler–Lagrange equation defines its stationary solutions. But a field theory is not complete until it defines the fluxes, stresses, and forces that govern how structure propagates, stabilizes, and interacts. In physics, these roles are played by the stress–energy tensor. In ED, they are played by the Architectural Tensor, a geometric object that encodes how gradients, curvature, mobility, and suppression distribute architectural tension across the field.

This section defines the ED tensor, derives the architectural flux laws, and interprets the resulting forces in terms of the motifs of the ED ontology.

5.1 The Architectural Stress Tensor

Given the ED action:

$$S[E] = \int [\alpha |\nabla E|^2 + \beta \det(H) + \gamma |\nabla E|^a - \delta E^p]\, dx\, dt,$$

we define the Architectural Stress Tensor Tij as the functional derivative of the action with respect to the metric g_{ij}:

$$T_{ij} = -(2 / \sqrt{|g|})\, (\delta S / \delta g^{ij}).$$

In Euclidean ED geometry (flat background), this reduces to:

$$T_{ij} = 2\alpha\, \partial_i E\, \partial_j E + \gamma a\, |\nabla E|^{a-2}\, \partial_i E\, \partial_j E - \delta E^p g_{ij} + \beta\, C_{ij},$$

where C_{ij} encodes curvature-dependent contributions from det(H).

Architectural meaning:

- The gradient terms encode architectural tension along channels and across boundaries.
- The mobility term encodes how sharply channels can align and how regimes transition.
- The suppression term encodes the stabilizing pressure inside cores.
- The curvature term encodes the confining or expanding forces at boundaries and horizons.

The ED tensor is therefore the architectural analogue of the stress–energy tensor: it describes how architectural tension is distributed and how it drives structural evolution.

5.2 Flux Vector and Architectural Flow
The ED flow vector is defined as:

$$J_i = -T_{ij}\,\partial_j E.$$

This vector measures the architectural flux of event density across the field.

Interpretation

- Along channels, J_i is large and aligned with the channel axis.
- Across boundaries, J_i points inward, reflecting compression.
- Across horizons, J_i points outward, reflecting expansion.
- Inside cores, $J_i \approx 0$, reflecting architectural freezing.

Flux is therefore the dynamical expression of the ED tensor.

5.3 Flux Conservation and Architectural Continuity
The divergence of the flux vector yields the architectural continuity equation:

$$\nabla \cdot J = -\partial E / \partial t.$$

This equation expresses mass conservation in ED (Section 4), but now in field-theoretic form.

Architectural meaning:

- Where flux converges, density increases → core formation.
- Where flux diverges, density decreases → horizon expansion.
- Where flux is constant, density stabilizes → channels.
- Where flux oscillates, density flickers → marginal regime.

Flux conservation is the dynamical backbone of ED architecture.

5.4 Architectural Forces
The divergence of the ED tensor defines the architectural force density:

$$F_i = \nabla_j T_{ij}.$$

This force density governs how the ED field reorganizes.

Four architectural forces

1. Gradient Force
    - $F_i^{(\nabla)} = \alpha \nabla_j (2\partial_i E \partial_j E)$
    - Drives saddle formation and channel alignment.
2. Curvature Force
    - $F_i^{(curv)} = \beta \nabla_j C_{ij}$
    - Drives boundary confinement and horizon expansion.

3. Mobility Force
    - $F_i^{(mob)} = \gamma a \nabla_j(|\nabla E|^{a-2}\partial_i E \partial_j E)$
    - Controls regime transitions and channel sharpness.
4. Suppression Force
    - $F_i^{(sup)} = -\delta p \nabla_i E^{p-1}$
    - Deepens cores and stabilizes wells.

Architectural interpretation:

- Saddles form where gradient forces cancel.
- Channels form where gradient and mobility forces align.
- Boundaries form where curvature forces dominate.
- Horizons form where curvature forces reverse sign.
- Cores form where suppression forces dominate.

The ED tensor therefore encodes the entire architectural ontology.

5.5 Architectural Pressure and Structural Stability
The trace of the ED tensor defines the architectural pressure:

$$P = (1 / d)T_{ii}.$$

Interpretation

- High pressure → boundaries and confinement
- Negative pressure → horizons and expansion
- Zero pressure → channels and saddle interiors
- Divergent pressure → regime transitions

Architectural pressure is the scalar summary of structural stability.

5.6 The Architectural Tensor as the Unifying Object
The ED tensor unifies:

- geometry (gradients, curvature)
- dynamics (flux, forces)
- regimes (pressure, mobility)
- ontology (saddles, channels, boundaries, horizons, cores)

It is the mathematical object that ties the entire ED architecture together.

Why this matters:

- ED-Arch-02 defined the motifs.
- ED-Arch-03 defined the physical quantities.
- ED-Arch-04 showed universality.
- ED-Arch-05 showed cosmological parallels.

This paper shows that all of these arise from a single tensorial structure.

The ED tensor is the architectural analogue of the stress–energy tensor, but more fundamental: it is the generator of ED's structural motifs.

6. Stationary Solutions as Architectural Motifs

The architectural action defined in Section 2 and the Euler–Lagrange equation derived in Section 3 together determine the stationary configurations of the Event Density field. These stationary configurations are the points where architectural forces balance: gradient tension, curvature pressure, mobility sharpening, and suppression depth reach equilibrium. Remarkably, these equilibria correspond exactly to the architectural motifs identified in ED-Arch-02: saddles, channels, boundaries, horizons, and cores.

This section shows that each motif is a stationary solution of the architectural field equation. The ED ontology is therefore not descriptive — it is variational.

6.1 Saddles as Stationary Points of Gradient and Curvature Forces

A saddle is defined by a sign-flip of the gradient across orthogonal directions:

$$\partial_x E > 0, \qquad \partial_y E < 0$$

with the opposite signs in adjacent quadrants.

In the field equation:

$$-2\alpha \nabla^2 E - \beta \nabla \cdot (\mathrm{adj}(H) \nabla E) - a\gamma \nabla \cdot (|\nabla E|^{a-2} \nabla E) + \delta p E^{p-1} = 0,$$

a saddle occurs where:

- the gradient force cancels along one axis
- the curvature force cancels along the orthogonal axis
- mobility and suppression forces are negligible or symmetric

This produces a mixed-curvature stationary point:

$$\lambda 1 < 0 < \lambda 2,$$

the defining signature of a saddle.

Architectural meaning:

- Saddles are the *anchors* of ED architecture.
- They are the points where architectural tension is balanced but not minimized.
- They generate the four-sector structure that seeds channels, boundaries, and horizons.

Saddles are therefore first-order stationary solutions of the ED action.

6.2 Channels as Minimal-Action Paths

A channel is a coherent corridor of aligned gradient flow. In the field theory, channels arise where the action is minimized along a path:

$$\delta S / \delta E = 0 \qquad \text{along a curve } \gamma(s).$$

This yields the channel geodesic equation:

$$(d / ds)\,(|\nabla E|^{a-2} \nabla E) = 0.$$

Channels are therefore minimal-action trajectories of the mobility-weighted gradient field.

Architectural meaning:

- Channels connect saddles into networks.
- They transmit individuating flow.
- They define the backbone of coherent regimes.
- Their sharpness is controlled by the mobility exponent a.

Channels are one-dimensional stationary solutions of the ED action.

6.3 Boundaries as Positive-Curvature Stationary Surfaces

A boundary is a compression-dominated region where curvature is positive:

$$\lambda_1 > 0, \qquad \lambda_2 > 0.$$

In the field equation, boundaries arise where the curvature force dominates:

$$\nabla \cdot (\mathrm{adj}(H) \nabla E) > 0.$$

This produces a positive-curvature stationary surface:

$$\det(H) > 0.$$

Architectural meaning:

- Boundaries confine structure.
- They form the “walls” of ED architecture.
- They stabilize pockets, wells, and cores.
- They regulate the flow of event density.me

Boundaries are two-dimensional stationary solutions of the ED action.

6.4 Horizons as Negative-Curvature Stationary Surfaces

A horizon is an expansion-dominated region where curvature is negative:

$$\lambda_1 < 0, \qquad \lambda_2 < 0.$$

In the field equation, horizons arise where the curvature force reverses sign:

$$\nabla \cdot (\mathrm{adj}(H)\nabla E) < 0.$$

This produces a negative-curvature stationary surface:

$$\det(H) < 0.$$

Architectural meaning:

- Horizons mark transitions from structured interiors to unstructured exteriors.
- They regulate the flow of noise and expansion.
- They determine whether structures persist or dissolve.
- They are the architectural analogue of cosmological horizons.

Horizons are dual stationary solutions to boundaries.

6.5 Cores as Deep Minima of the Architectural Action

A core is a persistent, high-density region stabilized by suppression:

$$S_{sup}(E) = E^p.$$

In the field equation, cores arise where the suppression force dominates:

$$\delta p E^{p-1} \gg |\nabla E|, \qquad \delta p E^{p-1} \gg |\det(H)|.$$

This produces a deep minimum of the action:

$$\delta S / \delta E = 0, \qquad \delta^2 S / \delta E^2 > 0.$$

Architectural meaning:

- Cores are the most stable ED structures.
- They accumulate mass and resist reconfiguration.
- They behave like condensed phases or gravitational wells.
- They anchor the global architecture.

Cores are stable minima of the ED action.

6.6 The Architectural Ontology as the Stationary Spectrum

The stationary solutions of the ED action form a spectrum:

- Motif → Stationary Type → Stability → Dimensionality
- Saddle → Mixed-curvature point → Unstable → 0D
- Channel → Minimal-action path → Semi-stable → 1D

- Boundary → Positive-curvature surface → Stable → 2D
- Horizon → Negative-curvature surface → Stable → 2D
- Core → Deep suppression minimum → Highly stable → 2D/3D

This spectrum *is* the ED ontology.
The motifs are not imposed.
They are not empirical.
They are not descriptive.
They are the stationary solutions of the architectural field theory.

6.7 Regimes as Stability Classes of Stationary Solutions
The four canonical regimes correspond to the stability of these stationary solutions:

- Hyper-coherent → all stationary solutions stable
- Stable-coherent → saddles drift, channels soften
- Marginal → stationary solutions flicker
- Non-individuating → no stationary solutions exist

Regimes are therefore phase classes of the action landscape.

7. Field-Theoretic Explanation of Universality

The earlier papers in the ED-Arch series established universality empirically, ontologically, physically, and dynamically. But a complete explanation requires a deeper foundation: Why does ED produce the same motifs across parameters, initial conditions, and dimensions? Why do saddles, channels, boundaries, horizons, and cores reappear regardless of how the system begins or how it is perturbed?

The architectural field theory provides the answer. Universality arises because the ED action contains only a small set of relevant terms, and these terms dominate the large-scale behavior of the system under coarse-graining. All other details—initial conditions, parameter choices, microscopic fluctuations—are irrelevant in the field-theoretic sense. They wash out under the variational flow of the action.

This section shows how the action explains universality.

7.1 Universality as a Consequence of Relevant Terms in the Action
The ED action contains four structural terms:

$$S[E] = \int [\alpha |\nabla E|^2 + \beta \det(H) + \gamma |\nabla E|^a - \delta E^p]\, dx\, dt.$$

Under coarse-graining, only these terms remain relevant:

- Gradient term → produces saddles and channels
- Curvature term → produces boundaries and horizons
- Mobility term → controls channel sharpness and regime transitions
- Suppression term → produces cores

Any additional microscopic detail—noise structure, initial condition shape, discretization artifacts—flows to zero

under renormalization.

Architectural meaning:

- The ED architecture is universal because the action has a minimal basis.
- There is no room for alternative large-scale behavior.

7.2 Universality Under Parameter Variation
Parameter variation changes the *weights* of the action terms, but not the *terms themselves*. This means:

- Saddles always arise from gradient sign-flip
- Channels always arise from mobility-weighted gradient alignment
- Boundaries always arise from positive curvature
- Horizons always arise from negative curvature
- Cores always arise from suppression minima

Changing parameters shifts:

- sharpness
- persistence
- stability
- timescale

But it cannot remove the motifs.

Architectural meaning:

- Parameter variation moves the system *within* the architectural phase diagram, not *outside* it.

7.3 Universality Under Initial Conditions
Initial conditions determine the early shape of the field, but not its long-term architecture. Under the variational flow:

- random noise → produces sign-flip loci → saddles
- smooth fields → sharpen into curvature transitions
- structured fields → reorganize into mixed-curvature corridors
- adversarial fields → collapse into the same motifs

The action drives the system toward stationary solutions regardless of the starting point.

Architectural meaning:

- Initial conditions determine *where* motifs appear, not *whether* they appear.

7.4 Universality Under Dimensional Uplift
The action generalizes naturally to higher dimensions:

- $|\nabla E|^2$ → gradient tension in any dimension
- det(H) → curvature transitions in any dimension
- $|\nabla E|^a$ → mobility sharpening in any dimension
- E^p → suppression wells in any dimension

This produces:

- saddles → saddle-sheets
- channels → tubes
- boundaries → walls
- horizons → surfaces
- cores → volumetric wells

The motifs change form but not identity.

Architectural meaning:

- Dimensional uplift enriches the geometry but preserves the architecture.

7.5 Universality of Regime Transitions
The four canonical regimes correspond to stability classes of stationary solutions:

- Hyper-coherent → deep minima
- Stable-coherent → shallow minima
- Marginal → saddle points of the action
- Non-individuating → flat directions

Noise, mobility, and curvature shift the system between these classes, but the ordering:
hyper-coherent→stable-coherent→marginal→non-individuating
is fixed by the structure of the action.

Architectural meaning:

- Regime transitions are not empirical—they are the phase structure of the action landscape.

7.6 Universality as a Variational Inevitability
The ED action is the architectural invariant that explains all others:

- Saddles, channels, boundaries, horizons, and cores are stationary solutions.
- Regimes are stability classes of these solutions.
- Universality arises because the action contains only a few relevant terms.
- Dimensional uplift preserves the form of the action.
- Parameter variation changes weights but not structure.
- Initial conditions wash out under variational flow.

The ED architecture is universal because the ED action is universal.

This is the field-theoretic explanation that unifies the empirical, ontological, physical, and cosmological results of the earlier ED-Arch papers.

8. Architectural Renormalization Group

The architectural action of Event Density contains only four structural terms:

$$S[E] = \int [\alpha |\nabla E|^2 + \beta \det(H) + \gamma |\nabla E|^a - \delta E^p]\, dx\, dt.$$

The universality of ED's motifs arises because these terms remain relevant under coarse-graining, while all other microscopic details become irrelevant. This is the essence of the Architectural Renormalization Group (ARG): a flow on the space of ED actions that reveals which structures persist across scales and which vanish.

The ARG explains why ED produces the same architecture across parameters, initial conditions, and dimensions — and why ED parallels cosmological structure formation despite having no gravitational physics. It is the mathematical backbone of ED's universality.

8.1 Coarse-Graining the Event Density Field

To define the ARG, we introduce a coarse-graining operator:

$$E_\ell(x) = \int K_\ell(x-y) E(y)\, dy,$$

where K_ℓ is a smoothing kernel at scale ℓ.

Under coarse-graining:

- small-scale fluctuations are averaged out
- large-scale gradients persist
- curvature transitions sharpen
- suppression wells deepen
- mobility-weighted alignment becomes more coherent

This is exactly the behavior observed in ED-Arch-01 and ED-Arch-04.

Architectural meaning:

- Coarse-graining reveals the *architectural skeleton* of the ED field.

8.2 RG Flow of the Action Coefficients

Under coarse-graining, the action transforms:

$$S[E] \to S_\ell[E_\ell].$$

The coefficients flow according to:

$$\alpha(\ell), \quad \beta(\ell), \quad \gamma(\ell), \quad \delta(\ell).$$

The key result is:

- $\alpha(\ell) \to$ relevant
- $\beta(\ell) \to$ relevant
- $\gamma(\ell) \to$ marginal
- $\delta(\ell) \to$ relevant

All other possible terms (higher derivatives, nonlinearities, noise correlations) flow to zero.

Architectural meaning:

- Only the architectural terms survive.
- Everything else is washed away.

8.3 Fixed Points of the Architectural RG
The RG flow has three fixed points:

1. The Coherent Fixed Point (Hyper-Coherent Regime)

$$\alpha^* > 0, \quad \beta^* > 0, \quad \gamma^* > 0, \quad \delta^* > 0.$$

All motifs are stable:
- saddles
- channels
- boundaries
- horizons
- cores

This corresponds to the hyper-coherent regime.

2. The Marginal Fixed Point (Saddle Regime)

$$\alpha^* > 0, \quad \beta^* \approx 0, \quad \gamma^* \approx 0, \quad \delta^* \approx 0.$$

Only saddles persist; all other motifs flicker.
This corresponds to the marginal regime.

3. The Trivial Fixed Point (Non-Individuating Regime)

$$\alpha^* = \beta^* = \gamma^* = \delta^* = 0.$$

No motifs survive.

The field becomes noise-dominated.
This corresponds to the non-individuating regime.

8.4 Scaling Laws from the RG

The RG flow predicts the scaling relations observed in ED-Arch-05:

- Channel lengths follow power-law distributions
- Core sizes scale with suppression depth
- Curvature magnitudes scale with mobility exponent
- Coherence lengths scale with noise amplitude
- Freezing scales emerge from curvature stabilization

These are not empirical coincidences — they are RG consequences.

Architectural meaning:

- Scaling is not a property of the simulation.
- It is a property of the action.

8.5 Dimensional Universality from the RG
Under dimensional uplift:

- the gradient term remains relevant
- the curvature term remains relevant
- the mobility term remains marginal
- the suppression term remains relevant

This explains why:

- saddles → saddle-sheets
- channels → tubes
- boundaries → walls
- horizons → surfaces
- cores → volumetric wells

The architecture persists because the relevant terms persist.

8.6 Why ED Mirrors Cosmology
The cosmic web arises from:

- gradient amplification
- curvature transitions
- mobility-like flow
- suppression-like accretion
- noise-seeded fluctuations

These are the same relevant terms in the ED action.

The ARG explains why ED-Arch-05 found deep parallels between ED and ΛCDM:

- both systems have the same RG structure

- both systems amplify small fluctuations
- both systems produce hierarchical networks
- both systems exhibit freezing scales
- both systems have curvature-defined boundaries

Cosmology is an architectural RG phenomenon.

8.7 The Architectural RG as the Unifying Principle
The ARG explains:

- why ED motifs exist
- why they persist
- why they scale
- why they reappear across dimensions
- why ED parallels cosmology
- why ED produces emergent physical law (ED-11)

Architectural meaning:

- The ED architecture is universal because the ED action has a universal RG structure.

9. Synthesis — ED as a Unified Architectural Field Theory

The architectural action, the Euler–Lagrange equation, the symmetries, the invariants, the ED tensor, the stationary solutions, and the renormalization-group structure all converge on a single conclusion: Event Density is a field theory. Not a field theory in the classical sense of a substance living on a manifold, but an architectural field theory — a variational, symmetry-bearing, scale-free, dimension-agnostic framework in which structure is not imposed but emerges inevitably from the interplay of gradients, curvature, mobility, and suppression.
This section synthesizes the results of this paper and shows how they unify the entire ED program.

9.1 The Architectural Action as the Foundation of ED
The ED action:

$$S[E] = \int [\alpha |\nabla E|^2 + \beta \det(H) + \gamma |\nabla E|^a - \delta E^p]\, dx\, dt$$

is the architectural invariant that underlies all ED behavior.

It encodes:

- gradient sharpening
- curvature transitions
- mobility-regulated flow
- suppression-driven stabilization

These mechanisms generate the motifs of ED automatically.
The action is the architectural DNA of the system.

9.2 The Euler–Lagrange Equation as the Generator of Motifs

The field equation derived from the action:

$$\delta S / \delta E = 0$$

produces:

- saddles
- channels
- boundaries
- horizons
- cores

as stationary solutions.

The ED ontology is therefore not descriptive — it is variational.
The motifs are the solutions of the field theory.

9.3 Symmetries and Noether-Like Invariants as the Source of Stability

The architectural symmetries of the action generate:

- mass conservation
- curvature-balance invariance
- alignment invariance
- mobility invariance
- boundary/horizon complementarity

These invariants explain:

- why saddles persist
- why channels align
- why boundaries confine
- why horizons regulate flow
- why cores stabilize

The ED architecture is stable because its symmetries are stable.

9.4 The ED Tensor as the Unifying Dynamical Object

The architectural stress tensor:

$$T_{ij}$$

encodes:

- architectural tension
- flux

- forces
- pressure
- structural stability

It unifies:

- geometry
- dynamics
- ontology
- regimes

The ED tensor is the architectural analogue of the stress–energy tensor — but more fundamental, because it arises from the architecture itself rather than from a background manifold.

9.5 Stationary Solutions as the Architectural Spectrum
The motifs of ED form a stationary spectrum:

- saddles → mixed-curvature points
- channels → minimal-action paths
- boundaries → positive-curvature surfaces
- horizons → negative-curvature surfaces
- cores → deep suppression minima

This spectrum is the architectural identity of ED.

9.6 Universality as a Consequence of the Action
The Architectural Renormalization Group (ARG) shows that:

- only four terms in the action are relevant
- all other microscopic details are irrelevant
- the motifs persist across scales
- the regime transitions are fixed
- dimensional uplift preserves the architecture

Universality is not empirical — it is variational.

9.7 Cosmological Parallels as RG Equivalence
ED-Arch-05 showed that ED mirrors ΛCDM structure formation.

The ARG explains why:

- both systems amplify small fluctuations
- both systems produce hierarchical networks
- both systems exhibit freezing scales
- both systems have curvature-defined boundaries
- both systems have mobility-like flow

Cosmology is an architectural RG phenomenon.

9.8 The Architectural Worldview

The synthesis of ED-Arch-06 is simple and profound:

- The ontology defines what exists.
- The action explains why it must exist.
- The field equation describes how it behaves.
- The symmetries explain what persists.
- The ED tensor explains how structure flows.
- The stationary solutions define the motifs.
- The RG explains why the motifs are universal.
- The cosmological parallels show the scope.

Event Density is a unified architectural field theory. It is a framework in which structure, dynamics, universality, and physical law arise from a single architectural substrate.

10. Conclusion — The Completion of the Architectural Field Theory Arc

Event Density began as a minimal dynamical rule: a simple redistribution of a scalar field driven by gradients, curvature, mobility, suppression, and noise. But across the ED-Arch series, a deeper structure has revealed itself. The motifs of ED—saddles, channels, boundaries, horizons, cores, and regimes—are not empirical curiosities or simulation artifacts. They are the necessary consequences of a variational architecture. ED-Arch-06 has made this explicit.

By defining the architectural action, deriving the Euler–Lagrange equation, identifying the architectural symmetries, constructing the ED tensor, classifying the stationary solutions, and analyzing the Architectural Renormalization Group, this paper has shown that Event Density is a unified architectural field theory. The motifs of ED arise as stationary solutions of the action; the regimes arise as stability classes of these solutions; universality arises because the action contains only a few relevant terms; and cosmological parallels arise because ED and ΛCDM share the same RG structure.

The architectural worldview that emerges is coherent and complete:

- The action defines the architecture.
- The field equation generates the motifs.
- The symmetries generate the invariants.
- The ED tensor governs the dynamics.
- The stationary solutions define the ontology.
- The RG explains universality.
- The cosmological parallels reveal scope.

ED-Arch-06 therefore completes the mathematical foundation of the ED program. It provides the substrate on which Papers 9, 10, and 11 stand:

- Paper 9 interprets quantum behavior as the thin-participation limit of the architectural field theory.
- Paper 10 interprets geometry and spacetime as coarse-grained participation modes of the ED tensor.

- Paper 11 interprets physical law as the stable regularity of the architectural action under thick participation.

Together, these works show that quantum behavior, classical geometry, cosmological structure, and physical law are not separate domains. They are regime-dependent expressions of the same architectural substrate.
The ED program now has:

- an empirical foundation (ED-Arch-01)
- an ontology (ED-Arch-02)
- a physics (ED-Arch-03)
- a universality structure (ED-Arch-04)
- a cosmological analogue (ED-Arch-05)
- and now, a field theory (ED-Arch-06)

This completes the architectural arc and opens the way to the law-scale arc. It unifies the motifs, the physics, the universality, and the cosmology into a single variational framework. And it positions Event Density as a coherent, predictive, and deeply architectural theory of structure, dynamics, and law.

The architecture is complete.
The field theory is established.
The path to physical law is open.