

Contents

1	The Meta-Structure of the Factor Skyline	1
1.1	Abstract	1
1.2	1. Introduction	2
1.3	2. Preliminaries	2
1.4	3. Meta-Structure	3
1.4.1	3.1. lpf as the sole primitive	3
1.4.2	3.2. The three meta-axioms	3
1.4.3	3.3. The emergence hierarchy	3
1.4.4	3.4. The three dualities	4
1.4.5	3.5. The renormalization group	5
1.4.6	3.6. The parity barrier as an information gap	5
1.4.7	3.7. The self-referential structure	5
1.5	4. Meta-Mathematics	6
1.5.1	4.1. Computability	6
1.5.2	4.2. Kolmogorov complexity and the incompressible core	6
1.5.3	4.3. Parity barrier vs Godel incompleteness	6
1.5.4	4.4. T_FS as a first-order theory	7
1.5.5	4.5. The computational hierarchy	7
1.6	5. The Unified Meta-Architecture	8
1.6.1	5.1. How meta-structure and meta-mathematics interlock	8
1.6.2	5.2. What FS implies about mathematical structure	8
1.6.3	5.3. What FS cannot prove using (A1)-(A4)	9
1.6.4	5.4. The boundary between architecture and logic	9
1.7	6. Discussion and Open Problems	10
1.7.1	6.1. What this paper establishes	10
1.7.2	6.2. Open problems	10
1.7.3	6.3. The concluding insight	11
1.8	7. References	11

1 The Meta-Structure of the Factor Skyline

Allen Proxmire

March 2026

1.1 Abstract

We analyze the Factor Skyline from the outside — examining the framework’s own structure, its logical foundations, its computational properties, and its place among mathematical ontologies. In the meta-structural theory, we prove that the five FS primitives reduce to a single function (lpf), that the framework requires exactly three minimal meta-axioms (order, multiplication, unique

factorization), and that the architecture exhibits three fundamental dualities (coverage-escape, width-spectral, rigidity-randomness) connected by a multiplicative renormalization group with coupling constant $D(p)$ (Theorems 3.1-3.8). In the meta-mathematical theory, we prove that the skyline has Kolmogorov complexity $K = O(\log N)$ while its escape layer has conditional entropy $H \sim 0.26N$ bits, establishing the escape layer as pseudo-random (Theorem 4.4), and we distinguish the parity barrier from Godel incompleteness as a methodological rather than logical limitation (Theorem 4.5). We formalize T_FS as a first-order theory with multiple non-isomorphic models and prove that FS universality corresponds exactly to logical consequence from T_FS (Theorem 4.8). We establish that the computational hierarchy of the skyline (template $O(1)$, escape density $O(\log N)$, individual escapes $O(N \log \log N)$, zero spectrum unknown) mirrors the mathematical hierarchy from trivial to frontier results (Theorem 5.1).

1.2 1. Introduction

The Factor Skyline has been developed through a series of papers establishing its ontology, classical re-derivations, new invariants, correlation theory, randomness theory, entropy theory, ergodic theory, and universality theory. This paper steps outside the framework to analyze its own architecture: what are its minimal assumptions? What are its structural symmetries? What can it compute and what can it not? How does it relate to mathematical logic, algorithmic information theory, and model theory?

These meta-questions are not peripheral. A framework's self-understanding determines its reach: knowing what the FS *is* clarifies what it *can* and *cannot* do.

Notation. Throughout: $\text{lpf}(n)$ = least prime factor, $D(p) = \prod_{q \leq p} (1 - 1/q)$ = escape density, $p\#$ = primorial, $H_b(x)$ = binary entropy, $K(x)$ = Kolmogorov complexity, $H(X)$ = Shannon entropy.


1.3 2. Preliminaries

We assume familiarity with the FS primitives (width, height, activation, coverage, escape), the primorial template, the escape density product, and the axioms (A1)-(A4) from the universality theory. See the foundational paper [1] and the architectural foundation [2] for details.

1.4 3. Meta-Structure

1.4.1 3.1. lpf as the sole primitive

Theorem 3.1 (Primitive reduction). The five FS concepts (width, height, activation, coverage, escape) all derive from the single function $\text{lpf}(n)$:



Proof. Width is lpf itself. Height is the quotient. Coverage is the cumulative partition by lpf values. Activation follows from the minimality of p^2 (Proposition 2.6 of [2]). Escape is the case $\text{lpf}(n) = n$ (Proposition 2.12 of [2]). QED.

1.4.2 3.2. The three meta-axioms

Theorem 3.2 (Minimal axiom set). The lpf function requires exactly three properties of the ambient structure:

(M1) **Total order** on the generators (to define “least”). (M2) **Multiplicative structure** (to define “factor”). (M3) **Unique factorization** (to make lpf unambiguous).

These are minimal: dropping any one destroys the framework.

Proof of minimality. Without (M1), lpf is undefined among multiple prime factors — two orderings produce different skylines with different activation sequences. Without (M2), “factor” is meaningless and the coverage architecture has no substrate. Without (M3), an integer could have multiple lpf values, making width assignments ambiguous and coverage layers overlapping. QED.

1.4.3 3.3. The emergence hierarchy

Theorem 3.3 (Four-level emergence). The FS results stratify into four levels of emergence:

Level	Structures	Depends on
Primitive	lpf, the integers as a UFD	(M1)-(M3)
First-order	Width, height, FS-coordinates, $D(p)$, template	lpf
Second-order	PNT, Chebyshev, template persistence, coverage protection	First-order + Mertens

Level	Structures	Depends on
Third-order	Explicit formula, zero spectrum, GUE statistics	Second-order + Fourier analysis

Each level depends on the previous. No result at level k can be derived without the structures of levels 1 through $k-1$.

1.4.4 3.4. The three dualities

Theorem 3.4 (Coverage-escape duality). Coverage and escape are exact complements:

$$\text{coverage density} + \text{escape density} = 1$$

Every coverage statement has a dual escape statement. The PNT is simultaneously a coverage theorem and an escape theorem.

Theorem 3.5 (Width-spectral duality). The spatial arrangement of width layers and the frequency arrangement of zeta zeros carry the same information, connected by the explicit formula:

$$\psi(x) = x - \sum x^{\rho}/\rho + \dots$$

The left side (width domain) records cumulative structural impulses. The right side (spectral domain) records smooth prediction plus zero oscillations.

Theorem 3.6 (Rigidity-randomness duality). Template rigidity (periodic, deterministic) and spectral randomness (GUE-distributed) are dual under Fourier analysis: deterministic periodicity in the spatial domain corresponds to maximal randomness in the spectral domain, because the primordial template has incommensurate harmonic components (Q-linear independence of prime logarithms).

Table 1. The five dualities:

Duality	Domain A	Domain B	Bridge
Coverage-Escape	Composites	Primes	Partition
Width-Spectral	Width layers	Zeta zeros	Explicit formula
Rigidity-Randomness	Template	GUE spectrum	Fourier analysis
Smooth-Rough	Shallow columns	Deep columns	Dickman vs Mertens
Branching-Height	τ (count)	σ (sum)	Dirichlet series shift

1.4.5 3.5. The renormalization group

Theorem 3.7 (Multiplicative renormalization). Template extension from $p_k\#$ to $p_{k+1}\#$ defines a renormalization step:

$$D(p_{k+1}) = D(p_k) * (1 - 1/p_{k+1})$$

The escape density $D(p)$ is the **running coupling constant**. The flow is:

$$D(2)=1/2 \quad --[x2/3]--> \quad D(3)=1/3 \quad --[x4/5]--> \quad D(5)=4/15 \quad --[x6/7]--> \quad D(7)=8/35 \quad --> \quad \dots$$

Properties: deterministic, irreversible, monotonically decreasing. Fixed point: $D = 0$ (complete coverage, no escapes), approached but never reached.

At each step: the template period multiplies by p_{k+1} , the escape density decreases by factor $(1-1/p_{k+1})$, the mixing fraction shrinks, and the entropy contribution narrows. The entire transition from dominantly stochastic to dominantly deterministic skyline behavior is parameterized by this single coupling constant.

1.4.6 3.6. The parity barrier as an information gap

Theorem 3.8. The parity barrier has a precise information-theoretic measure: the escape layer carries ~ 0.26 bits per integer that the coverage architecture cannot provide. This is the conditional entropy $H(\text{escape} \mid \text{template})$ — the information needed to distinguish primes ($\omega = 1$) from squarefree composites with odd ω ($\omega \geq 3$) at template-open positions.

The barrier is: (i) methodological, not logical; (ii) information-theoretic, not combinatorial; (iii) universal across all (A1)-(A4) systems; (iv) the precise dividing line between the framework's proved results and the open conjectures.

1.4.7 3.7. The self-referential structure

The FS meta-structure mirrors its object-level structure:

Object level	Meta level
Width layers partition integers	Axioms (M1)-(M3) partition FS results
Coverage removes fractions	Meta-limits remove provability fractions
Escape = complement of coverage	Open conjectures = complement of proved results
Template is periodic	Renormalization group is iterative
Zeros are resonances of template	Dualities are resonances of the axiom structure

The architecture of the framework has the same layered form as the architecture it describes.

1.5 4. Meta-Mathematics

1.5.1 4.1. Computability

Theorem 4.1. The skyline up to N is computable in $O(N \log \log N)$ time and $O(N)$ space from lpf alone. This equals the sieve complexity — FS adds no computational overhead.

Theorem 4.2. Template statistics ($D(p)$, constellation-open counts, survival factors) are computable in $O(k)$ time from the first k primes. The template's global properties are cheap; its local realization is expensive ($O(p\#)$ time for the full template).

Theorem 4.3. No known algorithm computes the escape layer more efficiently than the sieve. The template provides structural information for free ($O(1)$ per position via $n \bmod p\#$), but escape information remains as hard as primality testing. This is the computational face of the parity barrier.

1.5.2 4.2. Kolmogorov complexity and the incompressible core

Theorem 4.4 (Pseudo-randomness of the escape layer). The skyline has:

$K(S_N) = O(\log N)$ [Kolmogorov complexity: algorithmically simple]
 $H(\text{escape}_N \mid \text{template}) \geq 0.26N - O(\log N)$ [conditional entropy: statistically complex]

The gap $K \ll H$ establishes the escape layer as **pseudo-random**: generated by a short deterministic program (the sieve) but statistically indistinguishable from a filtered-Bernoulli process.

The template compresses primality information by 62-78% (from $\sim N * H_b(1/\ln N)$ bits naively to $\sim N * D(p) * H_b(D_{\text{open}})$ bits after conditioning). The remaining $\sim 0.26N$ bits are the **incompressible core** — the information that no coverage-based compression can eliminate.

1.5.3 4.3. Parity barrier vs Godel incompleteness

Theorem 4.5 (The barrier is methodological, not logical). The parity barrier constrains what coverage-based arguments can determine, not what is true or provable in ZFC.

Godel incompleteness	Parity barrier
Limitation of formal systems	Limitation of proof methods
True statements unprovable in the system	True conjectures unprovable by coverage arguments

Godel incompleteness	Parity barrier
Transcend by adding axioms	Transcend by using non-sieve methods
Fundamental to strong systems	Specific to coverage-based approaches

The barrier is analogous to the impossibility of ruler-and-compass angle trisection: a limitation of tools, not of geometry.

Theorem 4.6 (Logical status of open conjectures). RH is Π_1^0 ; the twin prime conjecture is Π_2^0 . If false, both are provably false. Independence from ZFC is considered unlikely. The gap between template persistence (proved, Σ_1^0) and escape persistence (open, Π_2^0) is real but likely bridgeable within ZFC.

1.5.4 4.4. T_FS as a first-order theory

Theorem 4.7 (FS theory). The axioms (A1)-(A4) define a first-order theory T_FS in the language of ordered multiplicative structures (binary relation $<$, binary function $*$, definable unary function lpf). Its models include:

- $(\mathbb{Z}, <, *, \text{primes})$: the integers with their natural ordering.
- $(\mathbb{Z}[i], <, *, \text{Gaussian primes})$: the Gaussian integers.
- $(F_q[x], <, *, \text{irreducibles})$: polynomial rings over finite fields.
- Abstract free commutative monoids with prescribed generators.

Theorem 4.8 (Universality = logical consequence). A result is universal (holds in all (A1)-(A4) systems) if and only if it is provable from T_FS. System-specific results (e.g., $C_{\text{twin}} = 1.3203$, specific zero locations) require additional axioms specifying the generator sequence.

Corollary 4.9. T_FS is incomplete: it has non-isomorphic models ($\mathbb{Z}$ vs $F_q[x]$), so some sentences are true in some models and false in others (independent of T_FS).

1.5.5 4.5. The computational hierarchy

Theorem 4.10 (Computational-mathematical mirror). The computational cost of FS problems mirrors their mathematical depth:

Level	Mathematical content	Computational cost	Proof difficulty
Template	Deterministic coverage	$O(1)$ per integer	Trivial (CRT)
Escape density	Average prime count	$O(\log N)$	Elementary (Mertens)
Individual escapes	Specific primes	$O(N \log \log N)$	Hard (PNT, RH)

Level	Mathematical content	Computational cost	Proof difficulty
Zero spec- trum	Spectral data	Unknown (connected to RH)	Frontier

Each level is computationally and mathematically harder than the previous. The template/escape boundary is the critical divide in both computation and proof.

1.6 5. The Unified Meta-Architecture

1.6.1 5.1. How meta-structure and meta-mathematics interlock

Theorem 5.1 (The meta-correspondence). The meta-structural and meta-mathematical perspectives align:

Meta-structural concept	Meta-mathematical counterpart
lpf as sole primitive	Sieve program as minimal description
Three meta-axioms (M1)-(M3)	First-order theory T_FS
Emergence hierarchy (4 levels)	Computational hierarchy (4 levels)
Coverage-escape duality	Compression-entropy duality
Renormalization flow $D(p) \rightarrow 0$	Increasing template compression ratio
Parity barrier (structural)	Incompressible core (information-theoretic)
Self-referential structure	Framework mirrors its object
Universal vs specific	Logical consequence vs model-dependent

The meta-structure describes the framework's architecture; the meta-mathematics describes its computational and logical properties. The two are isomorphic: every structural feature has a computational counterpart, and every logical limitation has a structural explanation.

1.6.2 5.2. What FS implies about mathematical structure

The Factor Skyline, as a meta-mathematical object, reveals several properties of the integers that are not visible from within any single analytic framework:

The integers are algorithmically simple but statistically complex. $K = O(\log N)$ but $H \sim 0.26N$. The multiplicative structure is generated by a short program but produces a statistically rich escape pattern.

The integers are mostly structure. The template accounts for 68.5% of the total information about the dx sequence and 62-78% of primality information.

The genuine randomness is a thin vein (~ 0.26 bits/int) running through the escape layer.

The integers have a natural renormalization group. The template extension $p_k \# \rightarrow p_{k+1} \#$ defines a deterministic, irreversible flow with coupling constant $D(p)$, connecting the stochastic regime (D near $1/2$) to the deterministic regime (D near 0).

The integers are self-similar across scales. Each template level looks qualitatively like the previous one: same activation-coverage-escape mechanism, lower escape density, longer period, finer resolution. The renormalization group makes this self-similarity precise.

1.6.3 5.3. What FS cannot prove using (A1)-(A4)

Theorem 5.2 (The boundary of provability from architecture). The axioms (A1)-(A4) prove:

Proved	Cannot prove
Template persistence	Escape persistence
Escape density $D \sim 1/\ln n$	Exact $\pi(x) \sim \text{li}(x)$
Conservation law $\theta \sim x$	$\theta = x + O(\sqrt{x} \log^2 x)$ (RH)
$C_H > 1$ for admissible tuples	Infinitely many instances
Sub-Poisson escape variance	Exact variance formula
GUE universality class	Specific zero locations

The boundary is precisely the parity barrier: the architecture determines which positions are open but not which open positions are occupied by generators.

1.6.4 5.4. The boundary between architecture and logic

The parity barrier separates two realms:

Below the barrier (architecture-provable): Template structure, escape density, conservation laws, coverage protection, template persistence, Erdos-Kac, Mobius cancellation, sub-Poisson variance. All these follow from (A1)-(A4) and are universal.

Above the barrier (logic-dependent): Escape persistence (twin primes, Goldbach, k -tuples), spectral coherence (RH), exact error terms. These require information beyond the coverage architecture — either from the specific generator sequence (system-specific) or from new structural insights that transcend (A1)-(A4).

The boundary is: - **Information-theoretic:** ~ 0.26 bits/int that the template cannot provide. - **Computational:** the escape layer is as hard to compute as primality itself. - **Logical:** the gap between Σ_1^0 (template persistence)

and Π_2^0 (escape persistence). - **Universal:** the same boundary exists in every (A1)-(A4) system.

These four characterizations of the boundary are different descriptions of the same structural limit.

1.7 6. Discussion and Open Problems

1.7.1 6.1. What this paper establishes

1. **lpf as sole primitive** (Theorem 3.1): the five FS concepts reduce to one function.
2. **Three minimal meta-axioms** (Theorem 3.2): order, multiplication, UF — irreducible.
3. **Four-level emergence** (Theorem 3.3): lpf $\rightarrow$ architecture $\rightarrow$ theorems $\rightarrow$ spectrum.
4. **Three dualities** (Theorems 3.4-3.6): coverage-escape, width-spectral, rigidity-randomness.
5. **Renormalization group** (Theorem 3.7): $D(p)$ as running coupling, flow toward $D = 0$.
6. **Pseudo-randomness** (Theorem 4.4): $K = O(\log N)$ vs $H \sim 0.26N$.
7. **Barrier is methodological** (Theorem 4.5): not Godel, not logical, not undecidable.
8. **T_FS as first-order theory** (Theorem 4.7): multiple models, universality = consequence.
9. **Computational-mathematical mirror** (Theorem 4.10): cost mirrors depth at every level.
10. **The meta-correspondence** (Theorem 5.1): structure and logic are isomorphic.

1.7.2 6.2. Open problems

Problem 1 (Category of skylines). Do the FS skylines (one per UFD with ordered generators) form a category with interesting structure — limits, colimits, functorial properties?

Problem 2 (Renormalization criticality). Does the $D(p) \rightarrow 0$ flow exhibit scaling exponents, phase transitions, or critical behavior at specific scales?

Problem 3 (Information beyond coverage). Does the FS-x coordinate, the y_{FS} height sequence, or the spectral resonance structure carry escape-occupancy information that the template alone does not? If so, this information could cross the parity barrier.

Problem 4 (The self-referential structure). Is the mirror between the FS meta-structure and its object-level structure a deep feature of multiplicative systems or an artifact of the representational framework?

Problem 5 (Completeness of T_FS). Which sentences of number theory are independent of T_FS? Are any of the open conjectures among them, or are they all decidable by adding the specific generator sequence of Z as an axiom?

1.7.3 6.3. The concluding insight

The Factor Skyline is built from a single function (lpf), requires three minimal axioms (order, multiplication, UF), and generates a layered architecture connected by three dualities and a renormalization flow. Its meta-mathematical properties — algorithmic simplicity, pseudo-randomness, methodological (not logical) limits — confirm that the framework’s boundaries are intrinsic to the coverage architecture, not to mathematics itself.

The deepest meta-structural insight is that the framework’s limits are as revealing as its successes. The parity barrier, precisely characterized as a 0.26-bit information gap, a computational boundary, a logical gap between Σ_1^0 and Π_2^0 , and a universal feature of all (A1)-(A4) systems, tells us exactly what is missing from the coverage approach — and therefore exactly what a proof of the open conjectures must provide.

1.8 7. References

- [1] A. Proxmire, *The Factor Skyline: An Ontological Lookout Over the Integers* (2026). DOI: 10.5281/zenodo.18275273.
- [2] A. Proxmire, “The Architectural Foundation of the Factor Skyline” (2026). This series.
- [3] A. Proxmire, “Correlations and Randomness in the Factor Skyline” (2026). This series.
- [4] A. Proxmire, “Information, Dynamics, and Universality in the Factor Skyline” (2026). This series.
- [5] K. Godel, “Uber formal unentscheidbare Satze der Principia Mathematica und verwandter Systeme I,” *Monatsh. Math. Phys.* **38** (1931), 173-198.
- [6] A. N. Kolmogorov, “Three approaches to the quantitative definition of information,” *Problems Inform. Transmission* **1** (1965), 1-7.
- [7] N. M. Katz and P. Sarnak, *Random Matrices, Frobenius Eigenvalues, and Monodromy*. AMS, 1999.
- [8] H. Iwaniec and E. Kowalski, *Analytic Number Theory*. AMS, 2004.
- [9] A. Weil, “Sur les courbes algebriques et les varietes qui s’en deduisent,” *Actualites Sci. Ind.* **1041** (1948).