

Many problems in Computer Science involve maximizing some measure according to constraints.

Consider a history exam in which students are asked to put several historical events into chronological order. Students who order all the events correctly will receive full credit, but how should partial credit be awarded to students who incorrectly rank one or more of the historical events?

Some possibilities for partial credit include:

- 1. 1 point for each event whose rank matches its correct rank
- 2. 1 point for each event in the longest (not necessarily contiguous) sequence of events which are in the correct order relative to each other.

For example, if four events are correctly ordered 1 2 3 4 then the order 1 3 2 4 would receive a score of 2 using the first method (events 1 and 4 are correctly ranked) and a score of 3 using the second method (event sequences 1 2 4 and 1 3 4 are both in the correct order relative to each other).

In this problem you are asked to write a program to score such questions using the second method.

Given the correct chronological order of n events $1, 2, \dots, n$ as c_1, c_2, \dots, c_n where $1 \leq c_i \leq n$ denotes the ranking of event i in the correct chronological order and a sequence of student responses r_1, r_2, \dots, r_n where $1 \leq r_i \leq n$ denotes the chronological rank given by the student to event i ; determine the length of the longest (not necessarily contiguous) sequence of events in the student responses that are in the correct chronological order relative to each other.

Input

The input file contains one or more test cases, each of them as described below.

The first line of the input will consist of one integer n indicating the number of events with $2 \leq n \leq 20$. The second line will contain n integers, indicating the correct chronological order of n events. The remaining lines will each consist of n integers with each line representing a student's chronological ordering of the n events. All lines will contain n numbers in the range $[1 \dots n]$, with each number appearing exactly once per line, and with each number separated from other numbers on the same line by one or more spaces.

Output

For each test case, the output must follow the description below

For each student ranking of events your program should print the score for that ranking. There should be one line of output for each student ranking.

Warning: Read carefully the description and consider the difference between 'ordering' and 'ranking'.

Sample Input

4

4 2 3 1

1 3 2 4

3 2 1 4

2 3 4 1

0 1 2 3

4 2 3 1

3 2 1 4

10

3 1 2 4 9 5 10 6 8 7

1 2 3 4 5 6 7 8 9 10

4 7 2 3 10 6 9 1 5 8

3 1 2 4 9 5 10 6 8 7

2 10 1 3 8 4 9 5 7 6

6

Sample Output

1
2
3
6
5
10
9