LOGO

[Practice name]
[Street address] · [City, State / Region, Postcode]
[Phone] · [Email] · [Website]

EYE-05
Version 1.0

CONSENT FORM · INFORMED CONSENT / INFORMED REFUSAL

Consent for Dilation & Diagnostic Eye Drops

Dilating drops widen the pupil so we can examine the retina, optic nerve and blood vessels at the back of the eye. It is the most reliable way to detect many sight-threatening conditions.

Completed by: Patient | Use as: Consent form (e-signature) | Time: 3 min

Patient full name	Date of birth	Patient ID (office use)	Date completed

01 What to expect

- Drops take **20–30 minutes** to work. Effects usually last **4–6 hours** (longer in children and light-coloured eyes, up to 24 hours with cycloplegic drops).
- Near vision will be blurred and you will be **sensitive to light**. Disposable sunglasses are available.
- **Driving:** many people can drive safely, but vision may not meet driving standards. We recommend you bring a driver if possible, especially the first time.
- Drops may sting briefly. Rarely they cause a temporary rise in heart rate or blood pressure.
- We may also use a numbing drop and an orange dye (fluorescein) to measure eye pressure and check the cornea.

Rare but urgent
Very rarely, dilation can trigger **acute angle-closure glaucoma** in people with narrow drainage angles. Seek care IMMEDIATELY (call practice phone or go to emergency) if, within 24 hours, you have **eye pain, red eye, blurred vision with halos around lights, headache, nausea or vomiting**.

02 Alternatives

Widefield retinal photography can image much of the retina without drops, but it **does not replace** a dilated exam for every condition (for example new flashes and floaters, diabetes, or a retinal tear). You may also choose to return on another day for dilation.

03 Your decision

Please tick ONE

- ○ **I consent** to dilating drops and related diagnostic drops today.
- ○ **I would like to reschedule** my dilated examination to: date
- ○ **I decline dilation today.** I understand that some eye diseases may not be detected, and that my clinician recommends a dilated exam.

Have you had a reaction to eye drops before? ○ No ○ Yes

Details

Are you pregnant or breastfeeding? ○ No ○ Yes ○ N/A

Driving yourself home today? ○ Yes ○ No — have a driver

04 Signature

Patient signature × | Patient printed name | Date

Parent / guardian / legal representative signature (if applicable) × | Printed name | Relationship to patient | Date

Witness / staff member | Drops instilled (office use) | Time