LOGO

[Practice name]
[Street address] · [City, State / Region, Postcode]
[Phone] · [Email] · [Website]

QUESTIONNAIRE · BINOCULAR VISION SYMPTOMS · 15 ITEMS

Convergence Insufficiency Symptom Survey (CISS)

Answer wearing your usual reading glasses or contacts. For children the examiner reads each question aloud. "Infrequently" = not very often.

Completed by: Patient (or examiner with child) | Use as: Assessment form with scoring | Time: 5 min

Patient full name	Date of birth	Patient ID (office use)	Date completed

01 Survey

Completed by: ○ Patient (self) ○ Examiner reading to child

Wearing: ○ Glasses ○ Contact lenses ○ No correction

Age: _____

#	When reading or doing close work…	Never 0	Infrequently 1	Sometimes 2	Fairly often 3	Always 4	Score
1	Do your eyes feel tired when reading or doing close work?	○	○	○	○	○	
2	Do your eyes feel uncomfortable when reading or doing close work?	○	○	○	○	○	
3	Do you have headaches when reading or doing close work?	○	○	○	○	○	
4	Do you feel sleepy when reading or doing close work?	○	○	○	○	○	
5	Do you lose concentration when reading or doing close work?	○	○	○	○	○	
6	Do you have trouble remembering what you have read?	○	○	○	○	○	
7	Do you have double vision when reading or doing close work?	○	○	○	○	○	
8	Do you see the words move, jump, swim or appear to float on the page when reading or doing close work?	○	○	○	○	○	
9	Do you feel like you read slowly?	○	○	○	○	○	
10	Do your eyes ever hurt when reading or doing close work?	○	○	○	○	○	
11	Do your eyes ever feel sore when reading or doing close work?	○	○	○	○	○	
12	Do you feel a "pulling" feeling around your eyes when reading or doing close work?	○	○	○	○	○	
13	Do you notice the words blurring or coming in and out of focus when reading or doing close work?	○	○	○	○	○	
14	Do you lose your place while reading or doing close work?	○	○	○	○	○	
15	Do you have to re-read the same line of words when reading?	○	○	○	○	○	

02 Scoring

clinician

Total score (sum of 15 items)	Previous score / date	Change since baseline
/ 60		

CISS total _____ / 60

Range 0–60 · higher = more symptomatic

< 16	Children 9–17 y: asymptomatic	**16**	Children 9–17 y: symptomatic — suggests CI when signs agree
< 21	Adults 19–30 y: asymptomatic	**≥ 21**	Adults 19–30 y: symptomatic — suggests CI when signs agree

Interpret with NPC, near phoria and fusional vergence (EYE-15); re-score to track therapy (EYE-16).

CISS developed by the Convergence Insufficiency Treatment Trial (CITT) Group. Borsting EJ et al. Optom Vis Sci. 2003;80:832–838; Rouse MW et al. Optom Vis Sci. 2004;81:254–261.