CLINICAL NOTE · OPTOMETRY & COMPREHENSIVE OPHTHALMOLOGY

Comprehensive Eye Examination

Master note for new and established patients: history, pre-testing, refraction, binocular status, anterior and posterior segment, diagnostics, assessment, plan and coding.

Completed by: Clinician + technician | Use as: Note template | Time: 30–45 min

Patient name	Date of birth	Patient ID / MRN	Date of service	Clinician

01 Visit details

Visit type
○ New patient ○ Established ○ Annual / routine ○ Medical follow-up

Coverage billed
○ Vision plan ○ Medical insurance ○ Self-pay

Referring provider	Primary care provider	Accompanied by	Interpreter used / language

02 History

Chief complaint / reason for visit (patient's own words)

Location / eye	Onset & duration	Severity (0–10)	Timing / frequency

Quality / character	Context / triggers	Modifying factors	Associated signs & symptoms

Ocular history update (glasses/CL, surgery, trauma, conditions)

Medical history update

Current medications (incl. eye drops & supplements) flag hydroxychloroquine, steroids, tamsulosin, anticoagulants

Allergies & reactions

Family ocular history glaucoma, AMD, blindness, RD, keratoconus, strabismus

Social / visual demands occupation, screens, driving, smoking

Review of systems — mark any CURRENT problem (unmarked = denied)

- ☐ Constitutional (fever, weight change)
- ☐ Ears / nose / mouth / throat
- ☐ Cardiovascular
- ☐ Respiratory
- ☐ Gastrointestinal
- ☐ Genitourinary
- ☐ Musculoskeletal
- ☐ Integumentary (skin)
- ☐ Neurological (headache, numbness)
- ☐ Psychiatric (anxiety, depression)
- ☐ Endocrine (thyroid, diabetes)
- ☐ Hematologic / lymphatic
- ☐ Allergic / immunologic

Last eye exam	Last A1c (if diabetic)	Blood pressure	Driving
		mmHg	☐ Day ☐ Night ☐ Commercial ☐ Does not drive

Mental status
☐ Oriented to person, place & time ☐ Mood & affect appropriate

General observation
☐ Well appearing ☐ No acute distress ☐ Other: _____

03 Pre-testing

technician

Visual acuity	Distance SC	Distance CC	Pinhole	Near SC	Near CC	Chart / distance
OD						
OS						
OU						

Autorefraction	Sphere	Cylinder	Axis	Instrument
OD				
OS				

Keratometry	K1 (D)	Axis	K2 (D)	Axis	Corneal cyl
OD					
OS					

Colour vision Ishihara __/__ plates

Stereopsis arc sec

Screening visual field FDT / confrontation

Pupillary distance (distance / near) mm

Imaging captured

☐ Widefield retinal image ☐ Fundus photography ☐ OCT macula ☐ OCT optic nerve / RNFL ☐ Corneal topography ☐ Visual field

☐ Other: _____

04 Lensometry & refraction

Current Rx (lensometry)	Sphere	Cylinder	Axis	Prism	Base	Add	VA distance	VA near
OD								
OS								

Current Rx age / type SV, PAL, bifocal, CL

Patient satisfaction with current Rx

Retinoscopy / objective	Sphere	Cylinder	Axis	VA
OD				
OS				

Manifest (subjective)	Sphere	Cylinder	Axis	Prism	Base	Add	VA distance	VA near
OD								
OS								

Cycloplegic refraction performed

○ No ○ Yes — see below

Agent / time instilled

Cycloplegic	Sphere	Cylinder	Axis	VA distance	VA near
OD					
OS					

Final spectacle Rx	Sphere	Cylinder	Axis	Prism	Base	Add	VA distance	VA near
OD								
OS								

Lens recommendations

☐ Single vision ☐ Progressive ☐ Bifocal ☐ Computer / office ☐ Anti-reflective

☐ Photochromic ☐ Polycarbonate / Trivex ☐ Safety (Z87.1) ☐ Sun / polarized

Rx issued

○ Spectacles ○ No change ○ Not required

Patient given copy of Rx

○ Yes — confirmation signed ○ Declined / N/A

05 Binocular vision & sensorimotor

Deviation	Distance	Near	Comment
Cover test	Δ	Δ	
Phoria (VMR / Thorington)	Δ	Δ	

Near point of convergence (break / recovery) _____ cm

Accommodative amplitude OD / OS _____ D

Ocular motility ○ Full & smooth (FROM) ○ Restricted — see diagram

Pupils	Size dim (mm)	Size bright (mm)	Shape	Direct	Consensual	RAPD
OD	mm	mm				○ None ○ 1–4+: _____
OS	mm	mm				○ None ○ 1–4+: _____

Confrontation visual fields ○ Full to finger counting OD / OS ○ Defect: _____

Amsler grid OD / OS


06 Anterior segment

slit lamp biomicroscopy


Structure	OD	OS
Lids / lashes / adnexa	☐ WNL	☐ WNL
Lacrimal / puncta	☐ WNL	☐ WNL
Conjunctiva	☐ WNL	☐ WNL
Sclera / episclera	☐ WNL	☐ WNL
Cornea	☐ WNL	☐ WNL
Anterior chamber	☐ WNL	☐ WNL
Angle (Van Herick)	☐ WNL	☐ WNL
Iris	☐ WNL	☐ WNL
Lens	☐ WNL	☐ WNL

Grading aids — **Van Herick** grade 1–4 · **AC** cell / flare 0–4+ (SUN) · **Lens** NS / cortical / PSC 1–4+ · **Cornea** staining 0–5 (Oxford) · **Conjunctiva** hyperaemia 0–4 (Efron).

Anterior segment — OD OD



Anterior segment — OS OS



Tonometry method

☐ Goldmann applanation ☐ iCare rebound ☐ Tono-Pen ☐ Non-contact (NCT) ☐ Perkins ☐ Other: _____

Tonometry	IOP	Method	Time	CCT (pachymetry)	Notes
OD	mmHg			µm	
OS	mmHg			µm	

07 Posterior segment

Dilation ○ Dilated ○ Undilated ○ Declined (informed refusal signed) ○ Contraindicated

Agent(s) & time tropicamide 1% / phenylephrine 2.5%


Method

☐ Slit lamp + 90D / 78D ☐ Binocular indirect (BIO) ☐ Scleral depression ☐ Direct ophthalmoscopy ☐ Widefield image reviewed

Structure	OD	OS
Vitreous	☐ WNL	☐ WNL
Optic nerve head	☐ WNL	☐ WNL
Cup-to-disc ratio (H / V)	☐ WNL	☐ WNL
Neuroretinal rim	☐ WNL	☐ WNL
Macula / fovea	☐ WNL	☐ WNL
Vessels (A/V ratio)	☐ WNL	☐ WNL
Periphery	☐ WNL	☐ WNL


Fundus drawing — OD

OD



Fundus drawing — OS

OS



08 Diagnostic tests & interpretation

Test	Eye	Reliability / quality	Key findings	Vs prior	Interpretation

Each billed diagnostic test needs a separate signed interpretation and report — use EYE-25 for full reports.

09 Assessment & plan

#	Diagnosis / assessment	ICD-10	Eye	Status / severity	Plan
1					
2					
3					
4					
5					

Plan / treatment details

Medications prescribed / changed

Patient education provided

- ☐ Diagnosis & prognosis
- ☐ Dilation effects
- ☐ Retinal detachment warning signs
- ☐ Glasses / CL wear
- ☐ UV / blue light protection
- ☐ Diabetes & BP control
- ☐ Dry eye care
- ☐ Digital eye strain (20-20-20)
- ☐ Smoking cessation
- ☐ Other: _____

Referral to

Urgency

○ Routine ○ Soon (1–2 wk) ○ Urgent (24–72 h) ○ Same day

Return to clinic

☐ 1 day ☐ 1 week ☐ 2–4 weeks ☐ 3 months ☐ 6 months ☐ 12 months ☐ PRN

Specific RTC date / interval

10 Coding

- ☐ **92002** Eye exam, intermediate — new patient
- ☐ **92004** Eye exam, comprehensive — new patient
- ☐ **92012** Eye exam, intermediate — established
- ☐ **92014** Eye exam, comprehensive — established
- ☐ **99202–5** Office E/M — new patient (level __)
- ☐ **99212–5** Office E/M — established (level __)
- ☐ **92015** Determination of refractive state
- ☐ **S0620/21** Routine ophthalmological exam incl. refraction (some plans)
- ☐ **92083** Visual field, extended
- ☐ **92133** OCT — optic nerve
- ☐ **92134** OCT — retina
- ☐ **92137** OCT angiography — retina
- ☐ **92250** Fundus photography
- ☐ **92201** Extended ophthalmoscopy — retina drawing
- ☐ **92202** Extended ophthalmoscopy — optic nerve / macula
- ☐ **92020** Gonioscopy
- ☐ **76514** Corneal pachymetry
- ☐ **92025** Corneal topography
- ☐ **92060** Sensorimotor exam
- ☐ **92283** Colour vision, extended

Modifiers / laterality (RT, LT, 50, 25, 59)

Time spent (if time-based E/M)

min

Coding reminder

92004 / 92014 require a general evaluation of the complete visual system, including dilated ophthalmoscopy unless contraindicated. Refraction (92015) is billed separately and is not covered by Medicare.

11 Attestation

Documentation standard

When this note is used with Carepatron AI / transcription, document only what was said or measured. Leave unmeasured fields blank, never infer laterality, and record eye as OD (right), OS (left) or OU (both).

Clinician signature

×

Clinician name & credentials

Date / time signed

License / registration no.

NPI / provider no.

Technician / scribe

Co-signing clinician (if required)