LOGO

[Practice name]
[Street address] · [City, State / Region, Postcode]
[Phone] · [Email] · [Website]

EYE-19
Version 1.0

CLINICAL NOTE · SUSPECT, OCULAR HYPERTENSION & ESTABLISHED GLAUCOMA

Glaucoma Evaluation & Management

Risk profile, IOP history and target, gonioscopy, optic nerve, OCT and visual field with ICD-10 staging, medication adherence and escalation plan.

Completed by: Clinician | Use as: Note template | Time: 15–25 min

Patient name	Date of birth	Patient ID / MRN	Date of service	Clinician

01 Profile & risk

Status

○ Glaucoma suspect ○ Ocular hypertension ○ Angle-closure suspect ○ Established glaucoma

Year diagnosed

Risk factors

☐ Age > 60
☐ Family history (1st-degree)
☐ African / Hispanic / Asian ancestry
☐ High myopia
☐ Thin CCT (< 555 µm)
☐ Disc haemorrhage
☐ Pseudoexfoliation
☐ Pigment dispersion
☐ Steroid use
☐ Diabetes
☐ Low BP / nocturnal hypotension
☐ Sleep apnoea
☐ Migraine / Raynaud's
☐ Ocular trauma
☐ Other: _____

Pressure	Untreated baseline (Tmax)	Target IOP	Lowest on treatment	CCT	Corneal hysteresis
OD	mmHg	mmHg	mmHg	µm	mmHg
OS	mmHg	mmHg	mmHg	µm	mmHg

02 Interval history & treatment

Interval history, symptoms, side-effects

Systemic changes (new meds, BP, steroids)

Glaucoma medication	Eye	Frequency	Last dose (time)	Start date	Adherence	Side-effects

Reported adherence

○ Never misses ○ Misses < 1/wk ○ Misses 1/wk

Drop technique observed

○ Good ○ Needs training ○ Not observed

Prior laser / surgery (type, eye, date)

Outcome

03 Examination

Visual acuity	Distance SC	Distance CC	Pinhole	Near SC	Near CC
OD					
OS					
OU					

Tonometry method

☐ Goldmann applanation ☐ iCare rebound ☐ Tono-Pen ☐ Non-contact (NCT) ☐ Perkins ☐ Other: _____

Tonometry	IOP	Method	Time	CCT (pachymetry)	Notes
OD	mmHg			µm	
OS	mmHg			µm	

Pupils	Size dim (mm)	Size bright (mm)	Shape	Direct	Consensual	RAPD
OD	mm	mm				○ None ○ 1–4+: _____
OS	mm	mm				○ None ○ 1–4+: _____


Anterior segment	OD	OS
Cornea (Krukenberg spindle, oedema)	☐ WNL	☐ WNL
Anterior chamber depth / cells	☐ WNL	☐ WNL
Iris (transillumination, NVI, PXF)	☐ WNL	☐ WNL
Lens (PXF, phacodonesis)	☐ WNL	☐ WNL
Bleb / tube (if present)	☐ WNL	☐ WNL

04 Gonioscopy

Shaffer grade / structure	Superior	Inferior	Nasal	Temporal	PAS / pigment / other
OD					
OS					


Gonioscopy — OD

OD



Gonioscopy — OS

OS




Shaffer 0 closed · 1 Schwalbe's line only (≈ 10°) · 2 TM visible (≈ 20°) · 3 scleral spur (≈ 30°) · 4 ciliary body band (≥ 35–45°). Record lens used and whether indentation was performed.

05 Optic nerve & imaging

Optic nerve	C/D vertical	C/D horizontal	Disc size	Rim (ISNT)	Notch / thinning	Disc haemorrhage	PPA
OD							
OS							


Optic nerve / fundus — OD

OD



Optic nerve / fundus — OS

OS



OCT RNFL	Average RNFL	Superior	Inferior	Nasal	Temporal	GCL / GCC	Signal	Trend / GPA
OD	µm	µm	µm	µm	µm	µm		
OS	µm	µm	µm	µm	µm	µm		

Visual field	Test / strategy	FL / FP / FN	MD (dB)	PSD (dB)	VFI (%)	GHT	Defect pattern	Progression
OD								
OS								

06 Assessment

Eye	Diagnosis	ICD-10	Stage	Status
OD			○ 1 Mild ○ 2 Mod ○ 3 Severe ○ 4 Indet.	○ Stable ○ Progressing ○ Uncertain
OS			○ 1 Mild ○ 2 Mod ○ 3 Severe ○ 4 Indet.	○ Stable ○ Progressing ○ Uncertain

ICD-10 stage (7th character): **1 mild** — optic nerve changes consistent with glaucoma, normal visual field · **2 moderate** — field defect in one hemifield, not within 5° of fixation · **3 severe** — defects in both hemifields and/or within 5° of fixation · **4 indeterminate**. E.g. POAG H40.11[1/2/3] [stage]; OHT H40.05-; low-risk suspect H40.01-; high-risk suspect H40.02-; narrow angle H40.03-; NTG H40.12-; PXF H40.14-; pigmentary H40.13-; chronic angle-closure H40.22-.

07 Plan

Management

- ☐ Continue current therapy
- ☐ Start / add medication
- ☐ Switch medication (side-effects / efficacy)
- ☐ SLT / ALT
- ☐ Laser peripheral iridotomy
- ☐ MIGS
- ☐ Trabeculectomy / tube
- ☐ Cyclophotocoagulation
- ☐ Refer glaucoma specialist
- ☐ Observe (suspect)

Medication change	Dose / strength	Eye / route	Frequency	Start date	Notes / adherence

Target IOP (revised?) | Next IOP check | Next VF | Next OCT | Next gonioscopy

Patient education provided

- ☐ Chronic, silent disease
- ☐ Adherence & timing
- ☐ Drop technique / punctal occlusion
- ☐ Side-effects
- ☐ Driving & field loss
- ☐ Family screening
- ☐ Other: _____

- ☐ 92083 Visual field, extended
- ☐ 92133 OCT optic nerve
- ☐ 92020 Gonioscopy
- ☐ 76514 Pachymetry
- ☐ 92250 Fundus photography
- ☐ 65855 Laser trabeculoplasty

Clinician signature × | Clinician name & credentials | Date / time signed