







GENERAL ARRANGEMENT — Vne 62 MPH FLEET · 103 KIT 253 LB / EAB KIT 276 LB




SIDE — TRAILING ARM MAIN GEAR



FRONT — TRACK AND STANCE



COCKPIT & ENTRY — SIDE



6'0" / 170 LB PILOT, RECLINED 35° · HIP STA 51 (FWD 6 IN TO HOLD CG 63) · NO RUDDER PEDALS
STICK: PITCH / LATERAL SPOILERONS / TWIST RUDDER · L-HAND SYMMETRIC SPOILER LEVER
MESH SLING SEAT · CRUSH PAD 2 IN BELOW 1-G SAG · PROOF TEST 1920 LB
ENCLOSED CABIN: WINDSHIELD NOSE-TO-WING, DOORS BOTH SIDES (EAB KIT) · 103 FLIES OPEN
BALLAST BOSS STA 20 (8 LB REQ'D < 135 LB PILOT) · HATCH VENTILATION REQUIRED


STRUCTURE — WELDED 4130 CAGE + STEEL BOOM (trades/cockpit-cage.md)

FRONT - MAIN HOOP AT STA 61.5 (WING PICKUP z=55)
ONE FRAME, THREE JOBS: ROLLOVER STRUCTURE OVER THE PILOT,
FRONT-SPAR CARRY-THROUGH (88% OF WING LIFT, 1519 LB/SIDE ULT),
AND IT SITS AT THE CG SO WING LIFT FEEDS NO PITCHING COUPLE

NOSE BOW
STA 30

MAIN HOOP STA 61.5
ROLLOVER + FRONT SPARE REAR SPAR / SEAT BACK BOOM PICKUP
NO CABANE STA 80.5 STA 96

SIDE — WELDED 4130 CAGE (fabric pod removed)



WING PICKUP z=55

FRONT — CAGE SECTION

