

Alle's ClinX

STANDARD OPERATING PROCEDURE

Controlled Use - Surface Disinfectant Refill - Lime

DOCUMENT CONTROL

Field	Controlled value	Field	Controlled value
SOP number	ACX-1252-VAR-SOP	Revision	1.0
Effective date	14 SEP 2026	Next review	14 SEP 2026

1. PURPOSE AND SCOPE

This procedure defines the controlled site use of Surface Disinfectant Refill - Lime (ACX-1252-VAR) for approved institutional hygiene / disinfection support tasks. It covers product verification, compatibility, safety controls and close-out. Chemical dosing and handling remain governed by the current product label, SDS and site-approved procedure.

Applies to	Healthcare / Hospitality / Education - approved personnel / areas only
Exclusions	Any use not covered by the current product label / SDS or site approval

2. RESPONSIBILITIES

Role	Responsibility
Authorised operator	Verify the correct product and current controlled documents; follow the approved site procedure and required safety controls.
Supervisor / QA / EHS	Maintain current label / SDS availability, confirm site controls, and define any required records or verification.

3. APPROVED PRODUCT AND EQUIPMENT

Product	Surface Disinfectant Refill - Lime / ACX-1252-VAR
Approved surfaces / equipment	All standard hard surfaces - counters, handles, desks, switches, appliance exteriors
PPE	Current product SDS / label and site risk assessment
Restrictions / incompatibilities	Use only with the current label / SDS and site infection- control procedure. Do not mix with incompatible cleaning chemicals.

4. PROCEDURE

Step	Action	Acceptance / finish
1	Confirm product identity, SKU, label / SDS revision and task authorisation.	Correct product and current controlled documents confirmed.
2	Confirm compatible area / equipment, required PPE and site controls before the task.	Pre-use checks complete; incompatible use excluded.
3	Perform the task only under the current product label and site- approved operating procedure.	No unapproved chemical mixing, dosing or process deviation.
4	Complete site-defined finish / rinse / dry, container close-out and any required record.	Area / equipment left in the site- approved condition; product secured.

5. SAFETY CONTROLS

Control	Requirement
PPE	Current product SDS / label and site risk assessment
Critical warnings	Use only with the current label / SDS and site infection- control procedure. Do not mix with incompatible cleaning chemicals.
Emergency reference	Current SDS / label and site emergency procedure