

Stainless Steel Heavy-Duty Cleaner & Degreaser

Alkaline Degreasing Formula with Baked-On Soil Remover + Non-Scratch Surfactant System Stainless Steel Heavy-Duty Cleaner for commercial kitchen equipment, grills, ovens & factory-grade steel surfaces

01 **Document control**

DOCUMENT ID ACX-SOP-ACXSSHDCLEANVAR	STATUS Professional facility use
MARKET India	SOURCE BASIS Current Alle's ClinX product catalogue + current public SDS

02 **Control requirement**

Use with the current label, SDS, technical instructions and site-specific controls.

03 **Purpose**

Define a repeatable, supervised and documented method for professional use of Stainless Steel Heavy-Duty Cleaner & Degreaser, including preparation, PPE, dose/dilution, application, verification, incident response and storage.
--

Scope, roles and stop-work authority

Defines who may use the product, what each role controls, and when work must stop.

01 Scope

Alkaline Degreasing Formula with Baked-On Soil Remover + Non-Scratch Surfactant System Stainless Steel Heavy-Duty Cleaner for commercial kitchen equipment, grills, ovens & factory-grade steel surfaces

02 Roles

Supervisor / facility lead

Operator

Approve task fit, confirm current controlled Follow dose/dilution and sequence exactly; use documents, ensure PPE/access controls and PPE; stop work when conditions fall outside the review deviations. SOP.

EHS / technical reviewer

Procurement / stores

Resolve uncertain compatibility, exposure, Maintain labelled stock, correct segregation, incident or formulation questions before work current revision documents and traceable resumes. product identity.

03 Stop-work authority

- Any uncontrolled splash, acid/alkali cross-contact or loss of corrosive-duty PPE.
- Unexpected reaction, heat, fumes, odour or visible surface attack.
- Damaged or unlabelled container, uncertain product identity or uncertain compatibility.
- Splash/exposure event or uncontrolled spill.

Hazard controls before product handling

Use the current SDS classification and task risk assessment; product appearance or fragrance is not a safety control.

01 Current SDS hazard profile



DANGER GHS05

H314 - Causes severe skin burns and eye damage.

02 PPE selection



Protective gloves



Eye protection



Face shield where splash risk is significant



Respiratory protection only where site risk

03 Primary failure modes

01 Corrosive exposure

Prevent skin/eye contact; control splashes; use gloves and eye/face protection.

02 Surface attack

Confirm compatibility and do not exceed stated strength/contact conditions.

03 Wrong dilution / dose

Measure product; do not free-pour where a defined dilution or dose is specified.

04 Incompatible chemistry

Never mix cleaning chemicals unless current controlled documentation explicitly permits it.

Pre-use checklist

No application begins until product identity, compatibility, area controls, PPE and cleanup resources are confirmed.

- 01

Read current SDS
Confirm current label/SDS and site procedure before use.
- 02

Confirm application
Use only for the intended task, surface, equipment or hygiene purpose.
- 03

Prepare the area
Control access, remove incompatible products and arrange ventilation where needed.
- 04

Wear corrosive-duty PPE
Chemical-resistant gloves and eye/face protection are mandatory for concentrate handling.
- 05

Prepare rinse / cleanup
Have water, wipes or approved cleanup materials ready before starting.

01

Product setup

DOSE / DILUTION	APPLICATION	RINSE / FINISH
1:3 to 1:10 depending on soil level; neat for heaviest carbon deposits	Cloth or non-abrasive pad, dwell & wipe	Yes - thorough rinse required on food-contact surfaces

Step-by-step operating procedure

1:3 to 1:10 depending on soil level; neat for heaviest carbon deposits | Cloth or non-abrasive pad, dwell & wipe

Prepare

01

Read the current label/SDS, confirm compatibility, isolate the task area and prepare PPE.

Dilute

02

1:10 in warm water for routine equipment cleaning; use at 1:3 or neat on heavily carbonised grill and oven surfaces.

Apply, dwell & rinse

03

apply with a cloth or non-abrasive pad, allow 5 minutes dwell time on heavy soil, wipe clean, then rinse thoroughly with clean water before returning equipment to food-contact use.

Verify

04

Confirm the required result, correct finish and safe condition before closing the task.

Close out

05

Reseal and return the product to storage, restore the work area and report any abnormal result or deviation.

Record

06

Record the task, dose/dilution and any deviation where the facility procedure requires traceability.

Quality verification and task release

Application alone is not completion; verify the result and confirm the area is safe to return to service.

01 Completion criteria

- Required soil / contamination / hygiene task has been addressed to the facility standard.
- No visible chemical residue remains where the process requires rinsing or wipe-off.
- No material damage, discolouration, etching, swelling or finish change is visible.
- Area, equipment or item is safe to return to service.
- Container is closed, labelled and returned to the correct storage location.
- Any deviation, repeat cycle, spill, exposure or damage is recorded and escalated.

02 Process data to record

Date / location

Product / batch

Where and when the task occurred. Product identity and batch/lot where available.

Dose / dilution

Operator / supervisor

Actual measured amount or working dilution. Who performed and who released the task.

Deviation / incident

Any repeat, damage, spill, exposure or unusual result.

Surface, material and equipment compatibility

Identify the material before application. Compatibility failures are preventable when limits are checked first.

01 Compatibility matrix

Compatible after check

- Stainless steel
- Chrome
- Compatible metal exteriors

Verify before use

- Aluminium / alkali-sensitive finishes unless confirmed
- Unknown surfaces without spot testing

02 Use-case boundaries

01 Provides alkaline cleaning action for the stated soil and professional application range.

02 Supports cleaning without abrasive mechanical action on compatible surfaces.

03 Supports breakdown and removal of heavy grease and residue under the stated use conditions.

04 Use only on compatible materials and within the current product, site and food-safety controls.

Exposure, spill and abnormal reaction

Stop the task, protect people first, then contain and escalate according to the current SDS and site emergency procedure.

01 First aid

Eyes

ACT IMMEDIATELY. Flush eyes with clean water for a minimum of 15 minutes, holding eyelids open and rolling eyes to ensure full irrigation. Remove contact lenses if present and easy to do - continue rinsing. Seek immediate medical/ophthalmological attention even if no symptoms are present.

Skin

Immediately remove contaminated clothing including shoes. Flush affected skin with large amounts of water for at least 15 minutes. Do not scrub. Apply soap if available after initial rinsing. If irritation, redness, or pain persists, seek medical attention. Wash clothing before reuse.

Inhalation

Remove affected person to fresh air immediately. If breathing is difficult, administer oxygen. If breathing has stopped, apply artificial respiration. Keep person warm and at rest. Seek medical attention if symptoms (coughing, throat irritation) persist beyond 30 minutes.

Ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Give the person 1-2 glasses of water to drink if conscious and able to swallow. Do not give anything by mouth to an unconscious person. Seek immediate medical attention. Bring this MSDS and product label to the treating physician.

02 Spill / abnormal reaction

- Restrict access and stop exposure.
- Wear task-appropriate PPE before approaching the spill.
- Prevent uncontrolled spread to drains or incompatible materials.
- Use the current SDS Section 6 for containment and cleanup.
- Escalate large spills, fumes, fire, strong or unexpected chemical odour, unexpected heat or incompatible mixing immediately.

Storage, training and deviation control

Safe use depends on correct storage, competent operators and disciplined stop-work behaviour.

01 Storage controls

Read the label and current SDS before use. Use only as directed. Avoid eye contact and prolonged skin contact. Use in well-ventilated areas and avoid generating aerosol mist in enclosed spaces. Wash hands after handling; do not eat, drink or smoke during use. Gloves are recommended and eye protection is required for concentrate/neat use. Do not mix with bleach, strong acids, strong alkalis or oxidising agents unless the label explicitly permits it. Dilution: 1:3 to 1:10 depending on soil level; use neat only for the heaviest carbon deposits.

02 Operator competency

- Identify the correct product, label and current SDS.
- Explain the approved dose/dilution and application sequence.
- Select and use task-appropriate PPE.
- Recognise incompatible chemicals/materials and stop-work conditions.
- Perform rinse/finish and verification steps correctly.
- Report and document spills, exposures, damage and deviations.

03 Deviation rule

Do not improvise

If the task, surface, chemistry, dose, contact time, PPE or incident condition is outside the current controlled instructions, stop and obtain technical/supervisor approval before continuing.

Resources, approval and revision

Use the website as the current document layer and retain local approval and revision records for controlled use.

01 Live resources



Current SDS

Safety data



Document centre

SDS / TDS / guides



Shop

Browse / procure

02 Approval record

PREPARED BY

Alle's ClinX Technical Documentation

TECHNICAL REVIEWER

EHS / OPERATIONS REVIEWER

EFFECTIVE DATE

REVISION

1.0

NEXT REVIEW

03 Release condition

Use this SOP with the current formulation, product label, SDS/TDS, applicable site controls and product-specific technical instructions.