

Carbonised Grease Remover - Caustic Gel

Caustic-Enhanced Alkaline Gel with pH 12-13 + Dwell-Action Formula Carbonised Grease Removal for commercial kitchen ovens, hoods & extraction systems

Follow current product label for dose and dilution

DOSE / DILUTION

Follow the current label and measure accurately.

12-13

PH / CHEMISTRY

Reference value from current product data.

5 Litres

PACK

Procurement / refill format.



DANGER - GHS05

H314 - Causes severe skin burns and eye damage.

01 What this guide helps you control

- Correct dose, dilution and application sequence for the intended task.
- Where the product fits, material limits and compatibility checks before use.
- PPE, stop-work conditions, storage and incident-response essentials.
- Direct access to the current SDS, technical documents and procurement resources.

Application scope and controls

Where the product creates value, what PPE is needed, and what must be confirmed before use.

01 Operational value

01 pH 12-13 caustic-enhanced formula

Provides the stated alkaline pH profile for the intended soil and application range.

02 Gel delivery system

Clinging gel helps maintain product contact with the target area during the stated application.

03 Dual-mechanism action

Combines complementary cleaning functions in one controlled professional application.

04 Designed for scheduled deep-clean

Designed for the stated routine or scheduled facility-cleaning frequency.

02 PPE and task controls



Protective gloves



Eye protection



Face shield where splash risk is significant



Respiratory protection only where site risk

03 Pre-use verification

01 Read current SDS

Confirm current label/SDS and site procedure before use.

02 Confirm application

Use only for the intended task, surface, equipment or hygiene purpose.

03 Prepare the area

Control access, remove incompatible products and arrange ventilation where needed.

04 Wear corrosive-duty PPE

Chemical-resistant gloves and eye/face protection are mandatory for concentrate handling.

05 Prepare rinse / cleanup

Have water, wipes or approved cleanup materials ready before starting.

Controlled application sequence

Use the current product label and technical literature for exact dose, dilution and application conditions.

Prepare

01

Read the current label/SDS, confirm compatibility, isolate the task area and prepare PPE.

Surface preparation

02

Remove loose debris. Ensure the surface is at ambient temperature - do not apply to hot surfaces above 40°C.

Rinse / finish

03

Yes - mandatory, especially on food-contact surfaces

Verify

04

Confirm the required result, correct finish and safe condition before closing the task.

Close out

05

Reseal and return the product to storage, restore the work area and report any abnormal result or deviation.

Record

06

Record the task, dose/dilution and any deviation where the facility procedure requires traceability.

Keep the chemistry controlled

More product, longer dwell time or mixing with another cleaner is not automatically safer or more effective. Stay within the current product instructions.

Compatibility and application limits

Confirm the material, surface or equipment before application; avoid preventable damage and rework.

01 Compatibility

Compatible after check

- Stainless steel
- cast iron
- enamel-coated surfaces
- ceramic tiles
- concrete

Verify before use

- Aluminium
- galvanised surfaces
- soft metals - caustic attacks these substrates

02 Operational value

01 pH 12-13 caustic-enhanced formula

Provides the stated alkaline pH profile for the intended soil and application range.

02 Gel delivery system

Clinging gel helps maintain product contact with the target area during the stated application.

03 Dual-mechanism action

Combines complementary cleaning functions in one controlled professional application.

04 Designed for scheduled deep-clean cycles

Designed for the stated routine or scheduled facility-cleaning frequency.

Incident response and escalation

Stop work early, protect people first, and use the current SDS and site emergency procedure.

Stop work

Any uncontrolled splash, acid/alkali cross-contact or loss of corrosive-duty PPE. Unexpected reaction, heat, fumes, odour or visible surface attack. Damaged or unlabelled container, uncertain product identity or uncertain compatibility. Splash/exposure event or uncontrolled spill.

01 First-aid summary

Eyes

Flush eyes with clean water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. Continue rinsing and seek medical attention if irritation persists.

Skin

Remove contaminated clothing. Rinse affected skin thoroughly with water. Wash with soap where appropriate. Seek medical attention if irritation, redness or pain persists.

Inhalation

Move the affected person to fresh air and keep at rest. If breathing is difficult or symptoms persist, seek medical attention. Follow the current SDS and site emergency procedure.

Ingestion

Do not induce vomiting. Rinse mouth with water. Do not give anything by mouth to an unconscious person. Seek medical attention promptly and provide the current SDS or product label.

02 Storage

Store in the original labelled container, tightly closed and upright, in a cool, dry, well-ventilated area. Keep away from incompatible materials and follow the current SDS Section 7 for product-specific storage conditions. Do not mix with other chemicals unless explicitly permitted by the current product instructions.

03 Live resources



Current SDS

Safety data



Document centre

SDS / TDS / guides



Shop

Browse / procure