

Passivation Metal Descaler - Mild Acid

Mild Acid Chemistry with Non-Abrasive Formula, 1:4 Dilution + Passivation Action Metal Surface Descaling for stainless steel, chrome & aluminium in institutional kitchens

250 ml per litre of water (1:4)

DOSE / DILUTION

Follow the current label and measure accurately.

Mild acidic

PH / CHEMISTRY

Reference value from current product data.

5 Litres

PACK

Procurement / refill format.



WARNING - GHS07

H315 - Causes skin irritation. H319 - Causes serious eye irritation (concentrate).

01 What this guide helps you control

- Correct dose, dilution and application sequence for the intended task.
- Where the product fits, material limits and compatibility checks before use.
- PPE, stop-work conditions, storage and incident-response essentials.
- Direct access to the current SDS, technical documents and procurement resources.

Application scope and controls

Where the product creates value, what PPE is needed, and what must be confirmed before use.

01 Operational value

01 Mild acid chemistry

Provides controlled acidic action for compatible mineral-scale and deposit-removal tasks.

02 Non-abrasive formulation

Supports cleaning without abrasive mechanical action on compatible surfaces.

03 1:4 dilution

Supports measured dosing across the stated dilution or application range.

04 Compatible with FSSAI food safety

Use only on compatible materials and within the current product, site and food-safety controls.

02 PPE and task controls



Protective gloves



Eye protection

03 Pre-use verification

01 Read current SDS

Confirm current label/SDS and site procedure before use.

02 Confirm application

Use only for the intended task, surface, equipment or hygiene purpose.

03 Prepare the area

Control access, remove incompatible products and arrange ventilation where needed.

04 Prepare PPE

Use the PPE stated in the SDS/product literature for concentrate handling and task risk.

05 Prepare rinse / cleanup

Have water, wipes or approved cleanup materials ready before starting.

Controlled application sequence

250 ml per litre of water (1:4) | Soft cloth or spray - direction of metal grain

Prepare

01

Read the current label/SDS, confirm compatibility, isolate the task area and prepare PPE.

Dose / dilute

02

250 ml per litre of water (1:4)

Apply as directed

03

Dilution 250 ml of concentrate per litre of water (1:4 ratio).

Apply as directed

04

Apply with a soft cloth or spray bottle - do not use abrasive pads or steel wool.

Rinse / finish

05

Mandatory on food-contact surfaces - thorough water rinse

Verify

06

Confirm the required result, correct finish and safe condition before closing the task.

Keep the chemistry controlled

More product, longer dwell time or mixing with another cleaner is not automatically safer or more effective. Stay within the current product instructions.

Compatibility and application limits

Confirm the material, surface or equipment before application; avoid preventable damage and rework.

01 Compatibility

Compatible after check

- Stainless steel
- chrome
- treated aluminium
- architectural metalwork

Verify before use

- Copper
- brass
- reactive metals - test before use

02 Operational value

01 Mild acid chemistry

Provides controlled acidic action for compatible mineral-scale and deposit-removal tasks.

02 Non-abrasive formulation

Supports cleaning without abrasive mechanical action on compatible surfaces.

03 :4 dilution

Supports measured dosing across the stated dilution or application range.

04 Compatible with FSSAI food safety requirements

Use only on compatible materials and within the current product, site and food-safety controls.

Incident response and escalation

Stop work early, protect people first, and use the current SDS and site emergency procedure.

Stop work

Unexpected reaction, heat, fumes, odour or visible surface attack. Damaged or unlabelled container, uncertain product identity or uncertain compatibility. Splash/exposure event or uncontrolled spill.

01 First-aid summary

Eyes

Flush eyes with clean water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. Continue rinsing and seek medical attention if irritation persists.

Skin

Remove contaminated clothing. Rinse affected skin thoroughly with water. Wash with soap where appropriate. Seek medical attention if irritation, redness or pain persists.

Inhalation

Move the affected person to fresh air and keep at rest. If breathing is difficult or symptoms persist, seek medical attention. Follow the current SDS and site emergency procedure.

Ingestion

Do not induce vomiting. Rinse mouth with water. Do not give anything by mouth to an unconscious person. Seek medical attention promptly and provide the current SDS or product label.

02 Storage

Store in the original labelled container, tightly closed and upright, in a cool, dry, well-ventilated area. Keep away from incompatible materials and follow the current SDS Section 7 for product-specific storage conditions. Do not mix with other chemicals unless explicitly permitted by the current product instructions.

03 Live resources



Current SDS

Safety data



Document centre

SDS / TDS / guides



Shop

Browse / procure