

FAA Part 107 Practice Exam

50 questions • answer key with explanations • free from part107quiz.com

How to use this exam: give yourself 100 minutes (the real exam's pace), no notes, and circle your answers. The pass mark on the real test is 70% — 35 of 50 here. Score yourself with the key at the back: every answer includes a plain-English explanation and the FAA reference behind it. Miss a topic repeatedly? Drill it free at the online practice tests.

Original questions based on public FAA source material (14 CFR Part 107, the Remote Pilot ACS, FAA study guides). Not affiliated with or endorsed by the FAA. Not actual exam questions — no one outside the FAA has those.

1. The safest guidance for charging sUAS batteries is to:

- A. Charge unattended overnight
- B. Always store packs fully charged so they're ready to fly
- C. Use any USB charger that fits
- D. Follow the manufacturer's charging instructions

2. A TAF is best described as:

- A. A winds-aloft chart
- B. A forecast for the area within 5 statute miles of an airport
- C. An hourly surface observation of the current weather at an airport
- D. A national radar summary

3. Under the PAVE checklist for preflight risk assessment, the 'E' stands for:

- A. Equipment
- B. Emergency procedures rehearsed with the crew before every departure
- C. External pressures
- D. Endurance

4. Which event requires an accident report to the FAA under Part 107?

- A. Only an accident involving a fatality
- B. Any damage to any property, no matter how small the cost
- C. Serious injury, or at least \$500 damage to property other than the drone
- D. Damage to the drone itself costing more than \$500 to repair

5. How does cold weather typically affect drone battery performance?

- A. There is no effect
- B. Cold prevents overcharging
- C. Capacity improves in cold air
- D. Voltage sag and reduced capacity shorten flight time

6. What maintenance standard does Part 107 set for small unmanned aircraft?

- A. A 100-hour inspection by a mechanic
- B. Keeping the aircraft in a condition for safe operation, checked before each flight
- C. A notarized maintenance logbook reviewed and stamped annually by an FAA-certificated mechanic
- D. An FAA annual inspection

7. Exceeding the manufacturer's maximum gross weight risks:

- A. Structural overstress and degraded performance
- B. Only a shorter warranty
- C. Nothing, provided the overload lasts only a few minutes
- D. Better stability in wind

8. What are the three ways to comply with the Remote ID rule?

- A. A transponder, ADS-B Out, and radar contact
- B. A Standard Remote ID drone, a broadcast module, or flying at a FRIA
- C. Registration, insurance, and a waiver
- D. Filing a flight plan before each mission

9. Which conditions are characteristic of UNSTABLE air?

- A. Temperature inversions
- B. Stratus layers and haze
- C. Cumulus clouds, showery precipitation, turbulence, and good visibility
- D. Steady drizzle and fog

10. Your drone weighs 0.9 lb and you fly it only for paid real-estate photography. Registration is:

- A. handled automatically by the manufacturer when the aircraft is first activated in its companion app
- B. required only after you have completed your first ten paid jobs with that aircraft
- C. required — \$5 per aircraft, marked on the exterior
- D. not required, because registration applies only to aircraft heavier than 55 lb

11. What is the minimum flight visibility for Part 107 operations?

- A. 5 statute miles
- B. There is no visibility minimum for sUAS operations below 400 ft
- C. 3 statute miles from the control station
- D. 1 statute mile

12. Mid-flight, a bystander walks up and begins asking questions about your drone. The best response is to:

- A. keep your eyes on the aircraft and defer the conversation, or land first
- B. ignore the person completely until the battery is exhausted
- C. hand the controls to the bystander briefly, since direct supervision by an RPIC makes that lawful
- D. answer while continuing to fly, to protect the client's schedule

13. What is the minimum age to hold a remote pilot certificate with an sUAS rating?

- A. 18 years old
- B. 14 years old
- C. 16 years old
- D. 21 years old

14. An airport symbol printed in magenta on a sectional chart tells you the airport:

- A. Does not have an operating control tower
- B. Has an operating control tower
- C. Is closed to all traffic
- D. Is a military field with prior-permission-required rules

15. A person who does NOT hold a remote pilot certificate may fly the controls of an sUAS only if:

- A. They are at least 16 years old
- B. A remote pilot in command directly supervises them and can take immediate control
- C. A visual observer is watching the aircraft
- D. They have completed the TRUST test

16. Which Part 107 rule may NOT be waived by the FAA?

- A. The visual line of sight requirement
- B. The 400-ft altitude limit
- C. The restriction on operating from a moving vehicle over other than sparsely populated areas
- D. The prohibition on carrying hazardous materials

17. What is the antidote for MACHO ('I can do it')?

- A. It could happen to me
- B. Follow the rules — they are usually right
- C. Taking chances is foolish
- D. I'm not helpless

18. Anti-collision lighting is required during which operating periods?

- A. Civil twilight and night operations
- B. Night only
- C. All operations, day and night
- D. Night operations conducted in Class G airspace only

19. A person may not operate an sUAS with a blood alcohol concentration at or above what level?

- A. 0.08
- B. 0.04
- C. 0.10
- D. 0.02

20. Which conditions are characteristic of STABLE air?

- A. Stratiform clouds, smooth air, and poor visibility
- B. Showery precipitation and turbulence
- C. Towering thunderstorms
- D. Cumulus clouds and good visibility

21. In the continental US, civil twilight is generally the period:

- A. From sunset until sunrise
- B. 30 minutes before official sunrise and 30 minutes after official sunset
- C. 1 full hour before official sunrise and 1 full hour after official sunset
- D. Only defined in summer months

22. An airport data block on the sectional reads: RIVERTON (RVT) 53 L 72 122.8. The 72 means:

- A. the recommended traffic pattern altitude at that field is 720 ft above ground level
- B. the airport currently has 72 based aircraft on the field
- C. the longest runway is about 7,200 ft
- D. the field elevation is 7,200 ft above mean sea level at the airport reference point

23. An MEF shown as a large '2' with a small '3' means the highest feature in that quadrant is approximately:

- A. 23,000 ft MSL
- B. 2,300 ft AGL
- C. 2,300 ft MSL
- D. 230 ft MSL

24. A METAR reports 'FEW008 SCT015 BKN025 OVC060'. What is the reported ceiling?

- A. 6,000 ft AGL, because only the overcast layer fully covers the sky above the field
- B. 2,500 ft AGL
- C. 1,500 ft AGL
- D. 800 ft AGL

25. For night operations under Part 107, the anti-collision lighting must be visible for at least:

- A. 3 statute miles, with a flash rate sufficient to avoid a collision
- B. 5 statute miles, any color
- C. No lighting is required if a visual observer is used
- D. 1 statute mile, steady burning

26. What ATC authorization is required to fly a small UA in Class G airspace?

- A. A DroneZone waiver
- B. None — Class G is uncontrolled airspace
- C. LAANC authorization
- D. Verbal approval from the nearest tower

27. Loading an aircraft so its CG sits at the aft limit tends to make it:

- A. Less stable and harder to recover from upsets
- B. Increasingly nose-heavy during landing approaches
- C. Fly with greater range
- D. More stable in gusts

28. The fuzzy magenta shading (vignette) on a sectional chart shows:

- A. Class E airspace beginning at 700 ft AGL
- B. A restricted area boundary
- C. Class E airspace at the surface
- D. Class G airspace above 1,200 ft AGL in that area

29. Before operating after taking an over-the-counter medication, you should:

- A. Check the label and side effects, and do not operate if it may impair you
- B. Rely on a strong cup of coffee to fully offset any drowsiness the medication causes
- C. Fly anyway — only prescription drugs matter
- D. Halve the dose

30. A small unmanned aircraft must yield the right of way to:

- A. Only other unmanned aircraft
- B. Only aircraft below 400 ft AGL
- C. Only manned aircraft in distress
- D. All other aircraft

31. Lines of longitude on aeronautical charts:

- A. Run parallel to the equator
- B. Run east-west around the globe and measure angular distance north or south of the equator
- C. Run north-south and are measured east or west of the Prime Meridian
- D. Exist only in the Northern Hemisphere

32. Your drone stops responding and drifts toward a crowded street (a flyaway). You should:

- A. Follow your flyaway procedure, alert your crew, and warn bystanders if possible
- B. Pursue the aircraft in your car
- C. Power off the controller and go home
- D. Do nothing — flyaways are unavoidable

33. Before flying at night under the current rules, a remote pilot must have:

- A. A 107.29 waiver (still required today)
- B. An instrument rating
- C. Nothing — there are no prerequisites
- D. Completed the updated initial knowledge test or the current online recurrent training

34. A risk assessment matrix rates a hazard by:

- A. the likelihood of the occurrence and the severity of its outcome
- B. the altitude and airspeed at which it occurs
- C. its cost and its duration
- D. the number of crew members available

35. The standing stadium TFR restricts flight near major sporting events within what radius and time window?

- A. 5 NM radius, all day on game day
- B. 10 NM radius during the event
- C. 1 NM radius, during the event only
- D. 3 NM radius, from 1 hour before until 1 hour after the event

36. The nearest METAR reports 2SM visibility in haze, and you confirm the same conditions from your control station. Under Part 107 you may:

- A. fly, because the 3-statute-mile minimum applies only inside controlled airspace
- B. fly, if you keep the aircraft within 200 ft of the launch point
- C. not fly, because the minimum flight visibility is 3 statute miles
- D. fly, provided a visual observer is added to the crew

37. Your launch site sits under the faded magenta vignette but outside any dashed line. You will fly at 350 ft AGL. What authorization do you need?

- A. LAANC authorization for surface Class E, which the vignette depicts around every non-towered airport
- B. Verbal permission from the nearest control tower on the CTAF frequency
- C. None — you are in Class G below 700 ft AGL
- D. A 107.41 waiver through FAA DroneZone, because the vignette marks controlled airspace at the surface

38. A paid shoot in Class G airspace will run until 45 minutes after official sunset. The flight is legal if:

- A. the aircraft has anti-collision lighting visible for 3 statute miles
- B. the operation was filed as a night waiver in DroneZone at least 90 days in advance
- C. the aircraft remains below 200 ft AGL for the entire post-sunset portion
- D. a visual observer on site also holds a remote pilot certificate

39. Crew Resource Management (CRM) is best defined as:

- A. A maintenance scheduling system
- B. A radio phraseology standard
- C. A checklist-reading method
- D. Effective use of ALL available resources — people, hardware, and information

40. The temperature/dewpoint spread is small and decreasing. What should you expect?

- A. Severe clear-air turbulence at the surface is imminent
- B. Fog or low clouds are likely to form
- C. Visibility will improve
- D. A rapid drop in density altitude

41. A non-towered airport 2 NM away is ringed by a dashed magenta line. You intend to fly at 200 ft AGL inside that ring. You must:

- A. self-announce your intentions on the CTAF before every takeoff and every landing
- B. obtain FAA airspace authorization before flying
- C. stay at or below 400 ft AGL, which is all that Part 107 asks of you at that location
- D. notify the airport operator in writing at least 24 hours before the planned flight

42. Which statement about stress is most accurate?

- A. It improves focus in all situations
- B. It only matters when stress reaches immediately life-threatening levels
- C. Its effects are cumulative and can degrade judgment and performance
- D. It vanishes once the flight begins

43. On the CTAF you hear: 'Hartsville traffic, Cessna 4-1-2, entering left downwind, runway one-eight.' This tells you:

- A. A control tower instruction that requires an immediate acknowledgment from you
- B. The position and intention of manned traffic near a non-towered airport
- C. You are cleared to launch
- D. An aircraft declaring an emergency

44. Prior to flight, the remote pilot in command must assess the operating environment, including:

- A. Only the official TAF forecast at the nearest Class B international airport
- B. Only the battery level
- C. Local weather conditions, local airspace, and any ground hazards
- D. Nothing, if the flight is under 15 minutes

45. A FRIA is best described as:

- A. A paid FAA fast-track authorization zone
- B. Any private property with the owner's permission
- C. A frequency reserved for drone telemetry
- D. An FAA-recognized area where drones may fly without any Remote ID equipment

46. A client wants footage of an antenna tower that stands 700 ft tall. Staying within 400 ft of the structure, how high may you legally fly?

- A. Up to 400 ft AGL, because the Part 107 ceiling has no exception for tall structures
- B. Any altitude at all, as long as you remain within a 400-ft radius of the tower
- C. Up to 700 ft AGL, matching the height of the structure you are inspecting
- D. Up to 1,100 ft AGL

47. A crew member is dizzy and tingling after breathing rapidly during a stressful launch. The best response to this hyperventilation is to:

- A. Breathe faster and deeper
- B. Call EMS immediately in every case
- C. Administer supplemental oxygen
- D. Consciously slow the breathing rate — talking aloud or breathing into a bag helps

48. Which of the following operations requires a remote pilot certificate under Part 107?

- A. Flying for fun in your backyard
- B. A recreational park flight after completing TRUST
- C. Flying a drone indoors at home
- D. Photographing a house for a realtor's listing

49. What is the antidote for INVULNERABILITY ('It won't happen to me')?

- A. Not so fast — think first
- B. Follow the rules
- C. Taking chances is foolish
- D. It could happen to me

50. An area charted as 'P-56' is:

- A. A prohibited area where flight is not allowed
- B. A Class E extension
- C. A parachute drop zone
- D. A practice area reserved for student pilot training flights

Answer Key & Explanations

Score: correct ÷ 50. The FAA pass mark is 70% (35 correct). 85%+ (43 correct) means you're comfortably ready. More free practice: <https://part107quiz.com>

1. D — Manufacturer procedures govern charge rates, balance charging, and storage voltage — deviating is the most common cause of battery incidents.

Reference: FAA Remote Pilot Study Guide

2. B — A Terminal Aerodrome Forecast covers expected conditions within 5 SM of the airport, typically for 24 or 30 hours. METARs are the current observations.

Reference: FAA Aviation Weather Services concepts

3. C — PAVE covers Pilot-in-command, Aircraft, enVironment, and External pressures. Deadlines, client expectations, and unpaid travel time are the category pilots most often leave out of the assessment.

Reference: FAA-H-8083-25B Ch.2

4. C — Report when there is serious injury or loss of consciousness, or repair/replacement of damaged property OTHER than the UA costs \$500 or more.

Reference: 14 CFR 107.9

5. D — Cold slows the chemical reaction in lithium cells: expect voltage sag, shorter flights, and possible sudden capacity drops. Pre-warm packs and hover to warm them gently.

Reference: FAA Remote Pilot Study Guide; manufacturer guidance

6. B — There is no formal inspection regime; the RPIC must not operate an sUAS unless it is in a condition for safe operation, verified preflight.

Reference: 14 CFR 107.15, 107.49

7. A — Weight above design limits eats into structural margins and performance — and any payload attached counts toward the 55-lb Part 107 limit too.

Reference: FAA Remote Pilot Study Guide

8. B — Compliance paths: built-in Standard Remote ID, an add-on broadcast module, or flying without RID only inside an FAA-Recognized Identification Area.

Reference: 14 CFR Part 89

9. C — Unstable air rises freely: puffy cumulus, showers, bumpy air — but the vertical mixing sweeps haze out, so visibility is good.

Reference: FAA Remote Pilot Study Guide

10. C — Under Part 107 every aircraft must be registered regardless of weight; the 250 g threshold applies only to recreational flying. Registration costs \$5 per aircraft, lasts 3 years, and the number must be legible on the exterior.

Reference: 14 CFR Part 48; 14 CFR 107.13

11. C — Minimum visibility, as observed from the control station, is 3 statute miles.

Reference: 14 CFR 107.51(c)

12. A — Visual line of sight and see-and-avoid do not pause for conversation. Deferring the exchange, or landing before engaging, keeps the RPIC's attention where 107.31 requires it to be.

Reference: 14 CFR 107.19, 107.31

13. C — You must be at least 16 years old to be eligible for a remote pilot certificate.

Reference: 14 CFR 107.61

14. A — Blue airports are towered; magenta airports are non-towered. Near magenta airports, monitor the CTAF for traffic awareness.

Reference: Sectional chart legend

15. B — Non-certificated persons may manipulate the controls only under the direct supervision of an RPIC who is able to take immediate control of the aircraft.

Reference: 14 CFR 107.12, 107.19

16. D — 107.205 lists the sections the FAA may waive, including altitude, visual line of sight, and operations over people. The hazardous materials prohibition in 107.36 is absent from that list and can never be waived.

Reference: 14 CFR 107.205, 107.36

17. C — The show-off attitude is countered with 'Taking chances is foolish.'

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

18. A — Both civil twilight and night operations require the 3-SM anti-collision lighting; daytime flights do not.

Reference: 14 CFR 107.29

19. B — The limit that applies to airmen, including remote pilots, is .04 BAC — stricter than the typical .08 driving limit.

Reference: 14 CFR 107.27, 91.17

20. A — Stable air resists vertical motion: layered stratus clouds, smooth flying, steady precipitation, and haze trapped low (poor visibility).

Reference: FAA Remote Pilot Study Guide

21. B — Civil twilight spans roughly 30 minutes around sunrise/sunset in the lower 48 (Alaska uses a different definition).

Reference: 14 CFR 107.29

22. C — An airport data block runs elevation, lighting, then longest runway length in hundreds of feet. Here 53 is the field elevation, L means lighting is available, 72 is a 7,200 ft runway, and 122.8 is the CTAF.

Reference: Sectional chart legend

23. C — Read MEF as thousands then hundreds of feet MSL: 2 and 3 = 2,300 ft MSL.

Reference: Sectional chart legend

24. B — The ceiling is the height of the lowest broken or overcast layer, so BKN025 gives a 2,500 ft ceiling. Few and scattered layers are not ceilings no matter how low they sit.

Reference: AC 00-45H; Pilot/Controller Glossary

25. A — Night ops require anti-collision lighting visible for 3 SM with an adequate flash rate. Standard consumer position lights usually do not qualify by themselves.

Reference: 14 CFR 107.29

26. B — Class G is uncontrolled; no airspace authorization is required there under Part 107. All other operating rules still apply.

Reference: 14 CFR 107.41

27. A — An aft CG reduces longitudinal stability. For any aircraft — manned or unmanned — recovery from a departure becomes harder as CG moves aft.

Reference: PHAK ch. 10 concepts

28. A — Inside the magenta vignette, Class E starts at 700 ft AGL (elsewhere it generally starts at 1,200 ft). Drones below 400 ft rarely touch it — but surface Class E is different.

Reference: Sectional chart legend

29. A — Many OTC antihistamines and cold medicines impair judgment and reaction time. Self-grounding is the pilot's responsibility.

Reference: 14 CFR 107.17; FAA Remote Pilot Study Guide

30. D — The sUAS must yield to ALL aircraft, airborne vehicles, and launch/reentry vehicles, and may not pass over, under, or ahead of them unless well clear.

Reference: 14 CFR 107.37

31. C — Meridians of longitude run pole to pole and are measured 0-180° east or west from Greenwich. Latitude lines run east-west, measured from the equator.

Reference: FAA Remote Pilot Study Guide

32. A — Execute the emergency procedure (regain link, activate failsafe), use your crew, and mitigate risk to people. Afterward, evaluate whether 107.9 reporting applies.

Reference: ACS UA.V; 14 CFR 107.9, 107.21

33. D — Since April 21, 2021, night flight is a standard privilege for pilots who completed the updated test/training, with proper anti-collision lighting.

Reference: 14 CFR 107.29; 2021 final rule

34. A — The matrix crosses how likely an event is against how bad the result would be. Neither factor alone decides acceptability; a rare event with catastrophic consequences still demands mitigation.

Reference: FAA-H-8083-25B Ch.2

35. D — Flights are restricted within 3 NM of qualifying stadium events (MLB, NFL, NCAA Division I football, major races) from one hour before to one hour after.

Reference: FDC NOTAM 4/3621 (stadium TFR)

36. C — Minimum flight visibility is 3 statute miles as measured from the control station, and it applies in every class of airspace. Only a 107.205 waiver changes it; adding crew does not.

Reference: 14 CFR 107.51(c), 107.205

37. C — The fuzzy magenta vignette marks where Class E begins at 700 ft AGL. Below that floor the airspace is Class G, so no authorization is required. It is the dashed magenta line, not the vignette, that marks surface Class E.

Reference: Sectional chart legend; 14 CFR 107.41

38. A — Night flight is a standard privilege for pilots whose knowledge test or recurrent training covered night operations. The remaining hard requirement is anti-collision lighting visible for 3 SM with an adequate flash rate.

Reference: 14 CFR 107.29

39. D — CRM means integrating your crew (VOs, camera operators), equipment, and information sources to maximize safety — it applies to sUAS crews, not just airliners.

Reference: FAA Remote Pilot Study Guide

40. B — When temperature approaches the dewpoint, air is near saturation — fog, mist, or low stratus become likely, threatening your 3-SM visibility minimum.

Reference: FAA Remote Pilot Study Guide

41. B — A dashed magenta line is Class E beginning at the surface — controlled airspace at ground level. Your altitude is irrelevant; any Part 107 flight inside that boundary needs prior FAA authorization.

Reference: 14 CFR 107.41; sectional chart legend

42. C — Stress from work, life, and the operation itself stacks up and narrows attention — a core ADM concept on the exam.

Reference: FAA Remote Pilot Study Guide

43. B — Self-announced position reports on the CTAF are your main tool for anticipating manned traffic near non-towered fields — drones listen, they do not need to transmit.

Reference: FAA Remote Pilot Study Guide

44. C — 107.49 requires assessing weather, airspace and flight restrictions, people and property on the ground, and other ground hazards before every flight.

Reference: 14 CFR 107.49(a)

45. D — FAA-Recognized Identification Areas — typically requested by community organizations and schools — are the only places non-RID aircraft may fly, within their boundaries and VLOS.

Reference: 14 CFR Part 89

46. D — Within a 400-ft radius of a structure you may fly up to 400 ft above that structure's uppermost limit, so $700 + 400 = 1,100$ ft AGL. Step outside the radius and the plain 400-ft ceiling applies again.

Reference: 14 CFR 107.51(b)

47. D — Hyperventilation flushes too much CO₂. Slowing the breathing rate restores the balance; symptoms then resolve.

Reference: FAA Remote Pilot Study Guide; AIM ch. 8 concepts

48. D — Any flight that furthers a business purpose — like real-estate photography — is non-recreational and requires Part 107 certification.

Reference: 14 CFR 107.1

49. D — Believing accidents only happen to others is countered with 'It could happen to me.'

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

50. A — 'P' plus a number designates a prohibited area (P-56 covers the White House and National Mall area). Drone flight there is prohibited.

Reference: Remote Pilot ACS UA.II; chart legend

Want the full experience? The free online mock exam at <https://part107quiz.com> runs 60 questions against a live 120-minute timer with automatic per-area scoring — the closest thing to test day without the fee.