

FAA Part 107 Practice Exam

50 questions • answer key with explanations • free from part107quiz.com

How to use this exam: give yourself 100 minutes (the real exam's pace), no notes, and circle your answers. The pass mark on the real test is 70% — 35 of 50 here. Score yourself with the key at the back: every answer includes a plain-English explanation and the FAA reference behind it. Miss a topic repeatedly? Drill it free at the online practice tests.

Original questions based on public FAA source material (14 CFR Part 107, the Remote Pilot ACS, FAA study guides). Not affiliated with or endorsed by the FAA. Not actual exam questions — no one outside the FAA has those.

1. Which Part 107 rule may NOT be waived by the FAA?

- A. The 400-ft altitude limit
- B. The prohibition on carrying hazardous materials
- C. The restriction on operating from a moving vehicle over other than sparsely populated areas
- D. The visual line of sight requirement

2. An MEF shown as a large '2' with a small '3' means the highest feature in that quadrant is approximately:

- A. 23,000 ft MSL
- B. 230 ft MSL
- C. 2,300 ft AGL
- D. 2,300 ft MSL

3. How long does it typically take the eyes to fully adapt to darkness, and what resets that adaptation?

- A. About 30 minutes; exposure to bright light resets it
- B. About 5 minutes; nothing resets it
- C. Adaptation is instantaneous
- D. About 2 hours; only exposure to direct sunlight can reset it

4. Your launch site sits under the faded magenta vignette but outside any dashed line. You will fly at 350 ft AGL. What authorization do you need?

- A. Verbal permission from the nearest control tower on the CTAF frequency
- B. LAANC authorization for surface Class E, which the vignette depicts around every non-towered airport
- C. None — you are in Class G below 700 ft AGL
- D. A 107.41 waiver through FAA DroneZone, because the vignette marks controlled airspace at the surface

5. A person who does NOT hold a remote pilot certificate may fly the controls of an sUAS only if:

- A. They are at least 16 years old
- B. A remote pilot in command directly supervises them and can take immediate control
- C. They have completed the TRUST test
- D. A visual observer is watching the aircraft

6. What is the minimum age to hold a remote pilot certificate with an sUAS rating?

- A. 16 years old
- B. 18 years old
- C. 14 years old
- D. 21 years old

7. During takeoff and landing — the most critical phases — the crew should:

- A. Play the mission soundtrack
- B. Rotate crew roles between positions to build practice reps
- C. Minimize non-essential conversation and distractions
- D. Chat to stay relaxed

8. Which conditions are characteristic of UNSTABLE air?

- A. Stratus layers and haze
- B. Cumulus clouds, showery precipitation, turbulence, and good visibility
- C. Temperature inversions
- D. Steady drizzle and fog

9. Which event requires an accident report to the FAA under Part 107?

- A. Serious injury, or at least \$500 damage to property other than the drone
- B. Only an accident involving a fatality
- C. Any damage to any property, no matter how small the cost
- D. Damage to the drone itself costing more than \$500 to repair

10. The temperature/dewpoint spread is small and decreasing. What should you expect?

- A. Fog or low clouds are likely to form
- B. Severe clear-air turbulence at the surface is imminent
- C. A rapid drop in density altitude
- D. Visibility will improve

11. A paid shoot in Class G airspace will run until 45 minutes after official sunset. The flight is legal if:

- A. the aircraft has anti-collision lighting visible for 3 statute miles
- B. a visual observer on site also holds a remote pilot certificate
- C. the operation was filed as a night waiver in DroneZone at least 90 days in advance
- D. the aircraft remains below 200 ft AGL for the entire post-sunset portion

12. Advection fog forms when:

- A. Air is forced down a mountain slope
- B. Ground cools rapidly on a calm, clear night
- C. Rain falls into a layer of dry air
- D. Moist air moves over a cooler surface

13. Your drone has no Category rating for operations over people. A crowd starts gathering under your flight path. You should:

- A. Reposition or land so you are no longer over people
- B. Do nothing — brief overflight is permitted
- C. Speed up to spend less time overhead
- D. Continue as long as you remain above 100 ft AGL over the crowd

14. What is the antidote for IMPULSIVITY ('Do it quickly')?

- A. It could happen to me
- B. I'm not helpless
- C. Follow the rules — they are usually right
- D. Not so fast — think first

15. Which data set does a Standard Remote ID drone broadcast?

- A. The pilot's name and home address
- B. The remote pilot certificate number
- C. The aircraft's complete maintenance history
- D. Drone ID, drone location/altitude and velocity, control station location/altitude, time mark, and emergency status

16. What ATC authorization is required to fly a small UA in Class G airspace?

- A. Verbal approval from the nearest tower
- B. LAANC authorization
- C. None — Class G is uncontrolled airspace
- D. A DroneZone waiver

17. Which is the only real remedy for fatigue?

- A. Strong coffee
- B. Willpower and experience
- C. Adequate sleep
- D. Fresh air at the flight site

18. Operating with the center of gravity outside the manufacturer's limits is most likely to cause:

- A. Longer flight time
- B. Improved maneuverability
- C. Control difficulties or instability
- D. Nothing, if the aircraft is under 55 lb

19. On the CTAF you hear: 'Hartsville traffic, Cessna 4-1-2, entering left downwind, runway one-eight.' This tells you:

- A. A control tower instruction that requires an immediate acknowledgment from you
- B. You are cleared to launch
- C. An aircraft declaring an emergency
- D. The position and intention of manned traffic near a non-towered airport

20. You launch from a high-elevation site on a hot day. What performance change should you expect?

- A. Reduced thrust and a smaller performance margin
- B. More thrust available
- C. Faster battery charging thanks to the thinner air
- D. Improved GPS accuracy

21. Before flying at night under the current rules, a remote pilot must have:

- A. A 107.29 waiver (still required today)
- B. Completed the updated initial knowledge test or the current online recurrent training
- C. Nothing — there are no prerequisites
- D. An instrument rating

22. Radiation fog is most likely to form under which conditions?

- A. Passage of a fast-moving cold front
- B. Strong daytime heating over dry ground
- C. A clear, calm night over moist ground
- D. A windy afternoon along the coast

23. In the METAR 'KAUS 121853Z 24015G25KT 10SM SCT045 32/18 A2992', what does '24015G25KT' mean?

- A. Wind from 150° at 24 knots, gusting 25
- B. Wind blowing toward 240° at 15 knots
- C. Wind from 240° true at 15 knots, gusting to 25 knots
- D. Variable wind at 15 knots

24. Which statement about stress is most accurate?

- A. It vanishes once the flight begins
- B. Its effects are cumulative and can degrade judgment and performance
- C. It improves focus in all situations
- D. It only matters when stress reaches immediately life-threatening levels

25. Your drone weighs 0.9 lb and you fly it only for paid real-estate photography. Registration is:

- A. required — \$5 per aircraft, marked on the exterior
- B. required only after you have completed your first ten paid jobs with that aircraft
- C. handled automatically by the manufacturer when the aircraft is first activated in its companion app
- D. not required, because registration applies only to aircraft heavier than 55 lb

26. Since when has operator compliance with Remote ID been required?

- A. Only after the next FAA rulemaking cycle
- B. It is voluntary until 2030
- C. January 1, 2020
- D. September 16, 2023

27. You notice smoke from the battery compartment during flight over a work site. The best course of action is to:

- A. Continue the mission while monitoring the temperature readout closely
- B. Switch to the backup battery in flight
- C. Land as soon as safely possible, away from people
- D. Climb to blow out the flames

28. A small unmanned aircraft must yield the right of way to:

- A. Only manned aircraft in distress
- B. Only other unmanned aircraft
- C. All other aircraft
- D. Only aircraft below 400 ft AGL

29. The standing stadium TFR restricts flight near major sporting events within what radius and time window?

- A. 1 NM radius, during the event only
- B. 10 NM radius during the event
- C. 3 NM radius, from 1 hour before until 1 hour after the event
- D. 5 NM radius, all day on game day

30. The fuzzy magenta shading (vignette) on a sectional chart shows:

- A. Class E airspace beginning at 700 ft AGL
- B. A restricted area boundary
- C. Class E airspace at the surface
- D. Class G airspace above 1,200 ft AGL in that area

31. The MATURE stage of a thunderstorm begins when:

- A. The anvil top forms
- B. Precipitation begins falling at the surface
- C. Updrafts first develop in the cumulus stage
- D. Lightning first appears

32. A non-towered airport 2 NM away is ringed by a dashed magenta line. You intend to fly at 200 ft AGL inside that ring. You must:

- A. obtain FAA airspace authorization before flying
- B. notify the airport operator in writing at least 24 hours before the planned flight
- C. stay at or below 400 ft AGL, which is all that Part 107 asks of you at that location
- D. self-announce your intentions on the CTAF before every takeoff and every landing

33. While filming near a small airport in Class G airspace, a helicopter enters the traffic pattern.

Part 107 requires that you:

- A. Land immediately and end all operations for the day
- B. Not interfere with airport operations or traffic patterns, yielding right of way
- C. Contact the helicopter on the radio
- D. Climb above the pattern altitude

34. For night operations under Part 107, the anti-collision lighting must be visible for at least:

- A. 3 statute miles, with a flash rate sufficient to avoid a collision
- B. No lighting is required if a visual observer is used
- C. 5 statute miles, any color
- D. 1 statute mile, steady burning

35. A crew member is dizzy and tingling after breathing rapidly during a stressful launch. The best response to this hyperventilation is to:

- A. Breathe faster and deeper
- B. Administer supplemental oxygen
- C. Call EMS immediately in every case
- D. Consciously slow the breathing rate — talking aloud or breathing into a bag helps

36. Crew Resource Management (CRM) is best defined as:

- A. A checklist-reading method
- B. Effective use of ALL available resources — people, hardware, and information
- C. A radio phraseology standard
- D. A maintenance scheduling system

37. The IMSAFE checklist helps a pilot self-assess fitness to operate. What does it stand for?

- A. Inspection, Maintenance, Safety, Airspace, Flight plan, Emergency
- B. Illness, Medication, Stress, Alcohol, Fatigue, Emotion
- C. Instruments, Meteorology, Systems, Airframe, Fuel, Electronics
- D. Identify, Measure, Set, Act, Fly, Evaluate

38. Compared with the same aircraft lightly loaded, a heavily loaded multirotor will have:

- A. No measurable difference
- B. Longer endurance
- C. Reduced climb performance and shorter endurance
- D. A faster maximum climb rate due to added momentum

39. Which situation creates the greatest fire risk with lithium polymer (LiPo) batteries?

- A. Storing them in a cool, dry place
- B. Physical damage, puncture, or overcharging
- C. Storing them at about 50% charge
- D. Charging with the manufacturer's recommended charger

40. Lines of longitude on aeronautical charts:

- A. Exist only in the Northern Hemisphere
- B. Run parallel to the equator
- C. Run east-west around the globe and measure angular distance north or south of the equator
- D. Run north-south and are measured east or west of the Prime Meridian

41. A client wants footage of an antenna tower that stands 700 ft tall. Staying within 400 ft of the structure, how high may you legally fly?

- A. Any altitude at all, as long as you remain within a 400-ft radius of the tower
- B. Up to 400 ft AGL, because the Part 107 ceiling has no exception for tall structures
- C. Up to 1,100 ft AGL
- D. Up to 700 ft AGL, matching the height of the structure you are inspecting

42. An airport data block on the sectional reads: RIVERTON (RVT) 53 L 72 122.8. The 72 means:

- A. the longest runway is about 7,200 ft
- B. the recommended traffic pattern altitude at that field is 720 ft above ground level
- C. the airport currently has 72 based aircraft on the field
- D. the field elevation is 7,200 ft above mean sea level at the airport reference point

43. Where must your remote pilot certificate be during operations?

- A. At home in a safe place
- B. Easily accessible to you during all sUAS operations
- C. Available for mailing to the FAA within 72 hours if requested
- D. Digital copies are prohibited

44. Which of the following operations requires a remote pilot certificate under Part 107?

- A. Flying for fun in your backyard
- B. Flying a drone indoors at home
- C. Photographing a house for a realtor's listing
- D. A recreational park flight after completing TRUST

45. A drone using a Remote ID broadcast MODULE (instead of built-in Standard RID) must be operated:

- A. Within visual line of sight at all times
- B. Only in Class G uncontrolled airspace below 400 ft
- C. Only during daylight
- D. Only below 200 ft AGL

46. A person may not operate an sUAS with a blood alcohol concentration at or above what level?

- A. 0.04
- B. 0.02
- C. 0.08
- D. 0.10

47. An airport symbol printed in magenta on a sectional chart tells you the airport:

- A. Has an operating control tower
- B. Does not have an operating control tower
- C. Is closed to all traffic
- D. Is a military field with prior-permission-required rules

48. Remote ID applies to which aircraft?

- A. All drones required to be registered — including every aircraft flown under Part 107
- B. Only drones flying beyond visual line of sight
- C. Only recreational drones
- D. Only drones over 55 lb

49. An area charted as 'P-56' is:

- A. A practice area reserved for student pilot training flights
- B. A Class E extension
- C. A prohibited area where flight is not allowed
- D. A parachute drop zone

50. Which conditions are characteristic of STABLE air?

- A. Cumulus clouds and good visibility
- B. Showery precipitation and turbulence
- C. Stratiform clouds, smooth air, and poor visibility
- D. Towering thunderstorms

Answer Key & Explanations

Score: correct ÷ 50. The FAA pass mark is 70% (35 correct). 85%+ (43 correct) means you're comfortably ready. More free practice: <https://part107quiz.com>

1. B — 107.205 lists the sections the FAA may waive, including altitude, visual line of sight, and operations over people. The hazardous materials prohibition in 107.36 is absent from that list and can never be waived.

Reference: 14 CFR 107.205, 107.36

2. D — Read MEF as thousands then hundreds of feet MSL: 2 and 3 = 2,300 ft MSL.

Reference: Sectional chart legend

3. A — Full rod adaptation takes roughly 30 minutes, and one glance at a bright white light — headlights, a phone screen — can undo it.

Reference: FAA Remote Pilot Study Guide

4. C — The fuzzy magenta vignette marks where Class E begins at 700 ft AGL. Below that floor the airspace is Class G, so no authorization is required. It is the dashed magenta line, not the vignette, that marks surface Class E.

Reference: Sectional chart legend; 14 CFR 107.41

5. B — Non-certificated persons may manipulate the controls only under the direct supervision of an RPIC who is able to take immediate control of the aircraft.

Reference: 14 CFR 107.12, 107.19

6. A — You must be at least 16 years old to be eligible for a remote pilot certificate.

Reference: 14 CFR 107.61

7. C — A 'sterile crew' discipline during critical phases keeps attention on the aircraft and its surroundings when risk is highest.

Reference: CRM concepts; FAA Remote Pilot Study Guide

8. B — Unstable air rises freely: puffy cumulus, showers, bumpy air — but the vertical mixing sweeps haze out, so visibility is good.

Reference: FAA Remote Pilot Study Guide

9. A — Report when there is serious injury or loss of consciousness, or repair/replacement of damaged property OTHER than the UA costs \$500 or more.

Reference: 14 CFR 107.9

10. A — When temperature approaches the dewpoint, air is near saturation — fog, mist, or low stratus become likely, threatening your 3-SM visibility minimum.

Reference: FAA Remote Pilot Study Guide

11. A — Night flight is a standard privilege for pilots whose knowledge test or recurrent training covered night operations. The remaining hard requirement is anti-collision lighting visible for 3 SM with an adequate flash rate.

Reference: 14 CFR 107.29

12. D — Advection fog needs wind to push moist air across a colder surface — why it is common along coastlines, and it can persist under windier conditions than radiation fog.

Reference: FAA Remote Pilot Study Guide

13. A — Without Category 1-4 eligibility, sustained flight over people not directly participating is prohibited — move the operation or pause until the area clears.

Reference: 14 CFR 107.39

14. D — Impulsivity is countered by deliberately slowing down: 'Not so fast. Think first.'

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

15. D — Standard RID includes the CONTROL STATION location — one reason the FAA adopted it for security. It does not broadcast your name; the public sees only the ID string.

Reference: 14 CFR Part 89

16. C — Class G is uncontrolled; no airspace authorization is required there under Part 107. All other operating rules still apply.

Reference: 14 CFR 107.41

17. C — Stimulants mask symptoms briefly, but only sleep restores performance — fatigue degrades reaction time and judgment much like alcohol.

Reference: FAA Remote Pilot Study Guide

18. C — CG position outside limits degrades stability and control authority — for camera drones, a badly mounted payload is the usual culprit.

Reference: FAA Remote Pilot Study Guide

19. D — Self-announced position reports on the CTAF are your main tool for anticipating manned traffic near non-towered fields — drones listen, they do not need to transmit.

Reference: FAA Remote Pilot Study Guide

20. A — High and hot means high density altitude: thinner air, less thrust and lift, harder-working motors, and reduced endurance.

Reference: FAA Remote Pilot Study Guide

21. B — Since April 21, 2021, night flight is a standard privilege for pilots who completed the updated test/training, with proper anti-collision lighting.

Reference: 14 CFR 107.29; 2021 final rule

22. C — With clear skies and calm wind, the ground radiates heat away and the moist surface layer cools to its dewpoint — classic valley morning fog.

Reference: FAA Remote Pilot Study Guide

23. C — First three digits are the direction the wind is FROM (240° true); next two are speed (15 kt); G25 = gusts to 25 kt.

Reference: FAA Aviation Weather Services concepts

24. B — Stress from work, life, and the operation itself stacks up and narrows attention — a core ADM concept on the exam.

Reference: FAA Remote Pilot Study Guide

25. A — Under Part 107 every aircraft must be registered regardless of weight; the 250 g threshold applies only to recreational flying. Registration costs \$5 per aircraft, lasts 3 years, and the number must be legible on the exterior.

Reference: 14 CFR Part 48; 14 CFR 107.13

26. D — Operators have been required to comply since September 16, 2023 (the FAA's enforcement discretion period ended March 16, 2024).

Reference: 14 CFR Part 89

27. C — A thermal-runaway battery can fail totally within seconds. Get the aircraft on the ground clear of people and property immediately.

Reference: FAA Remote Pilot Study Guide; ADM

28. C — The sUAS must yield to ALL aircraft, airborne vehicles, and launch/reentry vehicles, and may not pass over, under, or ahead of them unless well clear.

Reference: 14 CFR 107.37

29. C — Flights are restricted within 3 NM of qualifying stadium events (MLB, NFL, NCAA Division I football, major races) from one hour before to one hour after.

Reference: FDC NOTAM 4/3621 (stadium TFR)

30. A — Inside the magenta vignette, Class E starts at 700 ft AGL (elsewhere it generally starts at 1,200 ft). Drones below 400 ft rarely touch it — but surface Class E is different.

Reference: Sectional chart legend

31. B — Rain reaching the surface marks the mature stage — the storm's most violent phase, with simultaneous updrafts and downdrafts.

Reference: FAA Remote Pilot Study Guide

32. A — A dashed magenta line is Class E beginning at the surface — controlled airspace at ground level. Your altitude is irrelevant; any Part 107 flight inside that boundary needs prior FAA authorization.

Reference: 14 CFR 107.41; sectional chart legend

33. B — You may operate in Class G near an airport, but 107.43 and 107.37 require staying clear of patterns and yielding to all manned aircraft.

Reference: 14 CFR 107.37, 107.43

34. A — Night ops require anti-collision lighting visible for 3 SM with an adequate flash rate. Standard consumer position lights usually do not qualify by themselves.

Reference: 14 CFR 107.29

35. D — Hyperventilation flushes too much CO₂. Slowing the breathing rate restores the balance; symptoms then resolve.

Reference: FAA Remote Pilot Study Guide; AIM ch. 8 concepts

36. B — CRM means integrating your crew (VOs, camera operators), equipment, and information sources to maximize safety — it applies to sUAS crews, not just airliners.

Reference: FAA Remote Pilot Study Guide

37. B — IMSAFE = Illness, Medication, Stress, Alcohol, Fatigue, Emotion — a personal go/no-go checklist before any operation.

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

38. C — More weight demands more thrust and power, which drains the battery faster and reduces climb margin and gust tolerance.

Reference: FAA Remote Pilot Study Guide; PHAK ch. 10 concepts

39. B — Damaged or overcharged LiPo cells can enter thermal runaway. Inspect packs after any hard landing and never charge a swollen or punctured battery.

Reference: FAA Remote Pilot Study Guide; SAFO guidance

40. D — Meridians of longitude run pole to pole and are measured 0-180° east or west from Greenwich. Latitude lines run east-west, measured from the equator.

Reference: FAA Remote Pilot Study Guide

41. C — Within a 400-ft radius of a structure you may fly up to 400 ft above that structure's uppermost limit, so $700 + 400 = 1,100$ ft AGL. Step outside the radius and the plain 400-ft ceiling applies again.

Reference: 14 CFR 107.51(b)

42. A — An airport data block runs elevation, lighting, then longest runway length in hundreds of feet. Here 53 is the field elevation, L means lighting is available, 72 is a 7,200 ft runway, and 122.8 is the CTAF.

Reference: Sectional chart legend

43. B — The certificate must be easily accessible during operations — physically or, practically, on your person — and presented on request.

Reference: 14 CFR 107.7

44. C — Any flight that furthers a business purpose — like real-estate photography — is non-recreational and requires Part 107 certification.

Reference: 14 CFR 107.1

45. A — Module-equipped aircraft must stay within VLOS — one of the two key module limitations, along with registering the module's serial number.

Reference: 14 CFR Part 89

46. A — The limit that applies to airmen, including remote pilots, is .04 BAC — stricter than the typical .08 driving limit.

Reference: 14 CFR 107.27, 91.17

47. B — Blue airports are towered; magenta airports are non-towered. Near magenta airports, monitor the CTAF for traffic awareness.

Reference: Sectional chart legend

48. A — If registration is required, Remote ID applies. Part 107 aircraft must ALWAYS be registered regardless of weight, so they always need RID (or a FRIA).

Reference: 14 CFR Part 89, Part 48

49. C — 'P' plus a number designates a prohibited area (P-56 covers the White House and National Mall area). Drone flight there is prohibited.

Reference: Remote Pilot ACS UA.II; chart legend

50. C — Stable air resists vertical motion: layered stratus clouds, smooth flying, steady precipitation, and haze trapped low (poor visibility).

Reference: FAA Remote Pilot Study Guide

Want the full experience? The free online mock exam at <https://part107quiz.com> runs 60 questions against a live 120-minute timer with automatic per-area scoring — the closest thing to test day without the fee.