

FAA Part 107 Practice Exam

50 questions • answer key with explanations • free from part107quiz.com

How to use this exam: give yourself 100 minutes (the real exam's pace), no notes, and circle your answers. The pass mark on the real test is 70% — 35 of 50 here. Score yourself with the key at the back: every answer includes a plain-English explanation and the FAA reference behind it. Miss a topic repeatedly? Drill it free at the online practice tests.

Original questions based on public FAA source material (14 CFR Part 107, the Remote Pilot ACS, FAA study guides). Not affiliated with or endorsed by the FAA. Not actual exam questions — no one outside the FAA has those.

1. Where must your remote pilot certificate be during operations?

- A. Digital copies are prohibited
- B. At home in a safe place
- C. Available for mailing to the FAA within 72 hours if requested
- D. Easily accessible to you during all sUAS operations

2. In the continental US, civil twilight is generally the period:

- A. From sunset until sunrise
- B. Only defined in summer months
- C. 1 full hour before official sunrise and 1 full hour after official sunset
- D. 30 minutes before official sunrise and 30 minutes after official sunset

3. Battery voltage is dropping faster than planned and one inspection panel is still unshot. The RPIC should:

- A. land, change the battery, and resume
- B. continue, because the aircraft's low-battery warning has not triggered yet
- C. hand the controls to the visual observer, whose fresher attention will finish the last panel more quickly
- D. descend to conserve power and finish the last panel

4. An airport symbol printed in magenta on a sectional chart tells you the airport:

- A. Is a military field with prior-permission-required rules
- B. Does not have an operating control tower
- C. Has an operating control tower
- D. Is closed to all traffic

5. The safest guidance for charging sUAS batteries is to:

- A. Always store packs fully charged so they're ready to fly
- B. Follow the manufacturer's charging instructions
- C. Use any USB charger that fits
- D. Charge unattended overnight

6. Since when has operator compliance with Remote ID been required?

- A. Only after the next FAA rulemaking cycle
- B. January 1, 2020
- C. It is voluntary until 2030
- D. September 16, 2023

7. Before each flight, the remote pilot in command must:

- A. Log the flight in IACRA
- B. File a flight plan with the FAA at least 24 hours before launch
- C. Notify the nearest control tower
- D. Inspect the sUAS to ensure it is in a condition for safe operation

8. What minimum distance must a small UA keep from clouds?

- A. 2,000 ft below and 500 ft horizontally
- B. Simply remain clear of clouds
- C. 1,000 ft above and 1 statute mile horizontally
- D. 500 ft below and 2,000 ft horizontally

9. A Part 107 waiver application must demonstrate what?

- A. That the operation can be performed safely under the terms of the certificate
- B. That the applicant carries liability insurance appropriate to the scale of the operation
- C. That the same operation has already been flown safely at least once under a certificate of authorization
- D. That no alternative method of complying with the rule exists for the proposed operation

10. The nearest METAR reports 2SM visibility in haze, and you confirm the same conditions from your control station. Under Part 107 you may:

- A. fly, if you keep the aircraft within 200 ft of the launch point
- B. not fly, because the minimum flight visibility is 3 statute miles
- C. fly, provided a visual observer is added to the crew
- D. fly, because the 3-statute-mile minimum applies only inside controlled airspace

11. Your recurrent training lapsed six weeks ago, and today a client asks for a paid flight. You may:

- A. fly under the supervision of any other certificated remote pilot for up to 90 days
- B. not fly under Part 107 until you complete the recurrent training
- C. fly, provided you retake and pass the initial knowledge test at a testing center within 30 days
- D. fly, because the remote pilot certificate itself never expires

12. Part 107 requires that operations near an airport must not:

- A. Interfere with airport operations or traffic patterns
- B. Occur without the airport manager's prior written approval on file
- C. Occur without a radio call on the CTAF
- D. Occur within 5 NM under any circumstances

13. Before operating after taking an over-the-counter medication, you should:

- A. Check the label and side effects, and do not operate if it may impair you
- B. Fly anyway — only prescription drugs matter
- C. Halve the dose
- D. Rely on a strong cup of coffee to fully offset any drowsiness the medication causes

14. A drone using a Remote ID broadcast MODULE (instead of built-in Standard RID) must be operated:

- A. Within visual line of sight at all times
- B. Only during daylight
- C. Only below 200 ft AGL
- D. Only in Class G uncontrolled airspace below 400 ft

15. Solid blue lines on a sectional chart depict which airspace class?

- A. Class C
- B. Class B
- C. Class D
- D. Class G uncontrolled airspace

16. Without a waiver, how many small unmanned aircraft may one remote pilot operate at the same time?

- A. One
- B. Three, if all are under 2 lb
- C. As many as the pilot can safely watch
- D. Two, with a visual observer

17. For Part 107 purposes, night begins and ends at:

- A. sunset and sunrise as published for the operating location in the Chart Supplement
- B. one hour after sunset and one hour before sunrise, regardless of latitude or season
- C. the moment the remote pilot can no longer make out the aircraft's outline unaided
- D. the end of evening civil twilight and the beginning of morning civil twilight

18. What is the minimum flight visibility for Part 107 operations?

- A. 5 statute miles
- B. 1 statute mile
- C. 3 statute miles from the control station
- D. There is no visibility minimum for sUAS operations below 400 ft

19. Crew Resource Management (CRM) is best defined as:

- A. Effective use of ALL available resources — people, hardware, and information
- B. A maintenance scheduling system
- C. A checklist-reading method
- D. A radio phraseology standard

20. Your drone weighs 0.9 lb and you fly it only for paid real-estate photography. Registration is:

- A. required — \$5 per aircraft, marked on the exterior
- B. required only after you have completed your first ten paid jobs with that aircraft
- C. handled automatically by the manufacturer when the aircraft is first activated in its companion app
- D. not required, because registration applies only to aircraft heavier than 55 lb

21. How can you verify that your drone has Standard Remote ID?

- A. Assume that any drone manufactured after January 2020 complies automatically
- B. Look it up on the FAA's public Declaration of Compliance (DOC) list
- C. Check whether the aircraft weighs over 250 g
- D. Ask the retailer

22. What is the minimum time that must pass between consuming alcohol and operating a small UA ('bottle to throttle')?

- A. 4 hours
- B. 24 hours
- C. 8 hours
- D. 12 hours

23. Which conditions are characteristic of UNSTABLE air?

- A. Stratus layers and haze
- B. Temperature inversions
- C. Steady drizzle and fog
- D. Cumulus clouds, showery precipitation, turbulence, and good visibility

24. A non-towered airport 2 NM away is ringed by a dashed magenta line. You intend to fly at 200 ft AGL inside that ring. You must:

- A. notify the airport operator in writing at least 24 hours before the planned flight
- B. stay at or below 400 ft AGL, which is all that Part 107 asks of you at that location
- C. obtain FAA airspace authorization before flying
- D. self-announce your intentions on the CTAF before every takeoff and every landing

25. A remote pilot fits a broadcast module to an older aircraft that has no built-in Remote ID. That operation must then be flown:

- A. only at night, when the module's transmissions are least likely to be masked
- B. only in Class G airspace below 400 ft AGL and clear of any controlled airspace
- C. only after the module serial number is added to the original manufacturer declaration
- D. within visual line of sight at all times

26. On the CTAF you hear: 'Hartsville traffic, Cessna 4-1-2, entering left downwind, runway one-eight.' This tells you:

- A. A control tower instruction that requires an immediate acknowledgment from you
- B. You are cleared to launch
- C. The position and intention of manned traffic near a non-towered airport
- D. An aircraft declaring an emergency

27. Your launch site sits under the faded magenta vignette but outside any dashed line. You will fly at 350 ft AGL. What authorization do you need?

- A. Verbal permission from the nearest control tower on the CTAF frequency
- B. A 107.41 waiver through FAA DroneZone, because the vignette marks controlled airspace at the surface
- C. LAANC authorization for surface Class E, which the vignette depicts around every non-towered airport
- D. None — you are in Class G below 700 ft AGL

28. Under subpart D, an operation over human beings may be conducted without a waiver when:

- A. the aircraft meets an eligible category and its operating requirements
- B. the people underneath are wearing head protection appropriate to the weight of the aircraft
- C. the aircraft weighs less than 250 g and the entire flight is conducted below 100 ft AGL
- D. everyone underneath has been briefed on the operation and has given verbal consent

29. For night operations under Part 107, the anti-collision lighting must be visible for at least:

- A. 3 statute miles, with a flash rate sufficient to avoid a collision
- B. No lighting is required if a visual observer is used
- C. 5 statute miles, any color
- D. 1 statute mile, steady burning

30. An obstacle on a sectional chart shows a bold number with a second number in parentheses. These represent:

- A. Both heights above ground level
- B. The bold figure is height AGL; the figure in parentheses is MSL
- C. Bold is MSL; the number in parentheses is AGL
- D. Both heights above mean sea level

31. You are hired to film a parade, and cars carrying people are moving along the route beneath your planned flight path. Under Part 107:

- A. flight over moving vehicles is unrestricted as long as you remain above 100 ft AGL
- B. you may overfly the vehicles if every occupant consented to the operation in writing beforehand
- C. flight over moving vehicles is always prohibited, and no category of aircraft changes that
- D. sustained flight over moving vehicles requires an eligible category aircraft

32. What is the antidote for MACHO ('I can do it')?

- A. I'm not helpless
- B. It could happen to me
- C. Taking chances is foolish
- D. Follow the rules — they are usually right

33. A METAR reports 'FEW008 SCT015 BKN025 OVC060'. What is the reported ceiling?

- A. 6,000 ft AGL, because only the overcast layer fully covers the sky above the field
- B. 800 ft AGL
- C. 1,500 ft AGL
- D. 2,500 ft AGL

34. What ATC authorization is required to fly a small UA in Class G airspace?

- A. A DroneZone waiver
- B. None — Class G is uncontrolled airspace
- C. LAANC authorization
- D. Verbal approval from the nearest tower

35. For a fixed-wing sUAS, increasing the load factor causes the stall speed to:

- A. Become irrelevant
- B. Increase
- C. Decrease
- D. Stay the same

36. Mid-flight, a bystander walks up and begins asking questions about your drone. The best response is to:

- A. keep your eyes on the aircraft and defer the conversation, or land first
- B. answer while continuing to fly, to protect the client's schedule
- C. hand the controls to the bystander briefly, since direct supervision by an RPIC makes that lawful
- D. ignore the person completely until the battery is exhausted

37. Your drone stops responding and drifts toward a crowded street (a flyaway). You should:

- A. Do nothing — flyaways are unavoidable
- B. Power off the controller and go home
- C. Pursue the aircraft in your car
- D. Follow your flyaway procedure, alert your crew, and warn bystanders if possible

38. The standing stadium TFR restricts flight near major sporting events within what radius and time window?

- A. 5 NM radius, all day on game day
- B. 3 NM radius, from 1 hour before until 1 hour after the event
- C. 10 NM radius during the event
- D. 1 NM radius, during the event only

39. Operating a lithium-polymer battery in near-freezing conditions most commonly causes:

- A. higher usable capacity, because cold cells have lower internal resistance
- B. no effect at all until the ambient temperature drops below minus 20 degrees Celsius
- C. a sharp drop in available capacity and voltage sag under load
- D. longer flight time, offset by a permanently reduced number of charge cycles

40. A crew member is dizzy and tingling after breathing rapidly during a stressful launch. The best response to this hyperventilation is to:

- A. Administer supplemental oxygen
- B. Breathe faster and deeper
- C. Call EMS immediately in every case
- D. Consciously slow the breathing rate — talking aloud or breathing into a bag helps

41. You are flying on a hot afternoon at a high-elevation site, so density altitude is high. The effect on a multirotor is:

- A. no measurable change, since electric motors are unaffected by ambient air density
- B. improved efficiency, because thinner air produces less drag on the propellers
- C. reduced thrust and a lower usable payload
- D. increased endurance, because the motors draw less current in less dense air

42. Which event requires an accident report to the FAA under Part 107?

- A. Any damage to any property, no matter how small the cost
- B. Only an accident involving a fatality
- C. Damage to the drone itself costing more than \$500 to repair
- D. Serious injury, or at least \$500 damage to property other than the drone

43. A paid shoot in Class G airspace will run until 45 minutes after official sunset. The flight is legal if:

- A. a visual observer on site also holds a remote pilot certificate
- B. the aircraft has anti-collision lighting visible for 3 statute miles
- C. the operation was filed as a night waiver in DroneZone at least 90 days in advance
- D. the aircraft remains below 200 ft AGL for the entire post-sunset portion

44. How does HIGH density altitude affect a multirotor drone?

- A. Rotor efficiency improves
- B. It has no measurable performance effect below 400 ft AGL
- C. Battery endurance increases
- D. Rotor/propeller efficiency and overall performance decrease

45. Before conducting a Part 107 flight at night, a remote pilot must have:

- A. logged at least three night flights supervised by another certificated remote pilot
- B. obtained a 107.29 waiver through the FAA DroneZone portal
- C. completed the updated training that covers night operations
- D. filed a night operations plan with the ATC facility having jurisdiction over the area

46. Anti-collision lighting is required during which operating periods?

- A. Night only
- B. All operations, day and night
- C. Night operations conducted in Class G airspace only
- D. Civil twilight and night operations

47. What is the antidote for INVULNERABILITY ('It won't happen to me')?

- A. It could happen to me
- B. Taking chances is foolish
- C. Follow the rules
- D. Not so fast — think first

48. Lines of longitude on aeronautical charts:

- A. Run north-south and are measured east or west of the Prime Meridian
- B. Run parallel to the equator
- C. Exist only in the Northern Hemisphere
- D. Run east-west around the globe and measure angular distance north or south of the equator

49. Advection fog forms when:

- A. Moist air moves over a cooler surface
- B. Rain falls into a layer of dry air
- C. Ground cools rapidly on a calm, clear night
- D. Air is forced down a mountain slope

50. Where would you find current information about a Temporary Flight Restriction (TFR)?

- A. The Chart Supplement
- B. METAR reports
- C. The sectional chart legend
- D. NOTAMS

Answer Key & Explanations

Score: correct ÷ 50. The FAA pass mark is 70% (35 correct). 85%+ (43 correct) means you're comfortably ready. More free practice: <https://part107quiz.com>

1. D — The certificate must be easily accessible during operations — physically or, practically, on your person — and presented on request.

Reference: 14 CFR 107.7

2. D — Civil twilight spans roughly 30 minutes around sunrise/sunset in the lower 48 (Alaska uses a different definition).

Reference: 14 CFR 107.29

3. A — Pressing on to finish the job is completion bias. A precautionary landing costs a few minutes; a forced landing over the asset costs the aircraft. The remaining panel is a second flight.

Reference: FAA-H-8083-25B Ch.2; 14 CFR 107.49

4. B — Blue airports are towered; magenta airports are non-towered. Near magenta airports, monitor the CTAF for traffic awareness.

Reference: Sectional chart legend

5. B — Manufacturer procedures govern charge rates, balance charging, and storage voltage — deviating is the most common cause of battery incidents.

Reference: FAA Remote Pilot Study Guide

6. D — Operators have been required to comply since September 16, 2023 (the FAA's enforcement discretion period ended March 16, 2024).

Reference: 14 CFR Part 89

7. D — 107.49 requires a preflight check of the aircraft, control links, power supply, and the operating environment before every flight.

Reference: 14 CFR 107.49

8. D — Stay at least 500 ft below and 2,000 ft horizontally from any cloud — so a manned aircraft popping out of the cloud has room to be seen and avoided.

Reference: 14 CFR 107.51(d)

9. A — The applicant must show the FAA that the proposed operation can be conducted safely under the waiver's terms, usually by describing the mitigations that replace the protection the waived rule provided.

Reference: 14 CFR 107.200

10. B — Minimum flight visibility is 3 statute miles as measured from the control station, and it applies in every class of airspace. Only a 107.205 waiver changes it; adding crew does not.

Reference: 14 CFR 107.51(c), 107.205

11. B — The certificate does not expire, but its privileges lapse unless recurrent training was completed within the previous 24 calendar months. The free online course takes under an hour and restores the privileges immediately.

Reference: 14 CFR 107.65

12. A — 107.43 prohibits interfering with operations and traffic patterns at any airport, heliport, or seaplane base. In Class G near an airport you may fly, but must stay clear of traffic.

Reference: 14 CFR 107.43

13. A — Many OTC antihistamines and cold medicines impair judgment and reaction time. Self-grounding is the pilot's responsibility.

Reference: 14 CFR 107.17; FAA Remote Pilot Study Guide

14. A — Module-equipped aircraft must stay within VLOS — one of the two key module limitations, along with registering the module's serial number.

Reference: 14 CFR Part 89

15. B — Class B surrounds the busiest airports and is charted with solid blue lines, usually as stacked shelves like an upside-down wedding cake.

Reference: Sectional chart legend

16. A — A person may manipulate the controls of, or act as RPIC for, only one UA at a time unless the FAA has granted a 107.35 waiver.

Reference: 14 CFR 107.35

17. D — Night runs from the end of evening civil twilight to the beginning of morning civil twilight, published in the Air Almanac and converted to local time. Civil twilight itself is not night, though it carries the same anti-collision lighting requirement.

Reference: 14 CFR 1.1, 107.29

18. C — Minimum visibility, as observed from the control station, is 3 statute miles.

Reference: 14 CFR 107.51(c)

19. A — CRM means integrating your crew (VOs, camera operators), equipment, and information sources to maximize safety — it applies to sUAS crews, not just airliners.

Reference: FAA Remote Pilot Study Guide

20. A — Under Part 107 every aircraft must be registered regardless of weight; the 250 g threshold applies only to recreational flying. Registration costs \$5 per aircraft, lasts 3 years, and the number must be legible on the exterior.

Reference: 14 CFR Part 48; 14 CFR 107.13

21. B — The FAA's DOC database lists compliant makes/models; most current mainstream drones comply via firmware, but verification is the pilot's responsibility.

Reference: FAA UAS Declaration of Compliance listing

22. C — No one may act as a crewmember within 8 hours of consuming alcohol, while under its influence, or with a blood alcohol concentration of .04 or greater.

Reference: 14 CFR 107.27, 91.17

23. D — Unstable air rises freely: puffy cumulus, showers, bumpy air — but the vertical mixing sweeps haze out, so visibility is good.

Reference: FAA Remote Pilot Study Guide

24. C — A dashed magenta line is Class E beginning at the surface — controlled airspace at ground level. Your altitude is irrelevant; any Part 107 flight inside that boundary needs prior FAA authorization.

Reference: 14 CFR 107.41; sectional chart legend

25. D — A broadcast module carries a stricter condition than Standard Remote ID: the aircraft must remain within visual line of sight for the whole flight, so no line-of-sight waiver can be used with one. The module's serial number goes in the aircraft's FAA registration record, not the manufacturer's declaration.

Reference: 14 CFR 89.110, 89.115

26. C — Self-announced position reports on the CTAF are your main tool for anticipating manned traffic near non-towered fields — drones listen, they do not need to transmit.

Reference: FAA Remote Pilot Study Guide

27. D — The fuzzy magenta vignette marks where Class E begins at 700 ft AGL. Below that floor the airspace is Class G, so no authorization is required. It is the dashed magenta line, not the vignette, that marks surface Class E.

Reference: Sectional chart legend; 14 CFR 107.41

28. A — Categories 1 through 4 replaced the old blanket prohibition. Each category sets its own limits on injury severity, exposed rotating parts, labelling, and airworthiness, and the aircraft must qualify before the operation is legal without a waiver.

Reference: 14 CFR 107.110 through 107.145

29. A — Night ops require anti-collision lighting visible for 3 SM with an adequate flash rate. Standard consumer position lights usually do not qualify by themselves.

Reference: 14 CFR 107.29

30. C — The bold figure is the obstacle top in feet MSL; the parenthetical figure is its height AGL. Useful for judging clearance from your launch elevation.

Reference: Sectional chart legend

31. D — 107.145 permits operations over moving vehicles only with a Category 1-4 eligible aircraft, and outside a closed or restricted site the flight must be a transit rather than sustained loitering overhead.

Reference: 14 CFR 107.145, 107.39

32. C — The show-off attitude is countered with 'Taking chances is foolish.'

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

33. D — The ceiling is the height of the lowest broken or overcast layer, so BKN025 gives a 2,500 ft ceiling. Few and scattered layers are not ceilings no matter how low they sit.

Reference: AC 00-45H; Pilot/Controller Glossary

34. B — Class G is uncontrolled; no airspace authorization is required there under Part 107. All other operating rules still apply.

Reference: 14 CFR 107.41

35. B — Stall speed rises with the square root of load factor — steep turns or abrupt pull-ups can stall a fixed-wing UA well above its normal stall speed.

Reference: PHAK ch. 5 concepts

36. A — Visual line of sight and see-and-avoid do not pause for conversation. Deferring the exchange, or landing before engaging, keeps the RPIC's attention where 107.31 requires it to be.

Reference: 14 CFR 107.19, 107.31

37. D — Execute the emergency procedure (regain link, activate failsafe), use your crew, and mitigate risk to people. Afterward, evaluate whether 107.9 reporting applies.

Reference: ACS UA.V; 14 CFR 107.9, 107.21

38. B — Flights are restricted within 3 NM of qualifying stadium events (MLB, NFL, NCAA Division I football, major races) from one hour before to one hour after.

Reference: FDC NOTAM 4/3621 (stadium TFR)

39. C — Cold raises internal resistance, so voltage sags the moment the motors demand current and the low-voltage cutoff arrives far earlier than the indicated charge suggests. Warm the packs before flight and treat the published endurance as optimistic.

Reference: FAA sUAS study guide; manufacturer battery limitations

40. D — Hyperventilation flushes too much CO₂. Slowing the breathing rate restores the balance; symptoms then resolve.

Reference: FAA Remote Pilot Study Guide; AIM ch. 8 concepts

41. C — Propellers generate lift from the air they move. Less dense air means less thrust for the same rpm, so the motors work harder to hover, endurance falls, and the weight the aircraft can carry safely falls with it.

Reference: FAA sUAS study guide, performance; PHAK ch. 11

42. D — Report when there is serious injury or loss of consciousness, or repair/replacement of damaged property OTHER than the UA costs \$500 or more.

Reference: 14 CFR 107.9

43. B — Night flight is a standard privilege for pilots whose knowledge test or recurrent training covered night operations. The remaining hard requirement is anti-collision lighting visible for 3 SM with an adequate flash rate.

Reference: 14 CFR 107.29

44. D — Hot, high, and humid conditions thin the air. Props produce less thrust, motors work harder, and endurance drops.

Reference: FAA Remote Pilot Study Guide; PHAK ch. 11 concepts

45. C — Since the 2021 change the requirement is knowledge, not paperwork: the initial knowledge test or the free recurrent training, whichever applies, must have covered night operations. No logged night hours and no waiver are required.

Reference: 14 CFR 107.29, 107.65

46. D — Both civil twilight and night operations require the 3-SM anti-collision lighting; daytime flights do not.

Reference: 14 CFR 107.29

47. A — Believing accidents only happen to others is countered with 'It could happen to me.'

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

48. A — Meridians of longitude run pole to pole and are measured 0-180° east or west from Greenwich. Latitude lines run east-west, measured from the equator.

Reference: FAA Remote Pilot Study Guide

49. A — Advection fog needs wind to push moist air across a colder surface — why it is common along coastlines, and it can persist under windier conditions than radiation fog.

Reference: FAA Remote Pilot Study Guide

50. D — TFRs are issued and updated through Notices to Air Missions (NOTAMs). Sectionals are printed too infrequently to show them.

Reference: FAA Remote Pilot Study Guide

Want the full experience? The free online mock exam at <https://part107quiz.com> runs 60 questions against a live 120-minute timer with automatic per-area scoring — the closest thing to test day without the fee.