

FAA Part 107 Practice Exam

50 questions • answer key with explanations • free from part107quiz.com

How to use this exam: give yourself 100 minutes (the real exam's pace), no notes, and circle your answers. The pass mark on the real test is 70% — 35 of 50 here. Score yourself with the key at the back: every answer includes a plain-English explanation and the FAA reference behind it. Miss a topic repeatedly? Drill it free at the online practice tests.

Original questions based on public FAA source material (14 CFR Part 107, the Remote Pilot ACS, FAA study guides). Not affiliated with or endorsed by the FAA. Not actual exam questions — no one outside the FAA has those.

1. Your launch site sits under the faded magenta vignette but outside any dashed line. You will fly at 350 ft AGL. What authorization do you need?

- A. A 107.41 waiver through FAA DroneZone, because the vignette marks controlled airspace at the surface
- B. Verbal permission from the nearest control tower on the CTAF frequency
- C. None — you are in Class G below 700 ft AGL
- D. LAANC authorization for surface Class E, which the vignette depicts around every non-towered airport

2. To operate during civil twilight, a small UA must have:

- A. A landing light
- B. Standard factory position lights on the aircraft only
- C. No special equipment
- D. Anti-collision lighting visible for 3 statute miles

3. A Part 107 waiver application must demonstrate what?

- A. That the operation can be performed safely under the terms of the certificate
- B. That the same operation has already been flown safely at least once under a certificate of authorization
- C. That the applicant carries liability insurance appropriate to the scale of the operation
- D. That no alternative method of complying with the rule exists for the proposed operation

4. Your drone has no Category rating for operations over people. A crowd starts gathering under your flight path. You should:

- A. Do nothing — brief overflight is permitted
- B. Continue as long as you remain above 100 ft AGL over the crowd
- C. Speed up to spend less time overhead
- D. Reposition or land so you are no longer over people

5. Remote ID applies to which aircraft?

- A. All drones required to be registered — including every aircraft flown under Part 107
- B. Only drones flying beyond visual line of sight
- C. Only recreational drones
- D. Only drones over 55 lb

6. The fuzzy magenta shading (vignette) on a sectional chart shows:

- A. Class E airspace at the surface
- B. Class E airspace beginning at 700 ft AGL
- C. A restricted area boundary
- D. Class G airspace above 1,200 ft AGL in that area

7. The safest guidance for charging sUAS batteries is to:

- A. Follow the manufacturer's charging instructions
- B. Always store packs fully charged so they're ready to fly
- C. Charge unattended overnight
- D. Use any USB charger that fits

8. How can you verify that your drone has Standard Remote ID?

- A. Check whether the aircraft weighs over 250 g
- B. Look it up on the FAA's public Declaration of Compliance (DOC) list
- C. Assume that any drone manufactured after January 2020 complies automatically
- D. Ask the retailer

9. Two hours before a scheduled roof inspection you learn that a VIP TFR now covers the site. You should:

- A. launch immediately, before the effective time published in the NOTAM takes hold
- B. fly anyway below 200 ft AGL, since TFRs restrict only manned aircraft above 500 ft
- C. call local law enforcement and request a spot exemption for a short commercial flight
- D. cancel or reschedule the flight

10. Without a waiver, how many small unmanned aircraft may one remote pilot operate at the same time?

- A. Three, if all are under 2 lb
- B. As many as the pilot can safely watch
- C. One
- D. Two, with a visual observer

11. Before each flight, the remote pilot in command must:

- A. Notify the nearest control tower
- B. File a flight plan with the FAA at least 24 hours before launch
- C. Log the flight in IACRA
- D. Inspect the sUAS to ensure it is in a condition for safe operation

12. During takeoff and landing — the most critical phases — the crew should:

- A. Rotate crew roles between positions to build practice reps
- B. Play the mission soundtrack
- C. Minimize non-essential conversation and distractions
- D. Chat to stay relaxed

13. What three ingredients are required for a thunderstorm to form?

- A. High pressure, cold temperatures, and strong wind
- B. Stratus clouds, drizzle, and wind shear
- C. A temperature inversion, moisture, and calm air
- D. Moisture, unstable air, and a lifting force

14. Adding a heavy camera to a forward mount shifts a multirotor's center of gravity ahead of the hub. In flight this usually shows up as:

- A. reduced maximum groundspeed with no change to hover behaviour
- B. a constant tilt the flight controller must correct, costing endurance
- C. a complete loss of attitude control immediately after takeoff
- D. longer flight time, because a forward CG improves aerodynamic efficiency

15. Anti-collision lighting is required during which operating periods?

- A. All operations, day and night
- B. Civil twilight and night operations
- C. Night operations conducted in Class G airspace only
- D. Night only

16. A paid shoot in Class G airspace will run until 45 minutes after official sunset. The flight is legal if:

- A. the aircraft remains below 200 ft AGL for the entire post-sunset portion
- B. the operation was filed as a night waiver in DroneZone at least 90 days in advance
- C. a visual observer on site also holds a remote pilot certificate
- D. the aircraft has anti-collision lighting visible for 3 statute miles

17. A local police officer approaches during a legal Part 107 flight and asks you to land and identify yourself. The correct response is to:

- A. Land safely, then present your certificate and identification
- B. Land and surrender the aircraft for inspection
- C. Refuse, because only the FAA has authority over the airspace
- D. Keep flying and produce the certificate after the job, since interrupting a flight in progress is itself a safety risk

18. Your drone weighs 0.9 lb and you fly it only for paid real-estate photography. Registration is:

- A. handled automatically by the manufacturer when the aircraft is first activated in its companion app
- B. required — \$5 per aircraft, marked on the exterior
- C. required only after you have completed your first ten paid jobs with that aircraft
- D. not required, because registration applies only to aircraft heavier than 55 lb

19. The IMSAFE checklist helps a pilot self-assess fitness to operate. What does it stand for?

- A. Instruments, Meteorology, Systems, Airframe, Fuel, Electronics
- B. Inspection, Maintenance, Safety, Airspace, Flight plan, Emergency
- C. Illness, Medication, Stress, Alcohol, Fatigue, Emotion
- D. Identify, Measure, Set, Act, Fly, Evaluate

20. Where would you find current information about a Temporary Flight Restriction (TFR)?

- A. METAR reports
- B. The Chart Supplement
- C. NOTAMs
- D. The sectional chart legend

21. Under subpart D, an operation over human beings may be conducted without a waiver when:

- A. the people underneath are wearing head protection appropriate to the weight of the aircraft
- B. the aircraft weighs less than 250 g and the entire flight is conducted below 100 ft AGL
- C. everyone underneath has been briefed on the operation and has given verbal consent
- D. the aircraft meets an eligible category and its operating requirements

22. A low-level temperature inversion has formed over the open field where you plan an early-morning flight. What is the most likely associated hazard?

- A. Severe airframe icing at your operating altitude
- B. Widespread thunderstorm development shortly after sunrise
- C. Strong convective updrafts and low-level wind shear that make holding a steady altitude difficult
- D. Poor visibility from haze and moisture trapped below the inversion

23. Which event requires an accident report to the FAA under Part 107?

- A. Any damage to any property, no matter how small the cost
- B. Serious injury, or at least \$500 damage to property other than the drone
- C. Only an accident involving a fatality
- D. Damage to the drone itself costing more than \$500 to repair

24. What are the standard atmosphere values at sea level?

- A. 15°C (59°F) and 30.12 inHg
- B. 15°C (59°F) and 29.92 inHg
- C. 0°C (32°F) and 30.00 inHg at all latitudes
- D. 21°C (70°F) and 29.92 inHg

25. Which situation creates the greatest fire risk with lithium polymer (LiPo) batteries?

- A. Storing them in a cool, dry place
- B. Physical damage, puncture, or overcharging
- C. Storing them at about 50% charge
- D. Charging with the manufacturer's recommended charger

26. A drone using a Remote ID broadcast MODULE (instead of built-in Standard RID) must be operated:

- A. Only during daylight
- B. Only below 200 ft AGL
- C. Only in Class G uncontrolled airspace below 400 ft
- D. Within visual line of sight at all times

27. You are hired to film a parade, and cars carrying people are moving along the route beneath your planned flight path. Under Part 107:

- A. sustained flight over moving vehicles requires an eligible category aircraft
- B. flight over moving vehicles is always prohibited, and no category of aircraft changes that
- C. flight over moving vehicles is unrestricted as long as you remain above 100 ft AGL
- D. you may overfly the vehicles if every occupant consented to the operation in writing beforehand

28. Your recurrent training lapsed six weeks ago, and today a client asks for a paid flight. You may:

- A. not fly under Part 107 until you complete the recurrent training
- B. fly under the supervision of any other certificated remote pilot for up to 90 days
- C. fly, provided you retake and pass the initial knowledge test at a testing center within 30 days
- D. fly, because the remote pilot certificate itself never expires

29. A dashed magenta line around an airport indicates:

- A. Class C airspace
- B. A military operations area with active training routes
- C. Class E airspace beginning at the surface
- D. Class D airspace

30. Which is the only real remedy for fatigue?

- A. Strong coffee
- B. Fresh air at the flight site
- C. Willpower and experience
- D. Adequate sleep

31. Operating with the center of gravity outside the manufacturer's limits is most likely to cause:

- A. Longer flight time
- B. Improved maneuverability
- C. Nothing, if the aircraft is under 55 lb
- D. Control difficulties or instability

32. When a visual observer is used, Part 107 requires that the RPIC, the person manipulating the controls, and the VO:

- A. be able to communicate effectively throughout the operation
- B. each hold their own remote pilot certificate
- C. remain within 100 ft of each other at all times
- D. coordinate on a radio frequency assigned for the operating area by the nearest air traffic control facility

33. The MATURE stage of a thunderstorm begins when:

- A. Updrafts first develop in the cumulus stage
- B. Lightning first appears
- C. Precipitation begins falling at the surface
- D. The anvil top forms

34. Which conditions are characteristic of STABLE air?

- A. Stratiform clouds, smooth air, and poor visibility
- B. Towering thunderstorms
- C. Showery precipitation and turbulence
- D. Cumulus clouds and good visibility

35. Part 107 requires that operations near an airport must not:

- A. Interfere with airport operations or traffic patterns
- B. Occur without the airport manager's prior written approval on file
- C. Occur within 5 NM under any circumstances
- D. Occur without a radio call on the CTAF

36. Which statement about stress is most accurate?

- A. It improves focus in all situations
- B. It vanishes once the flight begins
- C. It only matters when stress reaches immediately life-threatening levels
- D. Its effects are cumulative and can degrade judgment and performance

37. What ATC authorization is required to fly a small UA in Class G airspace?

- A. LAANC authorization
- B. Verbal approval from the nearest tower
- C. None — Class G is uncontrolled airspace
- D. A DroneZone waiver

38. You want to fly an entire shoot through FPV goggles. Under Part 107 that is:

- A. Allowed without conditions, because the goggles give you a better view of the aircraft than your own eyes do
- B. Allowed only if a visual observer keeps the aircraft in unaided visual line of sight
- C. Allowed only with a 107.31 waiver approved in advance
- D. Prohibited outright

39. The temperature/dewpoint spread is small and decreasing. What should you expect?

- A. A rapid drop in density altitude
- B. Fog or low clouds are likely to form
- C. Visibility will improve
- D. Severe clear-air turbulence at the surface is imminent

40. Before flying at night under the current rules, a remote pilot must have:

- A. A 107.29 waiver (still required today)
- B. Completed the updated initial knowledge test or the current online recurrent training
- C. An instrument rating
- D. Nothing — there are no prerequisites

41. Solid blue lines on a sectional chart depict which airspace class?

- A. Class G uncontrolled airspace
- B. Class C
- C. Class B
- D. Class D

42. What is the minimum time that must pass between consuming alcohol and operating a small UA ('bottle to throttle')?

- A. 4 hours
- B. 24 hours
- C. 8 hours
- D. 12 hours

43. The most effective daytime technique for scanning for other aircraft is:

- A. Staring at a fixed point ahead
- B. Relying on peripheral vision alone
- C. One continuous sweep of the horizon
- D. A systematic series of short, regularly spaced eye movements in roughly 10° segments

44. A dashed blue line encircles an airport 4 NM from your job site, and a boxed [25] sits inside the ring. You plan to fly at 300 ft AGL from a park inside that ring. What is required?

- A. FAA airspace authorization, normally through LAANC
- B. A written waiver from the airport manager before each flight conducted inside the ring
- C. Only a NOTAM filed with Flight Service at least one hour before you launch the aircraft
- D. Nothing — the [25] means that airspace begins at 2,500 ft MSL, far above your planned altitude

45. Your aircraft has forward obstacle-avoidance sensors. When planning a route through a tree-lined corridor, you should treat those sensors as:

- A. a substitute for visual line of sight inside the corridor
- B. a backup that may not detect thin branches or wires
- C. sufficient justification for operating beyond visual line of sight without a waiver whenever the sensors are functioning normally
- D. an assurance that the aircraft will stop short of any obstacle

46. On a hot, clear afternoon you are landing in a grass field bordered by a large asphalt parking lot. What should you anticipate on the approach?

- A. A uniform headwind across both surfaces that strengthens steadily as the afternoon surface temperature rises
- B. No effect, since convective currents form only above 3,000 ft AGL
- C. Low-level turbulence, with air rising over the asphalt and sinking over the grass
- D. Steady sinking air over the asphalt, because paved surfaces cool faster than vegetation

47. A FRIA is best described as:

- A. An FAA-recognized area where drones may fly without any Remote ID equipment
- B. Any private property with the owner's permission
- C. A paid FAA fast-track authorization zone
- D. A frequency reserved for drone telemetry

48. Restricted areas (charted 'R-' plus a number) typically contain what kind of hazard?

- A. Wildlife sanctuaries
- B. Hazards such as artillery firing, aerial gunnery, or guided missiles
- C. High volumes of student pilot training
- D. Parachute jumping activity only

49. Which statement about the preflight crew briefing is correct?

- A. It is required only for night operations
- B. It should happen only after an incident
- C. It should assign roles, communication procedures, and contingencies before flight
- D. It is optional for a crew of two

50. For night operations under Part 107, the anti-collision lighting must be visible for at least:

- A. 3 statute miles, with a flash rate sufficient to avoid a collision
- B. No lighting is required if a visual observer is used
- C. 5 statute miles, any color
- D. 1 statute mile, steady burning

Answer Key & Explanations

Score: correct ÷ 50. The FAA pass mark is 70% (35 correct). 85%+ (43 correct) means you're comfortably ready. More free practice: <https://part107quiz.com>

1. C — The fuzzy magenta vignette marks where Class E begins at 700 ft AGL. Below that floor the airspace is Class G, so no authorization is required. It is the dashed magenta line, not the vignette, that marks surface Class E.

Reference: Sectional chart legend; 14 CFR 107.41

2. D — The same 3-SM anti-collision lighting rule covers both civil twilight and night operations.

Reference: 14 CFR 107.29

3. A — The applicant must show the FAA that the proposed operation can be conducted safely under the waiver's terms, usually by describing the mitigations that replace the protection the waived rule provided.

Reference: 14 CFR 107.200

4. D — Without Category 1-4 eligibility, sustained flight over people not directly participating is prohibited — move the operation or pause until the area clears.

Reference: 14 CFR 107.39

5. A — If registration is required, Remote ID applies. Part 107 aircraft must ALWAYS be registered regardless of weight, so they always need RID (or a FRIA).

Reference: 14 CFR Part 89, Part 48

6. B — Inside the magenta vignette, Class E starts at 700 ft AGL (elsewhere it generally starts at 1,200 ft). Drones below 400 ft rarely touch it — but surface Class E is different.

Reference: Sectional chart legend

7. A — Manufacturer procedures govern charge rates, balance charging, and storage voltage — deviating is the most common cause of battery incidents.

Reference: FAA Remote Pilot Study Guide

8. B — The FAA's DOC database lists compliant makes/models; most current mainstream drones comply via firmware, but verification is the pilot's responsibility.

Reference: FAA UAS Declaration of Compliance listing

9. D — TFRs apply to unmanned aircraft too, and violating one risks certificate action plus federal penalties. No local authority can waive a TFR, so reschedule and re-check NOTAMs or B4UFLY before every flight.

Reference: 14 CFR 91.137-91.145; FAA NOTAM guidance

10. C — A person may manipulate the controls of, or act as RPIC for, only one UA at a time unless the FAA has granted a 107.35 waiver.

Reference: 14 CFR 107.35

11. D — 107.49 requires a preflight check of the aircraft, control links, power supply, and the operating environment before every flight.

Reference: 14 CFR 107.49

12. C — A 'sterile crew' discipline during critical phases keeps attention on the aircraft and its surroundings when risk is highest.

Reference: CRM concepts; FAA Remote Pilot Study Guide

13. D — Water vapor, an unstable lapse rate, and initial lift (fronts, terrain, heating) are the classic recipe.

Reference: FAA Remote Pilot Study Guide

14. B — The controller holds the aircraft level by running some motors harder than others. That correction is continuous, so the affected motors run hot and the battery drains faster. It is a performance and endurance problem long before it becomes a control problem.

Reference: FAA sUAS study guide, weight and balance

15. B — Both civil twilight and night operations require the 3-SM anti-collision lighting; daytime flights do not.

Reference: 14 CFR 107.29

16. D — Night flight is a standard privilege for pilots whose knowledge test or recurrent training covered night operations. The remaining hard requirement is anti-collision lighting visible for 3 SM with an adequate flash rate.

Reference: 14 CFR 107.29

17. A — 107.7 requires you to present your remote pilot certificate and identification on request to the FAA, NTSB, TSA, or any federal, state, or local law enforcement officer. Whether that officer can enforce airspace rules is a separate question, and not one to argue mid-flight. Land first, then produce the documents.

Reference: 14 CFR 107.7

18. B — Under Part 107 every aircraft must be registered regardless of weight; the 250 g threshold applies only to recreational flying. Registration costs \$5 per aircraft, lasts 3 years, and the number must be legible on the exterior.

Reference: 14 CFR Part 48; 14 CFR 107.13

19. C — IMSAFE = Illness, Medication, Stress, Alcohol, Fatigue, Emotion — a personal go/no-go checklist before any operation.

Reference: FAA Remote Pilot Study Guide; PHAK ch. 2

20. C — TFRs are issued and updated through Notices to Air Missions (NOTAMs). Sectionals are printed too infrequently to show them.

Reference: FAA Remote Pilot Study Guide

21. D — Categories 1 through 4 replaced the old blanket prohibition. Each category sets its own limits on injury severity, exposed rotating parts, labelling, and airworthiness, and the aircraft must qualify before the operation is legal without a waiver.

Reference: 14 CFR 107.110 through 107.145

22. D — Inversions cap vertical mixing, so smoke, haze, and moisture accumulate in the shallow layer beneath them. The air is typically smooth, but visibility can fall below the 3 SM Part 107 minimum.

Reference: AC 00-6B Ch.4; FAA-H-8083-25B Ch.12

23. B — Report when there is serious injury or loss of consciousness, or repair/replacement of damaged property OTHER than the UA costs \$500 or more.

Reference: 14 CFR 107.9

24. B — Standard sea-level atmosphere is 15°C / 59°F and 29.92 inHg — the baseline for density-altitude calculations.

Reference: PHAK ch. 4 concepts

25. B — Damaged or overcharged LiPo cells can enter thermal runaway. Inspect packs after any hard landing and never charge a swollen or punctured battery.

Reference: FAA Remote Pilot Study Guide; SAFO guidance

26. D — Module-equipped aircraft must stay within VLOS — one of the two key module limitations, along with registering the module's serial number.

Reference: 14 CFR Part 89

27. A — 107.145 permits operations over moving vehicles only with a Category 1-4 eligible aircraft, and outside a closed or restricted site the flight must be a transit rather than sustained loitering overhead.

Reference: 14 CFR 107.145, 107.39

28. A — The certificate does not expire, but its privileges lapse unless recurrent training was completed within the previous 24 calendar months. The free online course takes under an hour and restores the privileges immediately.

Reference: 14 CFR 107.65

29. C — Dashed magenta = surface Class E. It is controlled airspace at ground level, so drone flights there need FAA authorization.

Reference: Sectional chart legend

30. D — Stimulants mask symptoms briefly, but only sleep restores performance — fatigue degrades reaction time and judgment much like alcohol.

Reference: FAA Remote Pilot Study Guide

31. D — CG position outside limits degrades stability and control authority — for camera drones, a badly mounted payload is the usual culprit.

Reference: FAA Remote Pilot Study Guide

32. A — 107.33 requires effective communication among the crew at all times. The method is not specified, but hand signals across a distance that defeats reliable communication do not satisfy the rule.

Reference: 14 CFR 107.33

33. C — Rain reaching the surface marks the mature stage — the storm's most violent phase, with simultaneous updrafts and downdrafts.

Reference: FAA Remote Pilot Study Guide

34. A — Stable air resists vertical motion: layered stratus clouds, smooth flying, steady precipitation, and haze trapped low (poor visibility).

Reference: FAA Remote Pilot Study Guide

35. A — 107.43 prohibits interfering with operations and traffic patterns at any airport, heliport, or seaplane base. In Class G near an airport you may fly, but must stay clear of traffic.

Reference: 14 CFR 107.43

36. D — Stress from work, life, and the operation itself stacks up and narrows attention — a core ADM concept on the exam.

Reference: FAA Remote Pilot Study Guide

37. C — Class G is uncontrolled; no airspace authorization is required there under Part 107. All other operating rules still apply.

Reference: 14 CFR 107.41

38. B — Someone must keep the aircraft in sight without aid at all times, and goggles end that for the pilot. The RPIC therefore needs a visual observer who can see the aircraft and stay in immediate communication. No waiver is required for FPV as long as the observer satisfies the line-of-sight rule.

Reference: 14 CFR 107.31, 107.33

39. B — When temperature approaches the dewpoint, air is near saturation — fog, mist, or low stratus become likely, threatening your 3-SM visibility minimum.

Reference: FAA Remote Pilot Study Guide

40. B — Since April 21, 2021, night flight is a standard privilege for pilots who completed the updated test/training, with proper anti-collision lighting.

Reference: 14 CFR 107.29; 2021 final rule

41. C — Class B surrounds the busiest airports and is charted with solid blue lines, usually as stacked shelves like an upside-down wedding cake.

Reference: Sectional chart legend

42. C — No one may act as a crewmember within 8 hours of consuming alcohol, while under its influence, or with a blood alcohol concentration of .04 or greater.

Reference: 14 CFR 107.27, 91.17

43. D — Eyes detect motion poorly while moving. Short fixations across 10° blocks let each segment come into focus.

Reference: FAA Remote Pilot Study Guide; AIM 8-1-6 concepts

44. A — The boxed number is the Class D CEILING in hundreds of feet MSL (2,500 ft), not a floor. Class D extends down to the surface, so any Part 107 flight inside the dashed blue ring needs prior FAA authorization.

Reference: 14 CFR 107.41; sectional chart legend

45. B — Obstacle sensors routinely miss thin, low-contrast objects such as wires, branches, and netting. They reduce risk but transfer none of the RPIC's responsibility and relax nothing in 107.31.

Reference: 14 CFR 107.31, 107.49; FAA-H-8083-25B Ch.2

46. C — Surfaces heat unevenly. Barren or paved ground generates rising thermals while vegetated ground generates descending air, and the boundary between them produces low-level turbulence right where you are landing.

Reference: AC 00-6B Ch.9; FAA-H-8083-25B Ch.12

47. A — FAA-Recognized Identification Areas — typically requested by community organizations and schools — are the only places non-RID aircraft may fly, within their boundaries and VLOS.

Reference: 14 CFR Part 89

48. B — Restricted areas hold invisible hazards to aircraft. When active, entry requires permission from the controlling agency.

Reference: Chart legend; FAA Remote Pilot Study Guide

49. C — 107.49 requires ensuring all persons involved know their roles, emergency procedures, and how the crew will communicate — before takeoff.

Reference: 14 CFR 107.49

50. A — Night ops require anti-collision lighting visible for 3 SM with an adequate flash rate. Standard consumer position lights usually do not qualify by themselves.

Reference: 14 CFR 107.29

Want the full experience? The free online mock exam at <https://part107quiz.com> runs 60 questions against a live 120-minute timer with automatic per-area scoring — the closest thing to test day without the fee.