Tuesday 7 April 2026

Published 6 Apr 2026, 17:00:00
Valid from 6 Apr 2026, 17:00:00 until 7 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Daytime increase in the danger of wet avalanches

earlier



later



1	2	3	4	5
low	moderate	considerable	high	very high

Tuesday 7 April 2026

Published 6 Apr 2026, 17:00:00
Valid from 6 Apr 2026, 17:00:00 until 7 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 2 - Moderate

earlier



later



Persistent weak layers are still to be observed in the higher elevations.

The avalanche danger below 2000 m increases from low to moderate during the daytime changes. Above that, it is moderate all day. With sunshine, wet snow becomes the main problem. Especially in extremely steep terrain, wet loose snow and slab avalanches release themselves. Wet gliding avalanches can also occur at any time in all aspects on steep slopes with smooth ground that have not yet been discharged. Wet avalanches reach medium size and can hit exposed hiking trails.

Persistent weak layers are also problematic at high altitudes. In the aspects from north-west to north to east, medium slab avalanches can be triggered on very steep slopes by low additional loads. Be careful at the transition from a little to a lot of snow.

Snowpack

Overnight, the snow surface usually freezes through with a load-bearing capacity. At high altitudes, there are potential weak layers, especially on shady slopes, in the area of crusts in the upper metres of the snowpack. The snowpack base is still dry at high altitudes and often consists of faceted crystals, while at medium altitudes it is usually wet. On the south side, the base pales again at low altitudes.

Tendency

The avalanche danger will hardly change on Wednesday.