Sunday 5 April 2026

Published 4 Apr 2026, 17:00:00
Valid from 4 Apr 2026, 17:00:00 until 5 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Increased self-triggering of wet snow avalanches with the sun's rays

earlier



later



1	2	3	4	5
low	moderate	considerable	high	very high

Sunday 5 April 2026

Published 4 Apr 2026, 17:00:00
Valid from 4 Apr 2026, 17:00:00 until 5 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 3 - Considerable

earlier





later





Dry slab avalanches are possible on shady slopes.

The avalanche risk is moderate in the morning and increases to considerable during the daytime changes. The main problems are wet and gliding snow. Medium gliding avalanches can come loose at any time and in all aspects from very steep terrain with smooth ground such as forest or meadow soil. With sunlight, wet loose snow and slab avalanches release themselves, especially in extremely steep terrain. They reach medium size. Avalanche run-out areas must be recognised and avoided.

Above the tree line, wind slab avalanches must also be avoided on steep slopes exposed to the north and east. Fresh and older snowdrift accumulations can occasionally be triggered as slab avalanches by a small additional load and reach medium size.

Snowpack

The snow surface, which is often crusted can form in the morning, softens quickly in the sun. Warm temperatures and sunshine lead to a soaking of the snowpack. At higher altitudes (above 1500 m), the new

and drift snow packs of the past two weeks are still prone to triggering, especially on shady slopes, on soft layers, graupel or faceted crystals in the crust area. The snowpack base at high altitudes often consists of faceted crystals, further down it is usually wet.

Tendency

Rain up to high altitudes on Monday night, then transition to spring conditions.