Friday 17 April 2026

Published 16 Apr 2026, 17:00:00
Valid from 16 Apr 2026, 17:00:00 until 17 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Daytime increase only at higher altitudes: there is still a lot of snow in some areas.

earlier



later



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 17 April 2026

Published 16 Apr 2026, 17:00:00
Valid from 16 Apr 2026, 17:00:00 until 17 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 2 - Moderate

earlier



later





You often sink in deep when the snow surface is softened.

The avalanche risk rises to moderate above 1600 metres during the daytime changes, below that the danger is low all day. Wet snow is the main problem. Wet loose snow avalanches are to be expected where there is still a lot of snow. In extremely steep terrain in all aspects, they usually release themselves. On steep slopes with smooth ground, such as meadow slopes or rock slabs, wet gliding avalanches can occur. Avalanches reach medium size.

In isolated cases, persistent weak layers can be problematic in the northern aspects of the high altitudes. On very steep slopes, medium-sized slab avalanches can be triggered by individuals.

Snowpack

With the outgoing longwave radiation at night, the snow surface freezes through and is load-bearing. It softens with the sunlight. In general, the snowpack is soaked up to high altitudes and consists mainly of snowmelt. In places, layers of faceted crystals can still be found deep in the snowpack at high altitudes exposed to the north. On the south side, the ground is gradually thawing up to high altitudes.

Tendency

No change for the time being until the weather changes on Sunday.