Friday 27 February 2026

Published 26 Feb 2026, 17:00:00
Valid from 26 Feb 2026, 17:00:00 until 27 Feb 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Spring conditions with persistent weak layer problem and risk of cornice breakage

earlier



later



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 27 February 2026

Published 26 Feb 2026, 17:00:00
Valid from 26 Feb 2026, 17:00:00 until 27 Feb 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 2 - Moderate

earlier



later



Danger of falling on a hard frozen snow surface!

The avalanche risk is moderate above 1500 metres and low below that. Gliding snow and wet snow will become the main problem during the daytime changes. Overnight and in the mornings, small and medium gliding avalanches occasionally detach themselves on steep slopes with smooth ground. Sliding snow activity increases with the sunlight and small and medium-sized, wet loose snow avalanches are then possible from extremely steep terrain.

In addition, weak persistent layers above 1500 metres are problematic. With large additional loads, for example due to cornice breakage, medium slab avalanches can be triggered in the west, north and east aspects. Take particular care in transition areas from a little to a lot of snow.

Snowpack

On the surface, the snowpack freezes overnight in many places and is capable of bearing loads; in the sun, it softens again during the day and soaking progresses. Up to high altitudes, the snowpack is slightly moist, in medium altitudes it is sometimes completely soaked to the ground. In shady slopes at higher altitudes, faceted crystals can be found deeper in the snowpack.

Tendency

Little change.