Avalanche Service Bavaria

Friday 6 March 2026

Published 5 Mar 2026, 17:00:00
Valid from 5 Mar 2026, 17:00:00 until 6 Mar 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Persistent weak layer problem on shady slopes, wet snow problem on sunny slopes.



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 6 March 2026

Published 5 Mar 2026, 17:00:00
Valid from 5 Mar 2026, 17:00:00 until 6 Mar 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 2 - Moderate



In places, dry slab avalanches can still be triggered on shady slopes.

The avalanche risk is moderate above 1800 metres and low below that. Persistent weak layer is a persistent weak layer. Medium slab avalanches can be triggered on shady slopes, in particular with large additional loads. Take particular care at high altitudes in transition areas from little to much snow, for example when entering gullies and bowls.

During the daytime changes and with the sunlight, small loose snow avalanches can usually release themselves from the rocky steep terrain. At medium altitudes, individual small to medium gliding avalanches are possible on slopes with a smooth surface.

Snowpack

On shady slopes at higher altitudes, weak layers of faceted crystals can be found deep in the snowpack. These are usually covered by compact or crusted can form layers of snow. Early in the morning, the snowpack is usually crust-capable of bearing loads and icy. During the day, the snow softens quickly in the sun, causing it to lose its bond. Towards the ground, the snowpack is wet in the middle layers.

Tendency

Hardly any change in avalanche danger over the next few days.