Avalanche Service Bavaria

Friday 10 April 2026

Published 9 Apr 2026, 17:00:00
Valid from 9 Apr 2026, 17:00:00 until 10 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

It is snowing at high altitudes, but the snow is disappearing at medium altitudes.



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 10 April 2026

Published 9 Apr 2026, 17:00:00
Valid from 9 Apr 2026, 17:00:00 until 10 Apr 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 2 - Moderate





Depending on the amount of new snow, the snowdrift accumulations can be somewhat larger.

The avalanche risk is moderate. Wet snow is the main problem. Wet loose snow or slab avalanches release themselves, especially on extremely steep terrain. Occasional wet gliding avalanches can also occur on steep slopes with a smooth surface. Sliding snow cracks indicate the danger. Wet avalanches reach medium size.

Above 2000 m, wind slab avalanches can be a problem. Dry slab avalanches can be triggered by low additional loads on a few steep slopes with aspects from north-east to east to south as well as in gullies and bowls. If avalanches near the surface break through to deeper layers, they can reach medium size.

Snowpack

Night-time outgoing longwave radiation is severely limited and only a thin melt-freeze crust can form. It is snowing at high altitudes. The new fallen snow is accompanied by winds from the west. Fresh snowdrift accumulations are forming, in which weak intermediate layers may be embedded. In places, individual layers deeper in the snowpack are still prone to triggering. In general, the snowpack is moist up to higher elevations. Only on the northern sides of the highest elevations is it still dry. Its base there often consists of faceted crystals. The base of the snowpack at middle elevations is wet.

Tendency

The avalanche danger hardly changes.