Wednesday 18 March 2026

Published 17 Mar 2026, 17:00:00
Valid from 17 Mar 2026, 17:00:00 until 18 Mar 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

In addition to the wind slab problem, there is still a persistent weak layer problem at high altitudes.



1	2	3	4	5
low	moderate	considerable	high	very high

Wednesday 18 March 2026

Published 17 Mar 2026, 17:00:00
Valid from 17 Mar 2026, 17:00:00 until 18 Mar 2026, 17:00:00
Written by Avalanche Service Bavaria
translated with DeepL

Danger Level 1 - Low



Small snowdrift accumulations can be prone to triggering. Be aware of the risk of falling.

The avalanche risk is low. Wind slab is the main problem. Small slab avalanches can be triggered in places with little additional load. The few avalanche prone locations are mainly in the steep terrain adjacent to ridgelines in the west, east and south-east aspects as well as in gullies and bowls.

With sunlight, individual, small loose snow avalanches can detach themselves from the rocky steep terrain. Small gliding avalanches are possible on smooth, steep meadow slopes.

Snowpack

Small-scale wind slabs are sometimes prone to triggering on soft layers of overblown new fallen snow. In most cases, however, it is well bonded directly on a crusted can form surface or the previously apery ground. The new fallen snow from the last few days quickly becomes damp in the sun. Overall, there is little snow.

Tendency

No change in avalanche danger.