



BATMAN

BATMAN and all related  
characters and elements © & ™ DC. (sXX)

# Batmobile

## 6V 4-Wheel Ride-On Toy

# STOP!

## DO NOT RETURN TO STORE

This product cannot be returned for a  
refund after it has been unpacked and used.

Call us Toll-Free  
at 1-866-424-0500 or Fax  
us at 1-775-248-5155 for  
assistance and information  
from our  
USA-based trained staff.

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**





BATMAN

BATMAN and all related  
characters and elements © & ™ DC. (sXX)



# Batmobile

## 6V 4-Wheel Ride-On Toy

### Parent and Rider Manual

Suitable for: 2-5 years

With directions  
for assembly and  
operation

Please read this manual before assembly.  
Remember to save your receipt.



**WARNING:**  
Assembly by an adult.



**RISK OF FIRE.** DO NOT BYPASS FUSE, REPLACE ONLY WITH SAME TYPE 15A FUSE BATTERY PACK, TO REDUCE RISK OF INJURY, ADULT SUPERVISION IS REQUIRED, NEVER USE IN ROADWAYS, NEAR MOTOR VEHICLES, NEVER USE ON OR NEAR STEEP INCLINES OR STEPS, NEVER USE NEAR SWIMMING POOLS OR OTHER BODIES OF WATER, ALWAYS WEAR SHOES, NEVER ALLOW MORE THAN 1 RIDER, MAX WEIGHT OF 40 LBS (18 KGS).



**CAUTION:** SCREWS CONTAIN SHARP POINTS AND EDGES. ADULT ASSEMBLY REQUIRED.

**MAX WEIGHT: 40 LBS (18 KGS)**  
**MAX RIDERS: 1**  
**MAX SPEED: 2MPH (3.2 KPH) FORWARD**  
**EASY PUSH-BUTTON OPERATION**  
**6VOLT BATTERY AND CHARGER INCLUDED**  
**WORKS ON HARD SURFACES AND GRASS**  
**CONTAINS LEAD ACID BATTERY**

**RECHARGEABLE BATTERY INCLUDED**  
CONTAINS SEALED LEAD-ACID BATTERY. MUST BE RECYCLED OR DISPOSED OF SAFELY.  
FOR FURTHER INFORMATION REGARDING THE BATTERY AND THE DISPOSAL OF THE BATTERY PLEASE CALL: 1-866-424-0500  
REQUIRES ONE 6 VOLT LEAD ACID BATTERY (INCLUDED)  
KEEP ENCLOSED OPERATORS MANUAL FOR IMPORTANT SAFETY INFORMATION

**DISTRIBUTED BY:**  
Ballard Pacific Resources Inc.  
1-866-424-0500 toll-free  
or 417-206-0563 Local  
410 Adele Joplin, Mo. 64801

**Ballard Pacific**

**Ballard Pacific**



# Table of Contents

<b>Important Information .....</b>	<b>1</b>
<b>Safety, Warnings and Cautions .....</b>	<b>2</b>
<b>Riding Safety .....</b>	<b>3</b>
<b>Battery Charging and Installation.....</b>	<b>4</b>
<b>Parts Diagram.....</b>	<b>5</b>
<b>Step-by-Step Assembly .....</b>	<b>6-12</b>
<b>Ride-On Toy Care.....</b>	<b>13</b>
<b>Solutions Guide.....</b>	<b>14</b>
<b>Limited Warranty .....</b>	<b>15</b>
<b>Product Registration.....</b>	<b>17</b>

Notes:

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

## Important Information

- **ADULT ASSEMBLY REQUIRED.**

- The battery must be charged for 18 hours before the **ride-on toy's** first use. To start charging the battery before starting assembly, see **Battery Charging and Installation information on Page 4**.
- Instruct children on safe operation and driving rules before they take their first ride:
  - only one rider at a time
  - always wear shoes when riding the **ride-on toy**
  - do not allow other children near the **ride-on toy** when riding
  - do not place your hands, feet, or any part of your body, clothing, or other articles near moving parts while the **ride-on toy** is in operation
  - do not sit on the rear end of seat, it could cause tip over. Sit in the middle of seat when riding.

- Do not overload the **ride-on toy** or exceed the maximum weight capacity of 40 lbs. (18kg). If you have questions please call 1-866-424-0500
- **Please read this manual completely** for operation and safety information **before** using the toy. Keep these instructions for future reference.



BATMAN and all related  
characters and elements © & ™ DC , (sXX)

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

# Safety

# Warnings and Cautions

## ⚠ WARNING: Electrical Hazard

RISK OF FIRE , DO NOT BYPASS. REPLACE ONLY WITH SAME 15A FUSE.

- Only use Ballard Pacific approved 6 Volt lead acid battery.
- Only use Ballard Pacific 7 Volt , 0.8Amp charger.
- Never modify the electrical system. Changes could cause a fire resulting in serious injury or death, and could also ruin the electrical system.
- The battery can fall out and injure a child if the toy flips over.
- Never lift or carry the battery by the wires or connectors. This can damage the battery and possibly cause a fire resulting in serious injury or death. Always use the battery holder to carry it.
- The battery can be handled by adults only. The battery is heavy and contains sulfuric acid (electrolyte). Dropping the battery could cause serious injury.
- Children should never be allowed to charge the battery. Charging the battery must be done by adults only. The electricity involved in charging the battery could injure a child.
- The motors will get hot, handle carefully.
- Each time you charge the battery check the battery, charger, and their connectors for excessive wear or damage. Do not use the charger or the battery if damage or excessive wear is detected until you have replaced the worn or damaged parts.

## ⚠ WARNING: Riding Hazard

To reduce the risk of injury, adult supervision is required.

- Never use in roadways, near motor vehicles.
- Never use on or near steep inclines or steps.
- Never use near swimming pools or other bodies of water
- Always wear shoes.
- Never allow more than 1 rider.
- Max weight of 40lbs.(18kgs)

## ⚠ WARNING: Charger

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

## ⚠ CAUTION:

- When fully unassembled, this package contains small parts. Adult assembly is required.
- Use the charger in dry areas only.

For assistance with your assembly call:

**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**

### **⚠ WARNING: Adult Supervision Required**

- Always Teach Safety First
- While most children can develop the physical skills necessary to operate this **ride-on toy**, it is important to remember that they do not yet have mature judgment skills. Children should never be allowed to ride this **ride-on toy** without adult supervision. Before any child rides this **ride-on toy** an adult must evaluate the child's skill levels and abilities to operate the **ride-on toy** safely. Even after instruction hazards are not always anticipated or recognized by children. So before any child operates the **ride-on toy** teach them appropriate safety rules.
- THERE IS NO SUBSTITUTE FOR DIRECT ADULT SUPERVISION.

### **⚠ WARNING: Safe Riding Rules**

**Note:** For best performance use on flat, hard surfaces.

To reduce the risk of injury adult supervision is required.

- Always sit only on the seat in the ride-on toy.
- Always wear shoes.
- No more than one rider at a time.
- Do not operate on loose dirt, sand or gravel.
- Do not operate near drop-offs, obstructions, swimming pools or other bodies of water.
- Do not operate in roadways, on the street or near motor vehicles.
- Do not operate on or near steep inclines or steps. Use on generally level ground only.
- Do not operate in the dark as unexpected obstacles could cause an accident.
- Do not operate on slopes. The ride-on toy may accelerate or roll backwards at unsafe speeds even if the pedal is released.
- Do not place anything near moving parts such as motors, gears or wheels. Rotating parts can snag hair, fingers, etc. causing serious injury.
- Do not operate near flammable vapors (such as gasoline, paint thinner, acetone, liquid wax, etc.).
- Electrical components can produce an internal spark when first turned on or off. Using the ride-on toy near flammable liquids or vapors could cause an explosion or fire resulting in serious injury or death.

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**

# Battery

# Charging and Installation



**CAUTION: The battery and charger are not toys.  
All battery charging must be done by an adult.**

### The battery is located under the seat. Use the provided screwdriver to remove the seat

- The battery must be charged 18 hours before its first use. The battery must be in the upright position before charging, and be very careful to avoid any contact to both terminals at the same time.
- To disconnect the battery, squeeze the tabs of the connector and pull. Hold the connectors firmly, and do not pull the wires.
- Connect the battery charging line with the charger connector, then plug the charger into the wall outlet.
- Make sure to only plug the charger into standard 120V wall outlets. Use only the charger supplied. The charger has the rating: Input AC 120V 60Hz, Output DC7.0V 0.8A.
- You must recharge the battery for 8-12 hours after each time you use the toy. Never charge for more than 16 hours.
- Disconnect the charger from the wall outlet and then the charger from the battery. If you are not going to use the toy for a long period of time, make sure you recharge the battery at least once a month.
- Never lift or carry the battery by the wires or connector, this can cause damage. Lift and carry the battery by the case only.
- Do not charge or store the battery upside down. Charging the battery produces explosive gasses. Make sure to charge the battery away from flames, sparks, and lit cigarettes. Always charge in a well ventilated area.

### CARE:

- Always charge the battery before storing the vehicle for a long period of time. Make sure to charge the battery at least once a month, even if the toy is not being used.
- Never let the battery run down completely before charging.
- Never leave the battery in a discharged condition. It may ruin it.
- Never store the battery in temperatures above 75 °F (28.8 °C) or below 10 °F (12.2 °C)
- Before each charge examine the battery, charger, and their connectors for excessive wear or damage. If you find damage, do not use the battery or charger until you have replaced the worn or damaged part.
- Make sure to return exhausted batteries to an approved lead-acid battery recycler or contact your local authority accordingly.

### DISPOSAL:


- Your ride-on toy's battery is a sealed lead-acid battery. You must recycle or dispose of it in an environmentally sound manner.
- Never dispose your battery in the regular, household trash. The incineration, land-filling, or mixing of a sealed lead-acid battery with your household trash is prohibited by law in most areas.
- Make sure to return exhausted batteries to an approved lead-acid battery recycler or contact your local authority. Always remove exhausted batteries from your toy. Dispose of dead batteries properly; never burn or bury them.
- To locate a service center, contact your local waste management company.
- Do not mix old and new batteries.
- Do not mix alkaline, standard (carbon-zinc), or rechargeable (Nickel-Cadmium) batteries.

For assistance with your assembly call:  
**1.866.424.0500** toll free  
**417.206.0563** Local

**Ballard Pacific**

# Parts Diagram

01. Body
02. Front Fender Assembly (L/R)
03. Front Wheel (L/R)
04. Small Cover on Front Wheel
05. Axle Cover
06. Steering Wheel Assembly
07. Front Windshield
08. Rear Backrest Assembly
09. Rear Spoiler Assembly
10. Rear Wheel Cover (L/R)
11. Rear Wheel
12. Rear Axle
13. Small Cover on Rear Wheel
14. Blaster Assembly (L/R)
15. Gearbox
16. Battery Assembly




15

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**

# Assembly




## Install Front Wheels

Remove the nut from the front axle using the wrench provided. Pull off the small washer.

Place the front wheel on the axle. Replace the small washer and nut on the wheel and then tighten. **Diagram 1.**

Repeat this on opposite side.




## Install Front Fender

Take out the front fender first, and keep the fender hook aligned with the slot on the body and snap into place, and you will hear a solid click when the fender is correctly fitted.

### Diagram 2.


Then keep the hook on the wheel cap align with the slot on the wheel, and snap into the place. **Diagram 3.**



For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local


**Ballard Pacific**

# Assembly



## Install Rear Axle


Remove rear axle from packing and remove the nuts and washers at both ends of the rear axle. Then slide the end through the opening in the body and across though the Gear box bush and the hole in the gearbox as shown in **Diagram 4**.



## Install Rear Wheel (Left)

Slide the rear wheel onto the axle. Replace the small washer and nut onto axle and tighten nut securely with the wrench provided. Align the wheel cover cap with wheel cover and apply pressure until snapped into place.

**Diagram 5.**



## Install Rear Wheel (Right)


Slide the wheel connector onto the axle first to make the indicated side outward as shown. Then slide the Wheel onto the axle and align Wheel with Gear Box. Replace the Washer and Nut onto axle and tighten Nut securely with the wrench provided. Align the Wheel Cover Cap with Wheel Cover and apply pressure until snapped into place.

**Diagram 6.**

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**


# Assembly



## Install Rear Fender


Take out the rear fender first, and snap onto the body slots at both sides.

**Diagram 7.**



Then take out 2 screws, and tighten the fender at both sides as **Diagram 8.**

Repeat it on the opposite side.



## Install the Steering Wheel


Take out the steering wheel first, and connect the terminal on the steering wheel with the terminal on the body. Keep the hole on the steering wheel aligning with the steering bar and insert it, and make sure the screw hole on the steering wheel and on the steering bar is on the same line to tighten the screw easily.

**Diagram 9.**

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local


**Ballard Pacific**

# Assembly



## Install the Rear Spoiler

Take out the rear spoiler first, and snap the 2 front hooks into the body, and then snap the 2 rear hooks into the body, and you will hear a solid click when the spoiler is correctly fitted. **Diagram 10.**




## Install the Backrest

Take out the backrest first, and snap the bottom hooks into the slots, and then snap the upper hooks into the slots, and you will hear a solid click when the backrest is correctly fitted. **Diagram 11.**

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local


**Ballard Pacific**

# Assembly



## Install Battery Connector

Identify the battery connector and power cable. Align them correctly so the positive and negative connections are lined up and press the connectors together. Do not force the connection, if they don't go together smoothly, check your alignment assuring that positive is connecting to positive and negative is to negative. **Diagram 12.**



## Install Seat


Put the snap joint of the seat direct to the slot cover on the body, confirm that the seat is firmly in the correct position and tighten the screw with the equipped screwdriver.

**Diagram 13.**

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local


**Ballard Pacific**

# Assembly



## Recharging the Battery

Remove the seat. Disconnect the battery connector from the power cable and then connect the battery connector to the charger. The red light on shows the battery is charging. The red light will show while battery is charging. Stop recharging after 8-12 hours. After charging reconnect the battery connector to the cable line connector and reconnect the seat. **Diagram 14.**




## Changing the Battery

Remove the seat. Disconnect the battery connections. Never lift the battery using the connectors. Then loosen the black strap on battery and take out the battery. Place new battery inside and reconnect battery connections. Reinstall the seat as shown in **Diagram 15.**

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local


**Ballard Pacific**

# Assembly



## Changing the Fuse

To change the fuse disconnect the battery connectors. Remove the fuse stop piece on battery with screwdriver. Then take off the fuse cover. Remove the bad or damaged fuse and replace with provided identical fuse. Finally close the fuse cover and install the stop piece as shown in **Diagram 16**.



## Operation Controls

1. Press the power switch. Adjust the shifter into the Forward or reverse position and press the pedal to move vehicle.

### Diagram 17.

2. The blasters on both side would work (music /lights on) when the driver presses any button on the steering wheel.

**⚠ RISK OF FIRE , DO NOT BYPASS. REPLACE ONLY WITH SAME 15A FUSE.**

CHECK IF THE FUSE IS BURNT (FUSE WINDOW WILL SHOW IF THE METAL IS BROKEN).  
USE SAME 15A FUSE ON FUSE HOLDER.

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**

# Maintenance

# Ride-On Toy Care

Check all screws, cap nuts and protective coverings regularly and tighten as required. Check plastic parts on a regular basis for cracks or broken pieces.



This product should be checked by adult before use and be used only under constant adult supervision.



During snow or rainy weather, the **ride-on toy** should be stored inside or under a protective cover. Remember to charge the battery at least once per month while your **ride-on toy** is not in regular use.



Avoid operating the **ride-on toy** in wet or snowy conditions and do not spray the **ride-on toy** with a hose. Do not wash the **ride-on toy** with soap and water. Water or moisture in the motors or electrical switches can cause them to corrode and could cause switch or motor failure.



Avoid operating the **ride-on toy** on sand, loose dirt or gravel. Sand, loose dirt or gravel in the motors or electrical switches can cause them to jam and could cause switch or motor failure.



The **ride-on toy** can be wiped down with a soft, dry cloth. For a shiny finish, you can wipe plastic parts with a non-wax furniture polish applied to a soft-cloth. Do not use automotive wax. Do not use soap and water or spray the **ride-on toy** with a hose.

# Solutions Guide

## PROBLEM & SOLUTION

PROBLEM	ANALYSIS	SOLUTION
Does not work	Battery power low	Recharge the battery
	Fuse burned	Charge with new fuse
	Loose wheel nut	Use new nut
	Loose battery connector	Put on the connector
	Bad battery	Change with new battery
	Damage on electrical parts	Go to repair shop
	Damage on motor	Replace motor&gearbox
Battery can't be recharged	Loose battery connector	Tighten the connector
	Charger doesn't get the power	Plug charger on wall outlet
	Damage of charger	Change new charger
Short run time	Battery with lower power	Recharge the battery fully
	Battery is old	Change new battery
Noise & Heat during recharge	Normal for some batteries to make noise or heat up when charging.	No action required
Low Speed	Old battery	Use new battery
	Low power	Recharge the battery fully
	Over burden	Reduce burden under 18 KG
	Run on not-flat ground	Run on flat ground
Noise of gear box	Damage of gear box	Go to repair shop
	Damage on motor	Go to repair shop
Shakes while running	Bad connect of motor wire	Reconnect the wire
	Motor doesn't work well	Go to repair shop
No sound & light when running	Loose sound & light wire	Connect the wire
	Damaged sound & light board	Go to repair shop
Can't stop when running	Damaged electrical parts	Go to repair shop

For assistance with your assembly call:  
**1.866.424.0500** toll free  
**417.206.0563** Local

# Limited Warranty

DON'T RETURN YOUR VEHICLE TO THE STORE.

## Do not take back to store, call customer service with any problems or questions.

Ballard Pacific Resources, Inc. offers the following limitations, terms and conditions to the original owner of the Ballard Pacific Resources, Inc. electric Ride-On Toy. Should this Ballard Pacific Resources, Inc. electric Ride-On toy or an part be determined defective by Ballard Pacific Resources, Inc. to be covered by this limited Warranty, it will be repaired or replaced, at Ballard Pacific Resources, Inc. sole option, which will be conclusive and binding. Under no circumstances does this limited warranty include the cost of travel or shipment to and from any retailer or consumer. Such cost, if any, shall be borne by the original or subsequent owner.

This Ballard Pacific Resources, Inc. electric ride-on toy has not been designed or engineered for ramp riding, jumping, aggressive riding, in severe climates or over severe terrain, riding with heavy loads (over 40 lbs or 18 kg) or any similar activities. Such uses may damage the Ballard Pacific Resources Inc. electric ride-on toy, that can cause serious injury to the rider and in all cases will void this warranty.

### **6 Months from the date of the purchase on vehicle**

Ballard Pacific Resources, Inc. Electric Ride-On display, throttle and throttle assembly, control wiring harness, wiring and wiring harness, motor and associated transmission and all components not directly associated with the 6V battery are warranted from 6 months from date of purchase to The ORIGINAL PURCHASER against any defects in material, manufacturing, and/or workmanship. If there is any evidence of consumer repair the warranty is voided. Any claim of damage under this clause cannot be due to owner abuse or neglect and must first be reported to Ballard Pacific Resources, Inc. Customer Service and a Return Merchandise Authorization (RMA) tag to be issued.

### **3 Months from the date of the purchase on battery**

The battery must be charged for a full 18 hours before the units first use. The 6V battery and battery charger (AC Adaptor) that is included with the original vehicle is warranted to be free from defects in material, parts and/or workmanship, again not due to owner abuse or neglect. If there is evidence of customer repair or use other's battery or charger the warranty is voided. This limited warranty is only valid to the original purchaser and must first be reported to Ballard Pacific Resources, Inc. Customer Service and a Return Merchandise Authorization (RMA) tag be issued.

Wheels are considered a wear and tear item and are only under warranty in the event of manufacturer defect.

Items not covered under warranty terms under any conditions

- 1.Damage due to failure to maintain the battery as accurately described on various product warning stickers and the products owner's manual.
- 2.Damage due to maintenance or the actual damage caused by the lack of maintenance.
- 3.Damage due to improperly assembled products.
- 4.Damage due to climatic or environmental damage, various cleaners and/or chemicals that may result in a damages finish.

This warranty does not cover and is intended to exclude, any liability on the part of Ballard Pacific Resources, Inc.  
Whether under this warranty or implied by law or indirect or consequential damages for breach of warranty.

This warranty gives you specific legal rights. You may also have other rights that vary from state to state and province to province. In those states that do not allow the exclusion of implied warranties or limitation of incidental or consequential damages, the above limitations or exclusions may not apply to you. This warranty applies to the United States, Canada.

**DON'T RETURN YOUR VEHICLE TO THE STORE.** Should you require service or assistance with your vehicle during the warranty period, contact our trained technical staff at Ballard Pacific Resources, Inc. 1-866-424-0500. For product related questions e-mail [info@ballardpacific.com](mailto:info@ballardpacific.com). For customer service questions e-mail [service@BallardPacific.com](mailto:service@BallardPacific.com)

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**

# Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

# Product Registration

## Note:

Activation of your warranty gives you FREE telephone and online technical service help. Please fill out registration below and mail with your sales receipt to:

**410 S. Adele Ave.**

**Joplin, MO 64801**

or register online at:

**[www.ballardpacific.com/register-product](http://www.ballardpacific.com/register-product)**

immediately after purchase.

## Ballard Pacific



Designed, manufactured and distributed by **Ballard Pacific Resources**. All rights reserved.



**!** For a record of your purchase fill in immediately and send to:  
410 S. Adele Ave. Joplin, Mo. 64801  
or try registering online at:  
[www.ballardpacific.com/register-product](http://www.ballardpacific.com/register-product)

**E** **Ballard Pacific Resources, Inc.**



**Batmobile**  
6V 4-Wheel Ride-On Toy

**Owners Name:** \_\_\_\_\_ (PLEASE PRINT)

**Address:** \_\_\_\_\_ (PLEASE PRINT)

**City:** \_\_\_\_\_ **State:** \_\_\_\_\_ **Zip:** \_\_\_\_\_

**Tel:** \_\_\_\_\_ **E-mail:** \_\_\_\_\_

**Date Purchased:** \_\_\_\_\_ **Place of Purchase:** \_\_\_\_\_

**Model Name:** \_\_\_\_\_

**Serial Number:** \_\_\_\_\_

For assistance with your assembly call:  
**1.866.424.0500** toll-free  
**417.206.0563** Local

**Ballard Pacific**