

04 — CATÁLOGO COMPLETO DE SKILLS (106) + agentes

Todas las skills instaladas en el repo, con qué hace cada una. Fuente: `skills/*/SKILL.md` . Nombre exacto a la izquierda — usalo tal cual al armar el prompt, nunca lo traduzcas ni inventes uno parecido.

Contenido, marketing y crecimiento

Skill	Qué hace
<code>allimport-viral-research</code>	Investiga qué es viral en el nicho de All Import (emprender 18-28, Córdoba) y por qué, antes de escribir guiones. Use when the user asks "qué está funcionando", "qué es viral", "investigá el mercado", "ideas de reel s...
<code>viral-hook-generator</code>	Use when writing the opening line/hook for a video, post, or ad that needs to stop the scroll in the first 2-3 seconds or first sentence.
<code>growth-loops</code>	Design and optimize self-reinforcing growth systems using Reforge methodology—shift from linear funnels to compounding loops where outputs become inputs for sustainable, defensible growth. Use when: **Analyze your cur...
<code>humanizer</code>	Remove signs of AI-generated writing from text. Use when editing or reviewing text to make it sound more natural and human-written. Based on Wikipedia's comprehensive "Signs of AI writing" guide. Detects and fixes pat...
<code>ad-copy-generator</code>	Use when writing ad copy (search, social, display) that needs to drive clicks and conversions for a specific offer and audience.
<code>ad-creative-generation</code>	Generate on-brand ad creatives — visuals + copy — for Google, Meta (Facebook / Instagram), and other paid platforms via the Hyper MCP. Extracts brand identity from a website, writes ad copy variants, and produces bran...
<code>conversion-rate-optimization</code>	Systematically improves conversion rates across digital touchpoints using data-driven analysis and proven CRO methodologies. Identifies friction points, designs statistically valid tests, and implements optimizations ...
<code>funnel-builder</code>	Use when designing or fixing an acquisition-to-retention funnel, mapping each stage's goal, friction points, and conversion levers.
<code>landing-page-copy</code>	Build high-converting landing pages with proven structure, persuasive sections, and best practices. From hero to footer—every element optimized. Use when: Writing landing pages from scratch; Improving existing underpe...
<code>landing-page-generator</code>	Generates high-converting Next.js/React landing pages with Tailwind CSS. Uses PAS, AIDA, and BAB frameworks for optimized copy/components (Heroes, Features, Pricing). Focuses on Core Web Vitals/SEO.
<code>landing-page-optimizer</code>	Optimize landing pages for maximum conversions using proven frameworks from Unbounce and Oli Gardner—apply the "one goal, one message, one action" principle with data-driven design, copy, and CTA best practices. Use...

Skill	Qué hace
marketing-skills	Use when you need marketing strategy, growth, or campaign skills — includes AB testing, ad creative, SEO, analytics, cold email, community marketing, churn prevention, co-marketing, and more. Full marketing skills col...
pricing-psychology	Use when designing pricing tiers, packaging, or price presentation to improve perceived value and conversion without misleading the customer.
thumbnail-gen	Use when generating YouTube thumbnails or social media preview images. Automates thumbnail creation with text overlays, templates, and brand assets.
remotion-video-creation	Remotion のベストプラクティス - React で動画を作成する。3D、アニメーション、音声、字幕、チャート、トランジションなどをカバーするドメイン固有の29のルール。
napkin	Use when you need to create quick visual diagrams, flowcharts, or sketches from text descriptions. Napkin AI-style diagram generation for wireframes and concept visuals.

SEO (suite claude-seo, para la web — FASE G)

Skill	Qué hace
seo	Comprehensive SEO analysis for any website or business type. Full site audits, single-page analysis, technical SEO (crawlability, indexability, Core Web Vitals with INP), schema markup, content quality (E-E-A-T), imag...
seo-audit	Full website SEO audit with parallel subagent delegation. Crawls up to 500 pages, detects business type, delegates to up to 15 specialists (8 always + 7 conditional), generates health score. Use when user says audit, ...
seo-backlinks	Backlink profile analysis: referring domains, anchor text distribution, toxic link detection, competitor gap analysis. Works with free APIs (Moz, Bing Webmaster, Common Crawl) and DataForSEO extension. Use when user s...
seo-cluster	SERP-based semantic topic clustering for content architecture planning. Groups keywords by actual Google SERP overlap (not text similarity), designs hub-and-spoke content clusters with internal link matrices, and gene...
seo-competitor-pages	Generate SEO-optimized competitor comparison and alternatives pages. Covers "X vs Y" layouts, "alternatives to X" pages, feature matrices, schema markup, and conversion optimization. Use when user says "comparison pag...
seo-content	Content quality and E-E-A-T analysis with AI citation readiness assessment. Use when user says "content quality", "E-E-A-T", "content analysis", "readability check", "thin content", or "content audit".
seo-content-brief	Generate competitive SEO content briefs with per-section word counts, competitor scoring, keyword density guidance, and page-type templates. Supports both new page briefs and improve-existing-page briefs. Use when use...
seo-dataforseo	Live SEO data via DataForSEO MCP server: SERP analysis, keyword research (volume, difficulty, intent, trends), backlink profiles, on-page analysis, competitor and content analysis, business listings, AI visibility (LL...

Skill	Qué hace
seo-drift	SEO drift monitoring: capture baselines of SEO-critical elements, detect changes, and track regressions over time. Git for SEO: baseline, diff, and track changes to your on-page SEO. Use when user says "SEO drift", "b...
seo-ecommerce	E-commerce SEO analysis: Google Shopping visibility, Amazon marketplace intelligence, product schema validation, competitor pricing analysis, and marketplace keyword gaps. Combines on-page product SEO with marketplace...
seo-flow	FLOW framework integration: evidence-led SEO using the Find → Leverage → Optimize → Win loop. Surfaces stage-specific AI prompts from the FLOW knowledge base (41 prompts, CC BY 4.0). Use when user says "FLOW", "FLOW f...
seo-geo	Optimize content for AI Overviews (formerly SGE), ChatGPT web search, Perplexity, and other AI-powered search experiences. Generative Engine Optimization (GEO) analysis including brand mention signals, AI crawler acce...
seo-google	Google SEO APIs: Search Console (Search Analytics, URL Inspection, Sitemaps), PageSpeed Insights v5, CrUX field data with 25-week history, Indexing API v3, and GA4 organic traffic. Provides real Google field data for ...
seo-hreflang	Hreflang and international SEO audit, validation, and generation. Detects common mistakes, validates language/region codes, and generates correct hreflang implementations. Use when user says "hreflang", "i18n SEO", "i...
seo-image-gen	AI image generation for SEO assets: OG/social preview images, blog hero images, schema images, product photography, infographics. Powered by Gemini via nanobanana-mcp. Requires banana extension installed. Use when use...
seo-images	Image optimization analysis for SEO and performance. Checks alt text, file sizes, formats, responsive images, lazy loading, CLS prevention, image SERP rankings (via DataForSEO), and image file optimization (WebP/AVIF ...
seo-local	Local SEO analysis covering Google Business Profile optimization, NAP consistency, citation health, review signals, local schema markup, location page quality, multi-location SEO, and industry-specific recommendations...
seo-maps	Maps intelligence for local SEO: geo-grid rank tracking, GBP profile auditing via API, review intelligence across Google/Tripadvisor/Trustpilot, cross-platform NAP verification, competitor radius mapping, and LocalBus...
seo-page	Deep single-page SEO analysis covering on-page elements, content quality, technical meta tags, schema, images, and performance. Use when user says "analyze this page", "check page SEO", "single URL", "check this page"...
seo-plan	Strategic SEO planning for new or existing websites. Industry-specific templates, competitive analysis, content strategy, and implementation roadmap. Use when user says "SEO plan", "SEO strategy", "SEO planning", "con...
seo-programmatic	Programmatic SEO planning and analysis for pages generated at scale from data sources. Covers template engines, URL patterns, internal linking automation, thin content safeguards, and index bloat prevention. Use when ...
seo-schema	Detect, validate, and generate Schema.org structured data. JSON-LD format preferred. Use when user says "schema", "structured data", "rich results", "JSON-LD", or "markup".

Skill	Qué hace
seo-sitemap	Analyze existing XML sitemaps or generate new ones with industry templates. Validates format, URLs, and structure. Use when user says "sitemap", "generate sitemap", "sitemap issues", or "XML sitemap".
seo-sxo	Search Experience Optimization: reads Google SERPs backwards to detect page-type mismatches, derives user stories from search intent signals, and scores pages from multiple persona perspectives. Identifies why well-op...
seo-technical	Technical SEO audit across 9 categories: crawlability, indexability, security, URL structure, mobile, Core Web Vitals, structured data, JavaScript rendering, and IndexNow protocol. Use when user says "technical SEO", ...
serp-analysis	Use when analyzing search engine results pages (SERPs) to understand SERP composition, ranking factors, AI overviews, featured snippets, search intent, and competitive landscape. Not for external backlinks — use backl...
internal-linking-optimizer	Use when the user asks to "fix internal linking" or "find orphan pages"; maps link architecture, authority flow, anchor text, and crawl depth, then delivers a prioritized source/target/anchor plan. Not for external ba...
programmatic-seo	Design and evaluate programmatic SEO strategies for creating SEO-driven pages at scale using templates and structured data.

Frontend / diseño web

Skill	Qué hace
react-best-practices	React and Next.js performance optimization guidelines from Vercel Engineering. This skill should be used when writing, reviewing, or refactoring React/Next.js code to ensure optimal performance patterns. Triggers on t...
nextjs-best-practices	Next.js App Router principles. Server Components, data fetching, routing patterns.
nextjs-supabase-auth	Expert integration of Supabase Auth with Next.js App Router
composition-patterns	React composition patterns that scale. Use when refactoring components with boolean prop proliferation, building flexible component libraries, or designing reusable APIs. Triggers on tasks involving compound component...
frontend-design	Guidance for distinctive, intentional visual design when building new UI or reshaping an existing one. Helps with aesthetic direction, typography, and making choices that don't read as templated defaults.
frontend-design-direction	フロントエンド設計の方向性、美的原則、および一貫した設計言語実装。
ui-ux-pro-max	Use when designing UI/UX for web or mobile apps. Provides AI-powered design intelligence with 84 UI styles, 161 color palettes, 73 font pairings, 99 UX guidelines, and 25 chart types across 17 tech stacks. Generates c...

Skill	Qué hace
taste-skill	Use when you need design taste and visual aesthetic skills — includes brutalist, minimalist, image-to-code, imagegen for frontend/mobile/web, output, and redesign skills. Opinionated design direction collection.
shadcn-ui	Build UI components with shadcn/ui. Pairs with the Stitch design loop to ship structured, accessible components quickly.
figma-generate-design	Build or update screens in Figma from code or description using design system components. Translate app pages into Figma using design tokens.
figma-implement-design	Translate Figma designs into production-ready code with 1:1 visual fidelity. Useful for handing off Figma frames straight to a frontend agent.
web-design-guidelines	Review UI code for Web Interface Guidelines compliance. Use when asked to "review my UI", "check accessibility", "audit design", "review UX", or "check my site against best practices".

Performance web

Skill	Qué hace
core-web-vitals	Use when diagnosing or fixing Largest Contentful Paint (LCP), Interaction to Next Paint (INP), or Cumulative Layout Shift (CLS) issues on a web page.
lighthouse-optimizer	Use when a page or app needs a higher Lighthouse score across Performance, Accessibility, Best Practices, and SEO. Audits the report and applies targeted fixes for the lowest-scoring categories.
bundle-analyzer	Use when a JS/TS app's bundle is too large and needs to be reduced. Identifies heavy dependencies, duplicate code, and unused exports, then applies splitting/tree-shaking fixes.
image-optimization	Use when images on a page are too heavy, wrong format, not responsive, or not lazy-loaded. Picks the right format, size, and loading strategy per image.
lazy-loading	Use when deferring the load of images, components, or routes to reduce initial page weight and speed up first render.

Testing / QA

Skill	Qué hace
playwright-automation	Write production-grade Playwright tests in TypeScript: Page Object Model, fixtures, auto-waiting, user-facing locators, parallel execution, CI integration, sharding, and 2025-2026 feature awareness. Includes an explic...
visual-regression-testing	Detect unintended visual changes in UI by comparing screenshots across versions. Use for visual regression, screenshot diff, Percy, Chromatic, UI testing, and visual validation.
webapp-testing	Toolkit for interacting with and testing local web applications using Playwright. Supports verifying frontend functionality, debugging UI behavior, capturing browser screenshots, and viewing browser logs.

Skill	Qué hace
unit-test-generator	Automatically generate unit tests based on source code, supporting multiple languages and testing frameworks.
browser-automation	Browser automation powers web testing, scraping, and AI agent interactions. The difference between a flaky script and a reliable system comes down to understanding selectors, waiting strategies, and anti-detection pat...
agent-browser	Browser automation CLI for AI agents. Use when the user needs to inspect, test, or automate browser behavior: navigating pages, filling forms, clicking buttons, taking screenshots, extracting page data, reading select...

Seguridad

Skill	Qué hace
owasp-security-audit	Use when auditing an application against the OWASP Top 10 (injection, broken auth, XSS, SSRF, etc.) before a release or security review.
api-security-design	Guidance for designing secure APIs on Azure - authentication, authorization, gateway controls, input validation, rate limiting, secret management, and runtime threat detection - aligned to OWASP API Security Top 10 an...
auth-system-designer	Use when designing or reviewing an authentication/authorization system — sessions, roles, OAuth, or MFA — for correctness and security.
dependency-scanner	Use when scanning project dependencies for known vulnerabilities, outdated packages, or security advisories. Runs automated dependency audit across npm, pip, and other package managers.
security-headers-configuration	Configure HTTP security headers including CSP, HSTS, X-Frame-Options, and XSS protection. Use when hardening web applications against common attacks.
secrets-detection	Use when scanning a codebase for hardcoded secrets, API keys, passwords, or credentials. Runs detect-secrets, git-secrets, and TruffleHog to find and prevent secret leaks.

Backend / infraestructura

Skill	Qué hace
database-schema-design	Use when designing or reviewing database schemas, indexes, and migrations for correctness, performance, and safe evolution over time.
background-jobs-queues	Use when designing or implementing asynchronous background jobs and queues for work that shouldn't block the request/response cycle.
caching-strategy	Use when designing or fixing HTTP, CDN, or application-data caching to reduce latency and backend load without serving stale data.

Skill	Qué hace
rate-limiting-implementation	Implement rate limiting, throttling, API quotas, and backpressure mechanisms to protect services from abuse and ensure fair resource usage. Use when building APIs, preventing DOS attacks, or managing system load.
supabase-automation	Automate Supabase database queries, table management, project administration, storage, edge functions, and SQL execution via Rube MCP (Composio). Always search tools first for current schemas.
ci-cd-pipeline	Use when setting up or fixing a CI/CD pipeline that should run tests and deploy safely, with rollback if something breaks.
observability-logging	Use when setting up or improving logs, metrics, and traces so production issues can be diagnosed quickly instead of guessed at.
error-monitoring	Use when setting up production error capture, grouping, and alerting so real issues are surfaced and triaged instead of buried in logs.
error-recovery	Use when an error occurs and needs to be classified by type (transient, logic, permission, data) so the right recovery strategy is applied instead of a generic retry.
self-healing-code	Use when a failure (test, build, runtime error) is detected and should be diagnosed and fixed automatically, with the fix verified before being considered done.

Eficiencia de contexto / tokens (agente)

Skill	Qué hace
context-optimization	This skill should be used for improving context efficiency: context budgeting, observation masking, prefix or KV-cache strategy, partitioning, token-cost reduction, retrieval scoping, and extending effective context c...
context-compression	This skill should be used when long-running agent sessions need context compression, structured summarization, compaction, token-per-task optimization, or durable handoff summaries that preserve decisions, files, risk...
prompt-compression	Use when a prompt or context block is too long and needs to be shortened without dropping any requirement, constraint, or fact it conveys.
token-optimizer	Optimization suite for OpenClaw agents to prevent token leaks and context bloat. Use when an agent needs to implement background task isolation (Cron) or a Reset & Summarize workflow (RAG).
filesystem-context	This skill should be used when agent work needs file-backed context: durable scratchpads, tool-output offloading, just-in-time discovery, cross-agent handoff files, filesystem memory, or cleanup policies for context s...
repo-indexer	Use when a large codebase needs a fast-lookup index of symbols, files, and dependencies so subsequent tasks don't re-scan the whole repo from scratch.
smart-file-selector	Use when a task only needs a small, relevant subset of a large repo's files loaded into context, instead of reading everything.
semantic-diff	Use when a code diff needs to be summarized by intent and impact (what behavior changed and why it matters) rather than just line-by-line additions/deletions.

Skill	Qué hace
graphify	Use for any question about a codebase, its architecture, file relationships, or project content — especially when graphify-out/ exists, where the question should be treated as a graphify query first. Turns any input (...)

Meta: cómo trabaja Claude

Skill	Qué hace
find-skills	Helps users discover and install agent skills when they ask questions like "how do I do X", "find a skill for X", "is there a skill that can...", or express interest in extending capabilities. This skill should be use...
skill-chaining	Use when a task requires multiple skills run in sequence, passing the output of one as the input of the next, rather than one skill handling everything.
skill-router	Use when it's unclear which available skill best fits an incoming task, and the right skill should be selected before starting work instead of guessing.
skill-creator	Create new skills, modify and improve existing skills, and measure skill performance. Use when users want to create a skill from scratch, edit, or optimize an existing skill, run evals to test a skill, benchmark skill...
workflow-executor	Use when running a multi-step plan that needs checkpoints, retries, and rollback on failure rather than blind sequential execution.
workflow-planner	Use when a high-level goal needs to be converted into a concrete, ordered, verifiable plan of steps before execution starts.
task-decomposition	Transform overwhelming development tasks into manageable units. This skill should be used when the user says 'task too big', 'can't estimate', 'overwhelmed by scope', 'where do I start', 'epic needs breakdown', or has...
continuous-improvement	Use when a recurring task should get better over time by tracking outcomes from past runs and adjusting the approach, rather than repeating the same process blindly.
evaluation	This skill should be used when building agent evaluation systems: deterministic checks, regression suites, multi-dimensional rubrics, quality gates, production monitoring, baseline comparison, and outcome measurement ...
advanced-evaluation	This skill should be used for advanced LLM evaluation: LLM-as-judge systems, direct scoring, pairwise comparison, rubric calibration, evaluator bias mitigation, confidence scoring, and automated quality assessment.
caveman	Use when you need the Caveman coding agent skill suite — includes caveman, caveman-commit, caveman-compress, caveman-review, caveman-stats, caveman-help, and cavecrew multi-agent skills. Primitive but effective code g...
context7	Use when working with libraries or frameworks to get authoritative, up-to-date documentation via Context7 MCP. Expert in latest versions, best practices, and correct API syntax. Use for: Next.js routing, React hooks, ...

Propias de All Import

Skill	Qué hace
allimport-catalog-checker	Valida el catálogo de la web de All Import antes de shippear. Use when the user asks to check/verify the catalog, edits web/src/components/site/data.ts, or before a PR that touches products/prices. Chequea naming trad...
allimport-crm	Gestiona la base de clientes de All Import (planilla con etiquetas compró/potencial/curioso). Use when the user asks to add/update a client, "cargá este cliente", "quién compró", "clientes potenciales", seguimiento de...

Subagentes disponibles (.claude/agents/ , 55 de terceros + reviewer/web-qa propias)

Se invocan pidiéndole a Claude "usá el agente X". No son skills, son personalidades con foco.

Agente	Para qué sirve
reviewer	(propio) Revisa un diff antes de commitear: bugs y simplificación
web-qa	(propio) Verifica que la landing compile y funcione tras un cambio
ai-engineer	Use this agent when implementing AI/ML features, integrating language models, building recommendation systems, or adding intelligent automation to applications....
analytics-reporter	Use this agent when analyzing metrics, generating insights from data, creating performance reports, or making data-driven recommendations....
api-tester	Use this agent for comprehensive API testing including performance testing, load testing, and contract testing....
app-store-optimizer	Use this agent when preparing app store listings, researching keywords, optimizing app metadata, improving conversion rates, or analyzing app store performance....
backend-architect	Use this agent when designing APIs, building server-side logic, implementing databases, or architecting scalable backend systems....
brand-guardian	Use this agent when establishing brand guidelines, ensuring visual consistency, managing brand assets, or evolving brand identity....
content-creator	(sin descripción)
devops-automator	Use this agent when setting up CI/CD pipelines, configuring cloud infrastructure, implementing monitoring systems, or automating deployment processes....
experiment-tracker	PROACTIVELY use this agent when experiments are started, modified, or when results need analysis....
feedback-synthesizer	Use this agent when you need to analyze user feedback from multiple sources, identify patterns in user complaints or requests, synthesize insights from reviews, or prioritize feature development based...

Agente	Para qué sirve
finance-tracker	Use this agent when managing budgets, optimizing costs, forecasting revenue, or analyzing financial performance....
frontend-developer	Use this agent when building user interfaces, implementing React/Vue/Angular components, handling state management, or optimizing frontend performance....
growth-hacker	(sin descripción)
infrastructure-maintainer	Use this agent when monitoring system health, optimizing performance, managing scaling, or ensuring infrastructure reliability....
instagram-curator	(sin descripción)
joker	Use this agent when you need to lighten the mood, create funny content, or add humor to any situation. This agent specializes in dad jokes, programming puns, and startup humor.
legal-compliance-checker	Use this agent when reviewing terms of service, privacy policies, ensuring regulatory compliance, or handling legal requirements....
mobile-app-builder	Use this agent when developing native iOS or Android applications, implementing React Native features, or optimizing mobile performance....
performance-benchmarker	Use this agent for comprehensive performance testing, profiling, and optimization recommendations....
project-shipper	PROACTIVELY use this agent when approaching launch milestones, release deadlines, or go-to-market activities....
rapid-prototyper	Use this agent when you need to quickly create a new application prototype, MVP, or proof-of-concept within the 6-day development cycle....
reddit-community-builder	(sin descripción)
seo-backlinks	Backlink profile analyst using free and paid sources. Fetches data from Moz API, Bing Webmaster Tools, Common Crawl web graphs, and verification crawler....
seo-cluster	> Semantic topic clustering analysis using SERP overlap methodology....
seo-content	Content quality reviewer. Evaluates E-E-A-T signals, readability, content depth, AI citation readiness, and thin content detection.
seo-dataforseo	DataForSEO data analyst. Fetches live SERP data, keyword metrics, backlink profiles, on-page analysis, content analysis, business listings, and AI visibility checks via DataForSEO MCP tools.
seo-drift	> SEO drift analysis agent. Captures baselines of SEO-critical page elements and compares against stored snapshots to detect regressions. Reports changes with severity classification....
seo-ecommerce	> E-commerce SEO analyst. Validates product schema, analyzes Google Shopping and Amazon marketplace visibility, identifies pricing gaps, and recommends product page optimizations....
seo-flow	FLOW framework prompt analyst. Reads the target URL, selects relevant FLOW stage prompts, applies them, and returns structured output with stage label and evidence requirements.
seo-geo	GEO and AI search specialist. Analyzes AI crawler accessibility, llms.txt presence (optional; ignored by Google Search), passage-level citability, brand mention signals, and platform-specific optimiza...

Agente	Para qué sirve
seo-google	Google SEO API analyst. Fetches CWV field data via CrUX, indexation status via GSC, and organic traffic via GA4 for enriched audit data.
seo-image-gen	SEO image analyst. Audits existing OG/social preview images, identifies missing or low-quality images, and creates an image generation plan with prompts for key pages. Does NOT auto-generate images.
seo-local	Local SEO specialist. Analyzes GBP signals, NAP consistency, citations, reviews, local schema, location page quality, and industry-specific local factors for brick-and-mortar, SAB, and multi-location ...
seo-maps	Maps intelligence specialist. Geo-grid rank tracking, GBP profile auditing, review intelligence, cross-platform NAP verification, and competitor radius mapping via DataForSEO and free APIs.
seo-performance	Performance analyzer. Measures and evaluates Core Web Vitals and page load performance.
seo-schema	Schema markup expert. Detects, validates, and generates Schema.org structured data in JSON-LD format.
seo-sitemap	Sitemap architect. Validates XML sitemaps, generates new ones with industry templates, and enforces quality gates for location pages.
seo-sxo	> Search Experience Optimization analyst. Performs SERP backwards analysis to detect page-type mismatches, derives user stories from intent signals, and scores pages from multiple persona perspectives...
seo-technical	Technical SEO specialist. Analyzes crawlability, indexability, security, URL structure, mobile optimization, Core Web Vitals, and JavaScript rendering.
seo-visual	Visual analyzer. Captures screenshots, tests mobile rendering, and analyzes above-the-fold content using Playwright.
sprint-prioritizer	Use this agent when planning 6-day development cycles, prioritizing features, managing product roadmaps, or making trade-off decisions....
studio-coach	PROACTIVELY use this agent when complex multi-agent tasks begin, when agents seem stuck or overwhelmed, or when the team needs motivation and coordination....
studio-producer	PROACTIVELY use this agent when coordinating across multiple teams, allocating resources, or optimizing studio workflows....
support-responder	Use this agent when handling customer support inquiries, creating support documentation, setting up automated responses, or analyzing support patterns....
test-results-analyzer	Use this agent for analyzing test results, synthesizing test data, identifying trends, and generating quality metrics reports....
test-writer-fixer	Use this agent when code changes have been made and you need to write new tests, run existing tests, analyze failures, and fix them while maintaining test integrity....
tiktok-strategist	Use this agent when you need to create TikTok marketing strategies, develop viral content ideas, plan TikTok campaigns, or optimize for TikTok's algorithm....
tool-evaluator	Use this agent when evaluating new development tools, frameworks, or services for the studio....
trend-researcher	Use this agent when you need to identify market opportunities, analyze trending topics, research viral content, or understand emerging user behaviors....

Agente	Para qué sirve
twitter-engager	(sin descripción)
ui-designer	Use this agent when creating user interfaces, designing components, building design systems, or improving visual aesthetics....
ux-researcher	Use this agent when conducting user research, analyzing user behavior, creating journey maps, or validating design decisions through testing....
visual-storyteller	Use this agent when creating visual narratives, designing infographics, building presentations, or communicating complex ideas through imagery....
whimsy-injector	PROACTIVELY use this agent after any UI/UX changes to ensure delightful, playful elements are incorporated. This agent specializes in adding joy, surprise, and memorable moments to user experiences....
workflow-optimizer	Use this agent for optimizing human-agent collaboration workflows and analyzing workflow efficiency....

Nota: OpenMontage (skills/openmontage/)

No es 1 skill sino **156 archivos de conocimiento** (pipelines de producción de video: explainer, talking-head, animación, podcast, etc.) sin frontmatter individual — se leen directo cuando haga falta un tipo de video puntual que Remotion no cubre. Motor pesado NO instalado (ver docs/TERCEROS-PENDIENTES.md). No es la opción por default.

Regla para Gemini

No inventes una skill que no esté en esta tabla. Si creés que falta una, proponé crearla con skill-creator y decilo explícito en el prompt ("no existe, sugiero crear con skill-creator: ...").