# Content Fuzzyfyr

for Magento® 2

# USER GUIDE

Version 1.0

# Table of Contents

# Introduction

The Content Fuzzyfyr module for Magento® 2 fills up empty content fields - and if needed - switches real content with dummy content. This is for development purposes, e.g. save time to prepare test data and matching GDPR restrictions.

# Authors

The authors of the Content Fuzzyfyr module for Magento® 2 is the All.In Data GmbH[1] and is maintained by Florian Horn (f.horn@all-in-data.de).

# Features

- Fill up empty content fields with dummy content - completely automated

- Match GDPR restrictions for development, when using production data

- Use parameters to control the sections required to be filled up with dummy content

# Installation

The preferred way of installing the Content Fuzzyfyr module for Magento® 2 is through Composer[2]. Simply add `allindata/magento2-content-fuzzyfyr` as a dependency:

```
composer.phar require allindata/magento2-content-fuzzyfyr
```

Optional you can download the latest version <u>here</u> and install the decompressed code in your projects directory under *app/code/AllInData/ContentFuzzyfyr*.

## Post-Install

After the installment of the module source code, the module has to be enabled by the Magento® 2 CLI.

```
bin/magento module:enable AllInData_ContentFuzzyfyr
```

## System Upgrade

After enabling the module, the Magento® *2* system must be upgraded.

If the system mode is set to *production*, run the *compile* command first. This is not necessary for the *developer* mode.

```
bin/magento setup:di:compile
```

To upgrade the system, the *upgrade* command must be run.

```
bin/magento setup:upgrade
```

# How to use

The usage of the Content Fuzzyfyr module for Magento® 2 is applied implicitly by redirecting visitors if the called URI does not match any configured whitelisted url rules.

The Content Fuzzyfyr Module for Magento® 2 provides an Magento® 2 CLI command to be run:

```
bin/magento aid:content:fuzzyfyr [options]
```

**Note:** Be aware the command only runs in non-production mode to avoid messing up production data on mistake.

You may want to switch to default or developer mode to run the command:

```
bin/magento deploy:mode:set developer
```

## List of flags

| Option | Description |
|---|---|
| --only-empty | Use dummy content only if the original data is equal to empty |
| --products | Apply dummy content to products (description) |
| --categories | Apply dummy content to categories (content, meta description) |
| --customers | Apply dummy content to customers (Last name, address, email) |
| --users | Apply dummy content to users (Last name, email) |

## List of options

| Option | Value | Description |
|---|---|---|
| --dummy-content-text | String | Used as dummy text content. Defaults to 'Lorem ipsum.' |
| --dummy-content-email | String | Used as dummy email content. Defaults to 'lorem.ipsum.%1$s@test.localhost' |

# Contribution

Feel free to contribute to this module by reporting issues or create some pull requests for improvements on the Github page of the Content Fuzzyfyr module for Magento® 2[3].

# License

The Content Fuzzyfyr module for Magento® 2 is released under the Apache 2.0 license[4].

---

3      https://github.com/allin-data/magento2-content-fuzzyfyr
4      https://github.com/allin-data/magento2-content-fuzzyfyr/blob/master/LICENSE