Status	Finished
Started	Thursday, 29 October 2026, 8:26 PM
Completed	Thursday, 29 October 2026, 8:33 PM
Duration	7 mins 41 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. seek() ✓
b. ftell()
c. fseek()
d. tell()

The correct answer is: seek()

Question **2**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Deletes the file content
c. Flushes the internal buffer to the file ✓
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_all()
b. write_list()
c. writelines() ✓
d. write()

The correct answer is: writelines()

Question **4**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

- a. Moves the file cursor to the specified position ✓
- b. Writes data to the file
- c. Reads the file line by line
- d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

- a. Python Programming
- b. Python ✓
- c. An error is raised
- d. Program

The correct answer is: Python

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. read()
- b. readline() ✓
- c. readline(size)
- d. readlines()

The correct answer is: readline()

Question **7**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. str

b. a list of single characters

c. a list of lines ✓

d. a list of integers

The correct answer is:
a list of lines

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the entire file and returns it as a string

b. It reads a single line from the file

c. It reads the file and returns it as a dictionary

d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **9**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored

b. An empty file object is returned

c. An error is raised ✓

d. A new file is created

The correct answer is: An error is raised

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens an existing file in read mode

b. Creates a new file for writing ✓

c. Appends to an existing file

d. Opens a file in binary mode

The correct answer is: Creates a new file for writing

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+

b. w

c. wb ✓

d. rb

The correct answer is: wb

Question **12**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Append

b. Binary

c. Read ✓

d. Write

The correct answer is: Read

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. read()
b. append()
c. insert()
d. write() ✓

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. EOFError
b. None
c. An empty string ✓
d. 0

The correct answer is: An empty string

Question **15**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlines() ✓
b. readline()
c. readlist()
d. read()

The correct answer is: readlines()