

Troubleshooting

CRM/ERP Platform Documentation

Troubleshooting

Common issues and their fixes.

Backend Won't Start

P1001: Can't reach database server at 127.0.0.1:3306

MySQL is not running.

- **XAMPP:** Open XAMPP Control Panel → Start MySQL
- **Linux:** `sudo systemctl start mysql`
- **Docker:** `docker-compose up -d db`

Also check `DATABASE_URL` in `backend/.env` matches your MySQL credentials.

Cannot find module '...'

Dependencies not installed.

```
cd backend && npm install
```

Prisma client not generated

```
cd backend && npx prisma generate
```

Port 4000 already in use

```
# Find and kill the process
npx kill-port 4000 # or
lsof -ti:4000 | xargs kill
```

Or change `PORT` in `backend/.env` .

Frontend Won't Start

Module not found

```
cd mycrm && npm install
```

NEXT_PUBLIC_API_URL is not defined

Create `mycrm/.env.local` with at least:

```
NEXT_PUBLIC_API_URL=http://localhost:3000
```

ProxyError: connect ECONNREFUSED 127.0.0.1:4000

The backend is not running. Start it first:

```
cd backend && npm run start:dev
```

Authentication Issues

401 Unauthorized on all requests

- Token has expired — log out and log in again
- `JWT_SECRET` in `backend/.env` changed — all existing tokens are invalid

Can't login after changing `JWT_SECRET`

All sessions are invalidated. Users must log in again. This is expected behavior.

"Account locked / suspended"

An admin must unsuspend/unlock via `PATCH /users/:id/unsuspend` or `PATCH /users/:id/unlock`.

OCR / Document Extraction

"Document extraction is not configured"

`ANTHROPIC_API_KEY` is missing from `backend/.env`.

```
ANTHROPIC_API_KEY=sk-ant-api03-...
```

Restart the backend after adding.

"Could not extract data. Please try again or fill manually."

- The uploaded file may be too small, low quality, or in an unsupported format
- Claude may have timed out — retry
- Check the backend logs for the actual error: `npm run start:dev` shows Claude API responses

Radio/select fields not pre-selected after OCR

- Ensure `ANTHROPIC_API_KEY` is set in `backend/.env` (not just `mycrm/.env.local`)
 - The OCR prompt now includes exact option values — check that the form's field options are saved correctly in the builder
-

Form Submission

"Form not found" on public form

- The form token may have been revoked: `POST /forms/:id/generate-token` to create a new one
- The form may be inactive: check `Form.isActive` in Settings → Forms

Fields not saving to a module

- The form must have a `moduleId` set (configure in Form Builder → Settings tab)
- The linked module must exist and be active

Database / Prisma

Migration errors

```
# Check pending migrations
npx prisma migrate status

# Apply pending
npx prisma migrate deploy

# If schema is out of sync with DB (dev only – DESTRUCTIVE)
npx prisma migrate reset
```

Unique constraint failed

Trying to create a duplicate record on a unique field (e.g., email, slug). Check the error message for the field name and fix the input.

Prisma client out of sync after schema change

```
npx prisma generate
```

Then restart the backend.

WebSocket

No real-time updates

- Ensure Redis is running (BullMQ uses Redis; WebSocket does not, but notifications may route through it)
 - Check browser console for Socket.io connection errors
 - The frontend connects to `window.location.origin` — ensure the backend is reachable on the same domain/port in production
-

File Uploads

413 Request Entity Too Large

File exceeds the 10 MB limit. Either reduce file size or increase the limit in `backend/src/main.ts` :

```
app.use(express.json({ limit: '20mb' }));
```

Uploaded files not accessible

- Check that `backend/uploads/` is writable by the Node process
 - In production, verify the volume is mounted and persistent
-

Performance

Slow record list queries

- Add database indexes on fields you frequently filter/sort by
- Use `npx prisma studio` to inspect the data volume
- Consider adding `limit` to queries (default pagination is 25 or 50 records)

BullMQ jobs stuck in queue

- Verify Redis is running: `redis-cli ping` should return `PONG`
- Check `REDIS_URL` in `backend/.env`
- Jobs will re-run on backend restart if Redis is unavailable

Logs

```
# Backend logs (development)
cd backend && npm run start:dev

# Backend logs (PM2 production)
pm2 logs crm-backend

# Frontend logs
cat mycrm/frontend.log # if configured

# MySQL slow query log (if enabled)
tail -f /var/log/mysql/mysql-slow.log
```