Kilian Trunk, 9.4.2026

alma-web	i-05756957013941098	Running	t3.micro	3/3 checks passed	View alarms +	eu-central-1a	–	35.158.52.37

Instance summary for i-05756957013941098 (alma-web) Info

Updated less than a minute ago

Connect | Instance state | Actions

Instance ID
i-05756957013941098

IPv6 address
–

Hostname type
IP name: ip-10-0-0-10.eu-central-1.compute.internal

Answer private resource DNS name
–

Auto-assigned IP address
35.158.52.37 [Public IP]

IAM role
alma-ec2-ssm-role

IMDSv2
Required

Operator
–

Public IPv4 address
35.158.52.37 | open address

Instance state
Running

Private IP DNS name (IPv4 only)
ip-10-0-0-10.eu-central-1.compute.internal

Instance type
t3.micro

VPC ID
vpc-032906c23020764fa (vpc-alma)

Subnet ID
subnet-03855fd024556234a (alma-public-1a)

Instance ARN
arn:aws:ec2:eu-central-1:849990178994:instance/i-05756957013941098

Private IPv4 addresses
10.0.0.10

Public DNS
–

Elastic IP addresses
–

AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name
–

Managed
false

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance details Info

AMI ID
ami-014f11e8c26ed3e15

AMI name
al2023-ami-2023.11.20260406.2-kernel-6.1-x86_64

Stop protection
Disabled

Instance reboot migration
Default (On)

Stop-hibernate behavior
Disabled

State transition reason
–

State transition message
–

Owner
849990178994

Current instance boot mode
uefi

Answer RBN DNS hostname IPv4
Disabled

Monitoring
disabled

Allowed image
-

Launch time
Thu Apr 09 2026 18:05:05 GMT+0200 (Central European Summer Time) (4 days)

Instance auto-recovery
Default

AMI Launch index
0

Credit specification
unlimited

Usage operation
RunInstances

Enclaves Support
Disabled

Allow tags in instance metadata
Disabled

Platform details
Linux/UNIX

Termination protection
Disabled

AMI location
amazon/al2023-ami-2023.11.20260406.2-kernel-6.1-x86_64

Lifecycle
normal

Key pair assigned at launch
–

Kernel ID
–

RAM disk ID
–

Boot mode
uefi-preferred

Use RBN as guest OS hostname
Disabled

vpc-alma	vpc-032906c23020764fa	Available	–	–	Off	10.0.0.0/24	–

vpc-032906c23020764fa / vpc-alma

Actions

Details Info

VPC ID
vpc-032906c23020764fa

DNS resolution
Enabled

Main network ACL
acl-050c9208ce20b53b7

IPv6 CIDR (Network border group)
–

Encryption control ID
–

State
Available

Tenancy
default

Default VPC
No

Network Address Usage metrics
Disabled

Encryption control mode
–

Block Public Access
Off

DHCP option set
dopt-059e7c73e2153c3de

IPv4 CIDR
10.0.0.0/24

Route 53 Resolver DNS Firewall rule groups
–

DNS hostnames
Disabled

Main route table
rtb-08f2cf5e0e6c61489

IPv6 pool
–

Owner ID
849990178994

Resource map | CIDRs | Flow logs | Tags | Integrations

Resource map Info

Show all details

VPC
Your AWS virtual network
vpc-alma

Subnets (3)
Subnets within this VPC
eu-central-1a
A alma-public-1a
eu-central-1b
B alma-private-rds-1b
eu-central-1c
C alma-private-rds-1c

Route tables (2)
Route network traffic to resources
rtb-08f2cf5e0e6c61489
alma-public-rt

Network Connections (1)
Connections to other networks
alma-igw

Kilian Trunk, 9.4.2026



Kilian Trunk, 9.4.2026



○	alma-students-db	Available	Instance	MySQL Co...	SECOND	eu-central...	db.t3.micro	5 Informational

Kilian Trunk, 9.4.2026

alma-students-db

Modify | Actions

Summary

DB identifier	Status	Role	Engine	Recommendations
alma-students-db	Available	Instance	MySQL Community	5 Informational
CPU	**Class**	**Current activity**	**Region & AZ**	
2.97%	db.t3.micro	0 Connections	eu-central-1b	

Connectivity & security | Monitoring | Logs & events | Configuration | Zero-ETL integrations | Maintenance & backups | Data migrations | Tags | Rec

Connect using Info

- (●) Code snippets — Use when connecting through SDK, APIs, or third-party tools including agents.
- ( ) CloudShell — Use for a quick access to AWS CLI that launches directly from the AWS Management Console.
- ( ) Endpoints — Use when connecting through any IDE interface.

Internet access gateway
Disabled

IAM Authentication
Disabled

Programming language: MySQL (macOS)

Endpoint type: Instance endpoint

Connection steps
Follow the steps below to paste the code of each step in your tool and run the commands. The snippets dynamically reflect the authentication configuration.

```
1 curl -o global-bundle.pem https://truststore.pki.rds.amazonaws.com/global/global-bundle.pem
```

```
1 mysql -h alma-students-db.clc0wwgaidrx.eu-central-1.rds.amazonaws.com -P 3306 -u almaadmin -p --ssl-mode=VERIFY_IDENTITY --ssl-ca=./global-bundle.pem
```

Connected compute resources (0) Info

Actions

Connections to compute resources that were created automatically by RDS are shown here. Connections to compute resources that were created manually aren't shown.

Filter by compute resources

Resource identifier	Resource type	Availability Zone	VPC security group	Compute resource security group	Connected proxy

No connected compute resources
No connected compute resources that were created automatically to display.

Set up EC2 connection | Set up Lambda connection

Security group rules (2)

Filter by Security group rules

Security group	Type	Rule
alma-rds-sg (sg-0314fdcce1cd1c410)	EC2 Security Group - Inbound	sg-0c64cb50d9c065e1c