Domača naloga 7 – Marko Tojagić

Prilagam slike vseh opravljenih nalog iz predavanja 6 ter predavanja 7, ter domačo nalogo 7. Vprašanja in odgovore sem dodal na GitHub (PullRequest). Na predavanjih smo ustvarili VPC, znotraj njega Subnete, EC2 instance, Security Groups, Internet Gateway-e, Route Tables. Vse povezali kot je na slikah. Po navodilih sem naredil tudi domačo nalogo, kar je prikazano na slikah.

Predavanje 6









admin@ip-10-0-0-61: ~

```
login as: admin
Authenticating with public key "key2026"
Linux ip-10-0-0-61 6.12.74+deb13+1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1
2.74-2 (2026-03-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
admin@ip-10-0-0-61:~$
```

admin@ip-10-0-0-171: ~

```
Setting up libfcgi-perl (0.82+ds-3+b2) ...
Setting up libterm-readkey-perl (2.38-2+b4) ...
Setting up liburi-perl (5.30-1) ...
Setting up libdbi-perl:amd64 (1.647-1) ...
Setting up libhttp-date-perl (6.06-1) ...
Setting up mariadb-client (1:11.8.6-0+deb13u1) ...
Setting up libclone-perl:amd64 (0.47-1+b1) ...
Setting up libhtml-tagset-perl (3.24-1) ...
Setting up liblwp-mediatypes-perl (6.04-2) ...
Setting up libencode-locale-perl (1.05-3) ...
Setting up mariadb-server (1:11.8.6-0+deb13u1) ...
Created symlink '/etc/systemd/system/multi-user.target.wants/mariadb.service' →
'/usr/lib/systemd/system/mariadb.service'.
Setting up libdbd-mariadb-perl (1.22-1+b4) ...
Setting up libhtml-parser-perl:amd64 (3.83-1+b2) ...
Setting up libhttp-message-perl (7.00-2) ...
Setting up libcgi-pm-perl (4.68-1) ...
Setting up libhtml-template-perl (2.97-2) ...
Setting up libcgi-fast-perl (1:2.17-1) ...
Processing triggers for man-db (2.13.1-1) ...
Processing triggers for libc-bin (2.41-12+deb13u2) ...
admin@ip-10-0-0-171:~$
```

admin@ip-10-0-0-171: ~

```
Cleaning up...

All done!  If you've completed all of the above steps, your MariaDB
installation should now be secure.

Thanks for using MariaDB!
admin@ip-10-0-0-171:~$ mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 41
Server version: 11.8.6-MariaDB-0+deb13u1 from Debian -- Please help get to 10k s
tars at https://github.com/MariaDB/Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> exit
Bye
admin@ip-10-0-0-171:~$ mysql --version
mysql from 11.8.6-MariaDB, client 15.2 for debian-linux-gnu (x86_64) using  Edit
Line wrapper
admin@ip-10-0-0-171:~$ mysql -u root -p
```

Unnamed\ - HeidiSQL 12.17.0.7270

File Edit Display Search Query Tools Go to Help

Donate

Database filter | Table filter

Unnamed

- AlmaMater
- information_schema
- mysql
- performance_schema
- sys

Unnamed | Query

Databases (5) | Variables | Status | Processes | Command-Statistics

Database	Size	Items	Last ...	Tables	Views	Func...	Proc...	Trigg...	Events
AlmaMater									
information_schema									
mysql									
performance_schema									
sys									

Filter: Regular expression

```
14  /* Reading function definitions from C:\Program Files\HeidiSQL\functions-mariadb.ini */
15  SHOW TABLES FROM `information_schema`;
16  SHOW DATABASES;
17  /* Entering session "Unnamed" */
18  /* Scaling controls to screen DPI: 100% */
```

Connected: 00:01 | MariaDB 11.8.6 | Uptime: 00:00 h | Server time: 5:32 F | Idle.

Data sa

admin@ip-10-0-0-171: ~

```
MariaDB [AlmaMater]> select * from student
    -> ;
+----------+-------+---------+
| stevilka | ime   | priimek |
+----------+-------+---------+
|        1 | Dejan | Maher   |
|        2 | Maja  | Stojan  |
|        3 | Petra | Lajh    |
+----------+-------+---------+
3 rows in set (0.000 sec)

MariaDB [AlmaMater]> select * from student
    -> ;
+----------+--------+---------+
| stevilka | ime    | priimek |
+----------+--------+---------+
|        1 | Dejan  | Maher   |
|        2 | Maja   | Stojan  |
|        3 | Petra  | Lajh    |
|        4 | Ludvik | Toplak  |
+----------+--------+---------+
4 rows in set (0.000 sec)

MariaDB [AlmaMater]>
```

Ime: Dejan Maher
Ime: Maja Stojan
Ime: Petra Lajh
Ime: Ludvik Toplak
Ime: Marko Tojagic
Ime: Marko Tojagic

DN 7

Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...	IPv4 CIDR	IPv6 CIDR
vaja7marko	vpc-016496883d1b28508	Available	–	–	Off	192.168.0.0/24	–

You have successfully created 1 subnet: subnet-061427f48a395fee1

Subnets (3) Info

Last updated less than a minute ago | Actions | Create subnet

Find subnets by attribute or tag

Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR	IPv6 CIDR
Sub1	subnet-0a88cdf65fc4bd0c4	Available	vpc-016496883d1b28508 | vaja...	Off	192.168.0.0/25	–
Sub2	subnet-0959c0fff89c8669b	Available	vpc-016496883d1b28508 | vaja...	Off	192.168.0.128/26	–
Sub3	subnet-061427f48a395fee1	Available	vpc-016496883d1b28508 | vaja...	Off	192.168.0.192/27	–

sg-07da575ad0a9bf6c7 - secPB | Actions

Details

Security group name	Security group ID	Description	VPC ID
secPB	sg-07da575ad0a9bf6c7	podatkovni	vpc-016496883d1b28508

Owner	Inbound rules count	Outbound rules count
161457898876	2 Permission entries	1 Permission entry

Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - *new* | Tags

Inbound rules (2)

Manage tags | Edit inbound rules

Search

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source	Description
–	sgr-05c6209be69069c0d	IPv4	MYSQL/Aurora	TCP	3306	0.0.0.0/0	–
–	sgr-0b75b212722ec63d4	IPv4	SSH	TCP	22	31.15.198.217/32	–

Key pairs (1) Info

Actions | Create key pair

Find Key Pair by attribute or tag

Name	Type	Created	Fingerprint	ID
keyVaja7	rsa	2026/04/14 22:23 GMT+2	cb:0a:a8:7b:51:78:5f:72:d9:15:a3:10:31:22:2d:16:...	key-03d93bd3eefdb7c61

Vnos v nakupni seznam

Element: [ ]

Količina: [ ]

Shrani

Izpis seznama

```
admin@ip-192-168-0-173:~$ systemctl status mariadb
● mariadb.service - MariaDB 11.8.6 database server
     Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: >
     Active: active (running) since Tue 2026-04-14 21:13:45 UTC; 38s ago
 Invocation: edelf65558b1442a80f5a27ed459f8ff
       Docs: man:mariadbd(8)
             https://mariadb.com/kb/en/library/systemd/
    Process: 2776 ExecStartPre=/bin/sh -c [ ! -e /usr/bin/galera_recovery ] && >
    Process: 2842 ExecStartPost=/bin/rm -f /run/mysqld/wsrep-start-position /ru>
    Process: 2844 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/>
   Main PID: 2829 (mariadbd)
     Status: "Taking your SQL requests now..."
      Tasks: 14 (limit: 7245)
     Memory: 123.7M (peak: 128.4M)
        CPU: 2.984s
     CGroup: /system.slice/mariadb.service
             └─2829 /usr/sbin/mariadbd

Apr 14 21:13:44 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:44 0 [Note] P>
Apr 14 21:13:44 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:44 0 [Note] I>
Apr 14 21:13:44 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:44 0 [Note] P>
Apr 14 21:13:44 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:44 0 [Note] I>
Apr 14 21:13:45 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:45 0 [Note] S>
Apr 14 21:13:45 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:45 0 [Note] m>
Apr 14 21:13:45 ip-192-168-0-173 mariadbd[2829]: 2026-04-14 21:13:45 0 [Note] />
Apr 14 21:13:45 ip-192-168-0-173 mariadbd[2829]: Version: '11.8.6-MariaDB-0+deb>

admin@ip-192-168-0-173:~$
```

admin@ip-192-168-0-173: ~

```
The operation might have been successful, or it might have not done anything.
 - Removing privileges on test database...
SQL executed without errors!
The operation might have been successful, or it might have not done anything.

Reloading the privilege tables will ensure that all changes made so far
will take effect immediately.

Reload privilege tables now? [Y/n]
 ... Success!

Cleaning up...

All done!  If you've completed all of the above steps, your MariaDB
installation should now be secure.

Thanks for using MariaDB!
admin@ip-192-168-0-173:~$ mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 46
Server version: 11.8.6-MariaDB-0+deb13u1 from Debian -- Please help get to 10k stars at https://github.c
om/MariaDB/Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

```
MariaDB [AlmaMater]> CREATE USER 'marko'@'%' IDENTIFIED BY 'marko';
Query OK, 0 rows affected (0.002 sec)

MariaDB [AlmaMater]> GRANT ALL ON . TO 'marko'@'%';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your Mari
aDB server version for the right syntax to use near 'TO 'marko'@'%'' at line 1
MariaDB [AlmaMater]> GRANT ALL ON *.* TO 'marko'@'%';
Query OK, 0 rows affected (0.002 sec)

MariaDB [AlmaMater]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [AlmaMater]>
```

```
MariaDB [AlmaMater]> INSERT INTO nakup(element,kolicina) VALUES('Mleko', 5);
Query OK, 1 row affected (0.001 sec)

MariaDB [AlmaMater]> INSERT INTO nakup(element,kolicina) VALUES('Kruh', 1);
Query OK, 1 row affected (0.001 sec)

MariaDB [AlmaMater]>
```

Nakupni seznam

ID	Element	Količina
1	Mleko	5
2	Kruh	1
3	Čips	1

Nazaj na vnos

admin@ip-192-168-0-204: ~

```
admin@ip-192-168-0-204:~$ apt list mariadb-server
mariadb-server/stable,now 1:11.8.6-0+deb13u1 amd64 [installed]
admin@ip-192-168-0-204:~$ systemctl status mariadb
● mariadb.service - MariaDB 11.8.6 database server
     Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: >
     Active: active (running) since Tue 2026-04-14 22:15:21 UTC; 34s ago
 Invocation: 79f975bf328e4e00a34a2cd665a75b92
       Docs: man:mariadbd(8)
             https://mariadb.com/kb/en/library/systemd/
    Process: 2817 ExecStartPre=/bin/sh -c [ ! -e /usr/bin/galera_recovery ] && >
    Process: 2882 ExecStartPost=/bin/rm -f /run/mysqld/wsrep-start-position /ru>
    Process: 2884 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/>
   Main PID: 2870 (mariadbd)
     Status: "Taking your SQL requests now..."
      Tasks: 13 (limit: 7245)
     Memory: 123.9M (peak: 128.5M)
        CPU: 2.447s
     CGroup: /system.slice/mariadb.service
             └─2870 /usr/sbin/mariadbd

Apr 14 22:15:20 ip-192-168-0-204 mariadbd[2870]: 2026-04-14 22:15:20 0 [Note] I>
Apr 14 22:15:20 ip-192-168-0-204 mariadbd[2870]: 2026-04-14 22:15:20 0 [Note] I>
Apr 14 22:15:21 ip-192-168-0-204 mariadbd[2870]: 2026-04-14 22:15:21 0 [Note] S>
Apr 14 22:15:21 ip-192-168-0-204 mariadbd[2870]: 2026-04-14 22:15:21 0 [Note] m>
```