
DATA SCIENCE DATA FROM API'S AND WEB SCRAPING

LAST TIME:

I. CLUSTER ANALYSIS
II. K-MEANS CLUSTERING
III. CLUSTER VALIDATION



EXERCISE:

IV. K-MEANS CLUSTERING IN PYTHON

INTRO TO DATA SCIENCE

QUESTIONS?

WHAT WAS THE MOST INTERESTING THING YOU LEARNT?

WHAT WAS THE HARDEST TO GRASP?

I. DATA FORMATS II. APIS

EXERCISES: III. EXTENDED HANDS-ON LAB

JSON, CSV, ETC...


JSON (JavaScript Object Notation) is: a lightweight data-interchange format a string

JSON can be passed

between applications

easy for machines to parse and generate





JSON are passed through applications as strings

and converted into native objects per language.

JSON are passed through applications

as strings

and converted into native objects per language.

```
"empinfo" :
      "employees" : [
         "name": "Scott Philip",
        "salary" : £44k,
"age" : 27,
        "name" : "Tim Henn",
        "salary" : £40k,
         "age" : 27,
       "name": "Long Yong",
       "salary" : £4Ők,
        "age" : 28,
```

```
import json
py_object = [ { 'a':'A', 'b':(2, 4), 'c':3.0 } ]
json_string = json.dumps(py_object)
print 'JSON:', json_string
```

JSON: [{"a": "A", "c": 3.0, "b": [2, 4]}]

decoded_py_object = json.loads(json_string)

https://docs.python.org/2/library/json.html

CSV (Comma Separated Values):

name, game, points

John, basketball, 3 Mary, volleyball, 5 James, ping pong, 2

•••

CSV (Comma Separated Values):

- -easy to read and write
- structured like a table
- -very common
- -can export to/from MS Excel

https://docs.python.org/2/library/csv.html

APIS

APIs (Application Programming Interface) allow people to interact with the structures of an application

- get
- put
- delete
- update

• ...

Best practices for APIs are to use RESTful principles.

Best practices for APIs are to

use **RESTful** principles.



Representational State Transfer (REST)

RESTful API HTTP methods

| Resource | GET | PUT | POST | DELETE |
|--|---|---|--|--|
| Collection URI, such as http://example.com/resources/ | List the URIs and perhaps other details of the collection's members. | Replace the entire collection with another collection. | Create a new entry in the collection. The new entry's URI is assigned automatically and is usually returned by the operation. ^[9] | Delete the entire collection. |
| Element URI, such as http://example.com/resources/item17 | Retrieve a representation of the addressed member of the collection, expressed in an appropriate Internet media type. | Replace the addressed member of the collection, or if it does not exist, create it. | Not generally used. Treat the addressed member as a collection in its own right and create a new entry in it. ^[9] | Delete the addressed member of the collection. |

- The Base URL
- An interactive media type (usually JSON)
- Operations (GET, PUT, POST, DELETE)
- Driven by http requests

REST API EXAMPLE

Collection

GET https://api.instagram.com/v1/users/10

Operation

REST API EXAMPLE

GET https://api.instagram.com/v1/users/search/?q=andy




APIS

Okay, so what if we execute the following, but there is no item 18 in the users collection?

GET https://api.instagram.com/v1/users/18

APIS



https://dev.twitter.com/rest/public

LINKEDIN REST API

https://developer.linkedin.com/docs/signin-with-linkedin

LIST OF PYTHON APIS

http://www.pythonapi.com/

PAIR EXERCISE:

http://www.pythonapi.com/

- 1) CHOOSE 1 API: WHAT DATA YOU CAN GET?
- 2) INSTALL PYTHON MODULE, TRY TO EXTRACT DATA
- 3) DISCUSS: HOW COULD YOU LEVERAGE THAT API? HOW COULD YOU USE THE DATA?

DATA FORMAT, ACCESS & TRANSFORMATION

QUESTIONS?

EX: SCRAPING WITH PYTHON