

Selling CI/CD

CI and CD : CI stands for continuous integration. It is a code management tool that combines all the code from programmers. The project need to reflect every changes made by developers as early as possible. The main problem it solve is integration conflicts. If the programmers need to wait to integrate his/her codes it results in conflict that they need times to fix it. In terms of cost it increase the production cost for the application as time is money in this industry. So We should have a system that integrate the codes form developers several times a day.

Meanwhile CD continuous delivery picks the code after CI and deploy the values to testing or other staging environment. Implementing CICD in software development life cycle is beneficial interms of cost and also productivity.

The benefits are

1. Fast bug/error fixing : The process enables the detecting the bugs infaster way. As a result the fault in deployment process can be fixed as fast as possible and in term it revenues money and time.
2. More features in short time: CI/CD result in adding features to the software in a short time.
3. Faster release rate: It enables faster release rate for the software.
4. Implementing CI/CD results in customer satisfaction as they can see the newly added values in short time.



almamunkhan...
Al Mamun Khan

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

▶ ✓ Spin up environment 1s

▶ ✓ Preparing environment variables 0s

▶ ✓ Checkout code 0s

▼ ! Back-end build 41s

```
26 found 641 vulnerabilities (2 low, 143 moderate, 371 high, 125 critical)
27   run `npm audit fix` to fix them, or `npm audit` for details
28
29 > glee2@1.0.0 build /home/circleci/project/backend
30 > tsc
31
32 src/main.ts:31:21 - error TS1005: ',' expected.
33
34 31     .addBearerAuth()x // here is an intentional compile error. Remove the "x" and the backend should compile.
35   ^
36
37 src/main.ts:32:5 - error TS1128: Declaration or statement expected.
38
39 32     .build();
40   ^
41
42
43 Found 2 errors.
44
45 npm ERR! code ELIFECYCLE
46 npm ERR! errno 2
47 npm ERR! glee2@1.0.0 build: `tsc`
48 npm ERR! Exit status 2
49 npm ERR!
50 npm ERR! Failed at the glee2@1.0.0 build script.
51 npm ERR! This is probably not a problem with npm. There is likely additional logging output above.
52
53 npm ERR! A complete log of this run can be found in:
54 npm ERR!   /home/circleci/.npm/_logs/2022-09-10T23_40_52_875Z-debug.log
55
56
57 Exited with code exit status 2
58 CircleCI received exit code 2
```



almamunkhan...
Al Mamun Khan

0s

Dashboard

0s

Projects

6s

Insights

1m 19s

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

▶ Preparing environment variables 0s

▶ Checkout code 0s

▶ Restoring cache 6s

▼ Test the frontend 1m 19s

```
14  
15 > typescript-react-redux-boilerplate@1.0.0 test /home/circleci/project/frontend  
16 > jest  
17  
18 • Deprecation Warning:  
19  
20   Option "setupTestFrameworkScriptFile" was replaced by configuration "setupFilesAfterEnv", which supports multiple paths.  
21  
22   Please update your configuration.  
23  
24 Configuration Documentation:  
25 https://jestjs.io/docs/configuration.html  
26  
27 PASS  src/app/components/Empty/Empty.spec.tsx (10.062s)  
28 FAIL  src/app/components>LoadingMessage>LoadingMessage.spec.tsx (10.12s)  
29   ● <LoadingMessage> > Props > message > Should render the props message  
30  
31     expect(received).toBeTruthy()  
32  
33     Received: false  
34  
35       9 |       const message = 'Hello!';  
36       10 |       const wrapper = shallow(<LoadingMessage message={message} />);  
37       11 |       expect(wrapper.contains(<span>{message}?</span>)).toBeTruthy(); //remove the question mark to make the test pass  
38       |  
39       12 |       );  
40       13 |       );  
41       14 |       );  
42  
43       at Object.<anonymous> (app/components>LoadingMessage>LoadingMessage.spec.tsx:11:59)  
44  
45 PASS  src/app/components/OrdersTable/NoFilteredOrders/NoFilteredOrders.spec.tsx (10.431s)  
46 PASS  src/app/components/Pagination/Pagination.spec.tsx (10.696s)  
47 PASS  src/app/containers/Employee/reducer/employees.spec.ts (11.033s)
```



almamunkhan...
Al Mamun Khan

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

▶ ✓ Preparing environment variables 0s

▶ ✓ Checkout code 0s

▶ ✓ Restoring cache 4s

▼ ! Test the backend 41s

```
55 PASS  src/modules/domain/employees/commands/handlers/employee-company-email-updater.handler.spec.ts
56 PASS  src/modules/domain/orders/commands/handlers/orderCreator.spec.ts
57 PASS  src/modules/domain/employees/commands/handlers/employee-display-name-updater.handler.spec.ts
58 PASS  src/modules/domain/employees/commands/handlers/employee-phone-number-updater.handler.spec.ts
59 FAIL   src/modules/domain/employees/commands/handlers/employee-activator.handler.spec.ts
60     ● Employee Remover › when a user activates an employee › should activate the employee from the repository
61
62
63
64     expect(jest.fn()).toBeCalledWith(...expected)
65
66     Expected: 100
67     Received: 101
68
69     Number of calls: 1
70
71
72     33 |
73     34 |       // Assert
74     > 35 |       expect(employeeRepository.findById).toBeCalledWith(100);
75           ^
76     36 |       expect(employeeRepository.save).toBeCalled();
77     37 |     });
78     38 |   });
79
80
81     at src/modules/domain/employees/commands/handlers/employee-activator.handler.spec.ts:35:43
82     at fulfilled (src/modules/domain/employees/commands/handlers/employee-activator.handler.spec.ts:5:58)
83
84 PASS  src/modules/domain/employees/commands/handlers/employee-salary-type-updater.handler.spec.ts
85 PASS  src/modules/domain/employees/commands/handlers/employee-birthdate-updater.handler.spec.ts
86 PASS  src/modules/domain/employees/commands/handlers/employee-deactivator.handler.spec.ts
87 PASS  src/modules/domain/employees/commands/handlers/employee-salary-updater.handler.spec.ts
88 PASS  src/modules/domain/employees/commands/handlers/employee-tags-updater.handler.spec.ts
89 PASS  src/modules/domain/orders/commands/validators/forCreateOrder/checkPropertiesValues.spec.ts
90 PASS  src/modules/domain/orders/commands/validators/forCreateOrder/checkProductExist.spec.ts
91 PASS  src/modules/domain/employees/commands/validators/forUpdateEmployeeAddress/check-properties.value.validator.spec.ts
92 PASS  src/modules/domain/employees/commands/validators/forUpdateEmployeeName/check-properties.value.validator.spec.ts
```

-  Dashboard
-  Projects
-  Insights
-  Organization Settings
-  Plan

CI behind your firewall just
got easier
A more scalable, container
friendly self-hosted runner
is now in open preview

-  Notifications
-  Status OPERATIONAL
-  Docs
-  Orbs
-  Support

! audit the backend code

Your output is too large to display in the browser.

Only the last 400000 characters are displayed.

[Download the full output as a file](#)

```
5563: | Moderate | Prototype Pollution in Ajv
5564: |
5565: | Package | ajv
5566: |
5567: | Patched in | >=6.12.3
5568: |
5569: | Dependency of | glee-jwks-rsa
5570: |
5571: | Path | glee-jwks-rsa > request > har-validator > ajv
5572: |
5573: | More info | https://github.com/advisories/GHSA-v88g-cgmw-v5xw
5574: |
5575: |
5576: | Moderate | Prototype Pollution in Ajv
5577: |
5578: | Package | ajv
5579: |
5580: | Patched in | >=6.12.3
5581: |
5582: | Dependency of | winston-loggly-bulk
5583: |
5584: | Path | winston-loggly-bulk > node-loggly-bulk > request >
5585: | har-validator > ajv
5586: |
5587: | More info | https://github.com/advisories/GHSA-v88g-cgmw-v5xw
```

```
5588: found 641 vulnerabilities (2 low, 143 moderate, 371 high, 125 critical) in 1389 scanned packages
5589:   run `npm audit fix` to fix 500 of them.
5590:   134 vulnerabilities require semver-major dependency updates.
5591:   7 vulnerabilities require manual review. See the full report for details.
5592:
5593:
5594: Exited with code exit status 1
5595: CircleCI received exit code 1
```



almamunkhan...
AI Mamun Khan

13s

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

! audit the frontend code

Your output is too large to display in the browser.

Only the last 400000 characters are displayed.

Download the full output as a file

```
5581 |           | Information to an Unauthorized Actor
5582 |           |
5583 | Package   | node-fetch
5584 |           |
5585 | Patched in| >=2.6.7
5586 |           |
5587 | Dependency of| react-foundation
5588 |           |
5589 | Path       | react-foundation > fbjs > isomorphic-fetch > node-fetch
5590 |           |
5591 | More info  | https://github.com/advisories/GHSA-r683-j2x4-v87g
5592 |           |
5593 |           |
5594 | Low        | The `size` option isn't honored after following a redirect
5595 |           | in node-fetch
5596 |           |
5597 | Package   | node-fetch
5598 |           |
5599 | Patched in| >=2.6.1
5600 |           |
5601 | Dependency of| react-foundation
5602 |           |
5603 | Path       | react-foundation > fbjs > isomorphic-fetch > node-fetch
5604 |           |
5605 | More info  | https://github.com/advisories/GHSA-w7rc-rwvf-8q5r
5606 |           |
5607 | found 662 vulnerabilities (5 low, 183 moderate, 337 high, 137 critical) in 1896 scanned packages
5608 | run `npm audit fix` to fix 486 of them.
5609 | 174 vulnerabilities require semver-major dependency updates.
5610 | 2 vulnerabilities require manual review. See the full report for details.
5611 |           |
5612 | Exited with code exit status 1
5613 | CircleCI received exit code 1
```



Search circlearerts



circlearerts



cicd

+ Add a bookmark

Mentions:

Today

View Job

Job Failed. ●

Job: build-backend

Project:

Udacity-project3

Branch:

main

Author:

almamunkhan09



Mentions:

View Job

Job Failed. ●

Job: scan-frontend

Project:

Udacity-project3

Branch:

main

Author:

almamunkhan09



Mentions:

View Job

Hello, team!

Let's post updates here



B I S | ⌂ | ⌂ ⌂ | ⌂ | ⌂ | ⌂ ⌂

Message #cicd

+ | □ | ⌂ | ⌂ | ⌂ | ⌂ | ⌂ | ⌂ | ⌂

A 1





almamunkhan...
Al Mamun Khan

Parallel runs

0
01:24



Use parallelism to run faster tests

Parallelism speeds up tests by splitting them across multiple executors.

Go to Docs



Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

▶ ✓ Spin up environment	5s	↗	⬇
▶ ✓ Preparing environment variables	0s	↗	⬇
▶ ✓ Checkout code	0s	↗	⬇
▶ ✓ Install tar utility	5s	↗	⬇
▼ ! Ensure back-end infrastructure exists	1m 11s	↗	⬇
<pre>1 #!/bin/bash -eo pipefail 2 aws cloudformation deploy \ 3 --template-file .circleci/files/backend.yml \ 4 --stack-name "udapeople-backend-\${CIRCLE_WORKFLOW_ID:0:7}" \ 5 --parameter-overrides ID="\${CIRCLE_WORKFLOW_ID:0:7}" \ 6 --tags project=udapeople 7 8 9 Waiting for changeset to be created.. 10 Waiting for stack create/update to complete 11 12 Failed to create/update the stack. Run the following command 13 to fetch the list of events leading up to the failure 14 aws cloudformation describe-stack-events --stack-name udapeople-backend-5bf4ed8 15 16 Exited with code exit status 255 17 CircleCI received exit code 255</pre>			
▶ ✓ Destroy environments	1s	↗	⬇

almamunkhan...
Al Mamun Khan

0s

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, **container**
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

▶ Preparing environment variables

0s

▶ Attaching workspace

1s

▶ Install dependencies ansible,openssh,nodejs

1s

▶ install awscli and curl

5s

▶ sleep 5 min

2m 0s

▶ backend smoke-test

2s

▶ frontend smoke-test

0s

```
1 #!/bin/sh -eo pipefail
2 URL="http://udapeople-${CIRCLE_WORKFLOW_ID:0:7}.s3-website-us-east-1.amazonaws.com/#/employees"
3 echo "${URL}"
4 if curl -s "${URL}" | grep "Welcome"
5 then
6     return 1
7 else
8     return 1
9 fi
10
11 http://udapeople-f9c90e1.s3-website-*****.amazonaws.com/#/employees
12     Welcome
13
14 Exited with code exit status 1
15 CircleCI received exit code 1
```

▶ Destroy environments

1s

▶ Revert migrations

0s



almamunkhan...
Al Mamun Khan

- Dashboard
- Projects
- Insights
- Organization Settings
- Plan

CI behind your firewall just got easier
A more scalable, container friendly self-hosted runner is now in open preview

- Notifications
- Status OPERATIONAL
- Docs
- Orbs
- Support

2s  

backend smoke-test 

frontend smoke-test 

0s  

Destroy environments 

1s  

```
#!/bin/sh -eo pipefail
aws cloudformation delete-stack \
--stack-name udapeople-backend-${CIRCLE_WORKFLOW_ID:0:7}
aws cloudformation delete-stack \
--stack-name udapeople-frontend-${CIRCLE_WORKFLOW_ID:0:7}
```

2s  



almamunkhan...
Al Mamun Khan

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

```
32 ~
33 ~
34 ~
35 ~
36 ~
37 ~
38 ~
39 ~
40 ~
41 ~
42 ~
43 ~
44 ~
45 ~
46 ~
47 ~
48 ~
49 ~
50 ~
51 ~
52 ~
53 ~
54 CircleCI received exit code 0
```

▼ Revert migrations

0s

```
1 #!/bin/sh -eo pipefail
2 SUCCESS=$(curl https://kvdb.io/Cg7KfwNcoZmlBeguvqiGKs/migration_${CIRCLE_WORKFLOW_ID:0:7} )
3 echo $SUCCESS
4 if(( $SUCCESS==1 ))
5 then
6   cd ~/project/backend
7   npm install
8   npm run migrations:revert
9 fi
10
11 % Total    % Received % Xferd  Average Speed   Time     Time     Time  Current
12                               Dload  Upload Total Spent   Left Speed
13 100      1  100      1    0     0       6      0  --::-- --::-- --::--   6
14 1
15 /bin/sh: 1==1: not found
16 CircleCI received exit code 0
```

Parallel runs

0
09:53



Use parallelism to run faster tests

Parallelism speeds up tests by splitting them across multiple executors.

Go to Docs



- ▶ ✓ Spin up environment 2s
- ▶ ✓ Preparing environment variables 0s
- ▶ ✓ Checkout code 0s
- ▶ ✓ Attaching workspace 0s
- ▶ ✓ Install dependencies ansible,openssh,nodejs 1s
- ▶ ✓ install awscli and curl 5s
- ▼ ✓ cloudfront-update 9m 43s

```
1 #!/bin/sh -eo pipefail
2 aws cloudformation deploy \
3   --template-file .circleci/files/cloudfront.yml \
4   --stack-name InitialStack \
5   --parameter-overrides WorkflowID="udapeople-${CIRCLE_WORKFLOW_ID:0:7}" \
6   --tags project=udapeople
7
8
9 Waiting for changeset to be created..
10 Waiting for stack create/update to complete
11 Successfully created/updated stack - InitialStack
12 CircleCI received exit code 0
```

Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

almamunkhan...
Al Mamun Khan

0
00:09



Use parallelism to run faster tests

Parallelism speeds up tests by splitting them across multiple executors.

Go to Docs



Dashboard

Projects

Insights

Organization Settings

Plan

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

- ▶ ✓ Spin up environment 1s
- ▶ ✓ Preparing environment variables 0s
- ▶ ✓ Checkout code 0s
- ▶ ✓ Attaching workspace 0s
- ▶ ✓ install awscli and curl 3s
- ▶ ✓ Get the old workflow ids 3s

```
1 #!/bin/sh -eo pipefail
2
3 export OldWorkflowID=$(cut -d "-" -f 2 workspace/oldworkflowid.txt)
4 echo OldWorkflowID: "${OldWorkflowID}"
5 echo CIRCLE_WORKFLOW_ID "${CIRCLE_WORKFLOW_ID:0:7}"
6
7 # export STACKS=$(aws cloudformation list-stacks --query "StackSummaries[*].StackName" --stack-status-filter CREATE_COMPLETE --no-paginate --output text)
8 # echo Stack names: "${STACKS[@]}"
9 if [[ "${CIRCLE_WORKFLOW_ID:0:7}" != $OldWorkflowID ]]
10 then
11     aws s3 rm "s3://udapeople-$OldWorkflowID" --recursive
12     aws s3 rb "s3://udapeople-$OldWorkflowID" --force
13     aws cloudformation delete-stack --stack-name udapeople-frontend-$OldWorkflowID
14     aws cloudformation delete-stack --stack-name udapeople-backend-$OldWorkflowID
15     echo '----- deleted -----'
16 fi
```

```
18 OldWorkflowID: dc6b332
19 CIRCLE_WORKFLOW_ID 1a92e83
20 delete: s3://udapeople-dc6b332/1ceff9123b66b50a7d3cb5b221160855.eot
21 delete: s3://udapeople-dc6b332/224b6d9d16679dab02826a2a7ea705eb.ttf
22 delete: s3://udapeople-dc6b332/images/6ab15f4239b7d187935cf6f4ec3313bf-kiwi.svg
23 delete: s3://udapeople-dc6b332/index.html
```



almamunkhan...
Al Mamun Khan

Dashboard

Project

Branch

Workflow

All Pipelines

Udacity-project3

test-feature-branch

default

default

Success

Insights

Rerun

...

Duration / Finished

1m 54s / 3m ago

Branch

test-feature-branch

Commit

ec2d93c

Author & Message

Confirming only the master branch works for deployment

build-frontend

38s

scan-frontend

54s

test-frontend

1m 4s

build-backend

29s

scan-backend

1m 20s

test-backend

53s

CI behind your firewall just
got easier

A more scalable, container
friendly self-hosted runner
is now in open preview

Notifications

Status OPERATIONAL

Docs

Orbs

Support

Prometheus Alerts Graph Status Help



Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

node_memory_MemFree_bytes

Execute

Table

Graph

Load time: 115ms Resolution: 3s Result series: 1

- 15m +

< End time >

Res. (s)



Show Exemplars



node_memory_MemFree_bytes{instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node"}

Remove Panel

Add Panel

Use local time Enable query history Enable autocomplete Enable highlighting Enable linter

node_cpu_seconds_total Execute

Table Graph




- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="idle"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="iowait"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="irq"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="nice"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="softirq"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="steal"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="system"}
- node_cpu_seconds_total{cpu="0", instance="ec2-52-87-240-151.compute-1.amazonaws.com:9100", job="Node", mode="user"}

Click: select series, CTRL + click: toggle multiple series

Remove Panel

Add Panel



Gmail YouTube Maps R Programming A... HYUNDAI i20 (78 P... Kaissa Best of All | P... When I Work :: Sch... C++ - InterviewBit Launch Meeting - Z... Learn UX Design J... GitHub - Aakashde... Flink SE Linux Foundation C... The System Admini...

Prometheus

Alerts Graph Status Help

Inactive (0) Pending (0) Firing (1)

Filter by name or labels

/etc/prometheus/rules.yml > alert firing (1)

▼ HostOutOfMemory (1 active)

```
name: HostOutOfMemory
expr: node_memory_MemAvailable_bytes / node_memory_MemTotal_bytes * 100 > 10
for: 2m
labels:
  severity: warning
annotations:
  description: Node memory is filling up (< 10% left)
    VALUE = {{ $value }}
    LABELS = {{ $labels }}
summary: Host out of memory (instance {{ $labels.instance }})
```

Labels	State	Active Since	Value
alertname=HostOutOfMemory instance=ec2-52-87-240-151.compute-1.amazonaws.com:9100 job=Node severity=warning	FIRING	2022-09-15T18:20:50.581Z	38.1484530756875

1 alert for alertname=HostOutOfMemory

[View In Alertmanager](#)

[1] Firing

Labels

alertname = HostOutOfMemory

instance = [ec2-52-87-240-151.compute-1.amazonaws.com:9100](#)

job = Node

severity = warning

Annotations

description = Node memory is filling up (< 10% left) VALUE =

38.27275589025837 LABELS = map[instance:[ec2-52-87-240-151.compute-1.amazonaws.com:9100](#) job:Node]

summary = Host out of memory (instance [ec2-52-87-240-151.compute-1.amazonaws.com:9100](#))

[Source](#)



Search or jump to...



Pull requests Issues Marketplace Explore



almamunkhan09 / Udacity-project3

Public

[Pin](#)[Unwatch 1](#)[Fork 0](#)[Star 0](#)

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

main

2 branches

0 tags

Go to file

Add file

Code

	almamunkhan09 Solved the cleanup probelem	✓ 475ccd0 2 hours ago	⌚ 167 commits
	.circleci Solved the cleanup probelem	2 hours ago	
	.github/workflows Update manual.yml	10 months ago	
	.theia Adding detail to instructions.	2 years ago	
	backend added destroy-enviornment facility	4 days ago	
	frontend Made the test passed	5 days ago	
	instructions Update 3-configuration-management.md	15 months ago	
	util Adding starter files.	2 years ago	
	.gitignore Adding starter files.	2 years ago	
	CODEOWNERS Create CODEOWNERS	11 months ago	
	LICENSE.md Initial commit	2 years ago	
	Presentation.pdf Submission	2 days ago	
	README.md Update README.md	3 months ago	
	package-lock.json Scan in workflow added	5 days ago	
	udapeople-pipeline.png Adding diagram again :)	2 years ago	
	udapeople.png Udaapeople Logo Image	2 years ago	

README.md

About

Give Your Application Auto-Deploy Superpowers

[Readme](#)[View license](#)[0 stars](#)[1 watching](#)[0 forks](#)

Releases

[No releases published](#)[Create a new release](#)

Packages

[No packages published](#)[Publish your first package](#)

Contributors 7



Languages



We're continuing to improve the S3 console to make it faster and easier to use. If you have feedback on the updated experience, choose [Provide feedback](#).

[Provide feedback](#)

Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. [Learn more](#)

[Edit](#)

Object Lock

Disabled

i Amazon S3 currently does not support enabling Object Lock after a bucket has been created. To enable Object Lock for this bucket, contact [Customer Support](#)

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

[Edit](#)

Requester pays

Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

[Edit](#)

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

 <http://udapeople-75350b3.s3-website-us-east-1.amazonaws.com>

us-east-1.console.aws.amazon.com/cloudfront/v3/home... [Alt+S] AM

Gmail YouTube Maps R Programming A... HYUNDAI I20 (78 P... Kaissa Best of All | P...

aws Services Search for services, features, blogs, docs, and more Global almamun

CloudFront > Distributions

Distributions (2) Info C Enable Disable Delete Create distribution

Search all distributions

ID	Description	Domain	Alternate	Origins	Status
E1421DBOBHMF4Q	-	d94ueixw...	-	udapeople-753!	Enabled
EN9OXBOADBW78	-	d1bzicpv...	-	udacityproject-	Enabled

Feedback Looking for language selection? Find it in the new Unified Settings Privacy Terms Cookie preferences © 2022, Amazon Web Services, Inc. or its affiliates.

Not secure | udapeople-75350b3.s3-website-us-east-... AM

Gmail YouTube Maps R Programming A... HYUNDAI I20 (78 P... Kaissa Best of All | P...

ACKLEN AW Search in the app Employees / View & Manage View & Manage Employees Add New Employee

Employees View & Manage Add New

Active Archived Type to filter... Display Name Last Name Email Tags Birthdate Start Date Action

almamun	khan	mamun@gmail.com	9/15/2022	9/15/2022	
Majhar	mia	majhar@orga.com	9/15/2022	9/15/2022	

Welcome Not secure | d94ueixw3m2b9.cloudfront.net/#/emplo... AM

Gmail YouTube Maps R Programming A... HYUNDAI I20 (78 P... Kaissa Best of All | P...

ACKLEN AW Search in the app Employees / View & Manage View & Manage Employees Add New Employee

Employees View & Manage Add New

Active Archived Type to filter... Display Name Last Name Email Tags Birthdate Start Date Action

almamun	khan	mamun@gmail.com	9/15/2022	9/15/2022	
Majhar	mia	majhar@orga.com	9/15/2022	9/15/2022	

Not secure | ec2-52-87-240-151.compute-1.amazonaws.com:3030/api/status

Gmail YouTube Maps R Programming A... HYUNDAI I20 (78 P... Kaissa Best of All | P... When I Work :: Sch... C++ - InterviewBit Launch Meeting - Z... Learn UX Design |... GitHub - Aakashde... Flink SE Linux Foundation C... The System Admini... AM

```
1 // 20220915194156
2 // http://ec2-52-87-240-151.compute-1.amazonaws.com:3030/api/status
3 {
4     "status": "ok",
5     "version": "1.0.0",
6     "environment": "local"
7 }
8 }
```

RAW

Targets

[All](#) [Unhealthy](#) [Collapse All](#)

Filter by endpoint or labels

Node (1/1 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://ec2-34-230-61-75.compute-1.amazonaws.com:9100/metrics	UP	instance="ec2-34-230-61-75.compute-1.amazonaws.com:9100" job="Node"	-9h 20m 26s ago	12.760ms	