

---

Mobile

---

January 27, 2022

<b>1 Module Documentation</b>	<b>1</b>
1.1 Entities	1
1.1.0.1 ogit/Organization	1
1.1.0.2 ogit/Mobile/LicenceCodes	2
1.1.0.3 ogit/Health/Diagnostics/Test	2
1.1.0.4 ogit/Mobile/AppInstance	3
1.1.0.5 ogit/Person	4
1.1.0.6 ogit/Mobile/Message	5
1.1.0.7 ogit/Mobile/HealthInfo	6
1.1.0.8 ogit/Mobile/DeviceSpecifications	6
1.1.0.9 ogit/Mobile/Encounter	7
1.1.0.10 ogit/Health/Diagnostics/Demographics	8
1.1.0.11 ogit/Auth/Account	8
1.1.0.12 ogit/Mobile/MsgTemplate	9
1.1.0.13 ogit/Timeseries	10
1.2 Verbs	11
1.2.0.1 ogit/generates	11
1.2.0.2 ogit/connects	11
1.2.0.3 ogit/belongs	11
1.2.0.4 ogit/uses	12
1.2.0.5 ogit/has	12
1.3 Attributes	13
1.3.0.1 ogit/Health/Diagnostics/sampleCollectionMethod	13
1.3.0.2 ogit/manufacturer	13
1.3.0.3 ogit/Mobile/licenceCode	13
1.3.0.4 ogit/postalCode	14
1.3.0.5 ogit/Mobile/healthStatus	14
1.3.0.6 ogit/Mobile/TXcorrection	14
1.3.0.7 ogit/Health/Diagnostics/equipmentID	15
1.3.0.8 ogit/Mobile/bundleID	15
1.3.0.9 ogit/email	15
1.3.0.10 ogit/Mobile/category	16
1.3.0.11 ogit/Mobile/message	16
1.3.0.12 ogit/alternativeName	16
1.3.0.13 ogit/source	17
1.3.0.14 ogit/function	17
1.3.0.15 ogit/Mobile/lastActive	17
1.3.0.16 ogit/Health/Diagnostics/testResult	18
1.3.0.17 ogit/Health/Diagnostics/errorCode	18
1.3.0.18 ogit/country	18
1.3.0.19 ogit/businessCategory	19
1.3.0.20 ogit/Location/zipCode	19

1.3.0.21 ogit/Health/Diagnostics/ICDCode	19
1.3.0.22 ogit/Mobile/deviceType	20
1.3.0.23 ogit/notification	20
1.3.0.24 ogit/sourceId	20
1.3.0.25 ogit/Mobile/osVersion	21
1.3.0.26 ogit/Mobile/ctaTarget	21
1.3.0.27 ogit/isPermanent	21
1.3.0.28 ogit/latitude	22
1.3.0.29 ogit/Mobile/deviceCodeName	22
1.3.0.30 ogit/mobilePhone	22
1.3.0.31 ogit/Mobile/time	23
1.3.0.32 ogit/unit	23
1.3.0.33 ogit/Mobile/isActive	23
1.3.0.34 ogit/city	24
1.3.0.35 ogit/status	24
1.3.0.36 ogit/Mobile/appPermissions	24
1.3.0.37 ogit/Mobile/enctime	25
1.3.0.38 ogit/longitude	25
1.3.0.39 ogit/lastName	25
1.3.0.40 ogit/Mobile/firebaseToken	26
1.3.0.41 ogit/Mobile/locale	26
1.3.0.42 ogit/Location/residenceCountry	26
1.3.0.43 ogit/passportNumber	27
1.3.0.44 ogit/middleName	27
1.3.0.45 ogit/Mobile/registrationType	27
1.3.0.46 ogit/Mobile/label	28
1.3.0.47 ogit/streetAddress	28
1.3.0.48 ogit/Auth/Account/statusReason	28
1.3.0.49 ogit/Mobile/headline	29
1.3.0.50 ogit/firstName	29
1.3.0.51 ogit/Mobile/appConfigMode	29
1.3.0.52 ogit/Mobile/uuid	30
1.3.0.53 ogit/title	30
1.3.0.54 ogit/Health/Diagnostics/appID	30
1.3.0.55 ogit/Mobile/deviceCode	31
1.3.0.56 ogit/Mobile/deviceModel	31
1.3.0.57 ogit/Mobile/duration	31
1.3.0.58 ogit/Health/Diagnostics/liquidContactTime	32
1.3.0.59 ogit/Health/Diagnostics/testCompletedAt	32
1.3.0.60 ogit/Health/Diagnostics/symptoms	32
1.3.0.61 ogit/Mobile/devicePlatform	33
1.3.0.62 ogit/Mobile/ctaType	33

1.3.0.63 ogit/Auth/Account/type . . . . .	33
1.3.0.64 ogit/name . . . . .	34
1.3.0.65 ogit/Health/Diagnostics/testDate . . . . .	34
1.3.0.66 ogit/description . . . . .	34
1.3.0.67 ogit/Mobile/subline . . . . .	35
1.3.0.68 ogit/consentLevel . . . . .	35
1.3.0.69 ogit/Auth/Account/acceptedProjectTerms . . . . .	35
1.3.0.70 ogit/Auth/Account/acceptedTerms . . . . .	36
1.3.0.71 ogit/Health/Diagnostics/birthyearRange . . . . .	36
1.3.0.72 ogit/officePhone . . . . .	36
1.3.0.73 ogit/phone . . . . .	37
1.3.0.74 ogit/fax . . . . .	37
1.3.0.75 ogit/Health/Diagnostics/testStartedAt . . . . .	37
1.3.0.76 ogit/Health/Diagnostics/firmwareVersion . . . . .	38
1.3.0.77 ogit/Health/Diagnostics/laboratoryName . . . . .	38
1.3.0.78 ogit/Auth/Account/allowCookies . . . . .	38
1.3.0.79 ogit/otherPhone . . . . .	39
1.3.0.80 ogit/Health/Diagnostics/sensorID . . . . .	39
1.3.0.81 ogit/isMutable . . . . .	39
1.3.0.82 ogit/Mobile/deactivationTime . . . . .	40
1.3.0.83 ogit/Mobile/RSSICorrection . . . . .	40
1.3.0.84 ogit/Mobile/criticality . . . . .	40
1.3.0.85 ogit/Mobile/movementType . . . . .	41
1.3.0.86 ogit/Health/Diagnostics/testMethod . . . . .	41
1.3.0.87 ogit/webPage . . . . .	41
1.3.0.88 ogit/Mobile/delivered . . . . .	42
1.3.0.89 ogit/Mobile/healthStatusUpdateTime . . . . .	42
1.3.0.90 ogit/Auth/Account/acceptedPrivacy . . . . .	42
1.3.0.91 ogit/Mobile/distance . . . . .	43
1.3.0.92 ogit/Mobile/osRadio . . . . .	43
1.3.0.93 ogit/Mobile/activationTime . . . . .	43
1.3.0.94 ogit/position . . . . .	44
1.3.0.95 ogit/Mobile/riskScore . . . . .	44
1.3.0.96 ogit/Mobile/appVersion . . . . .	44
1.3.0.97 ogit/Mobile/cta . . . . .	45
1.3.0.98 ogit/gender . . . . .	45
1.3.0.99 ogit/instance . . . . .	45

# Chapter 1

## Module Documentation

### 1.1 Entities

#### 1.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatenation of some strings separated with a dot. If organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john\_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

- id: <http://www.purl.org/ogit/Organization>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

#### attributes

- mandatory:
  - [ogit/name](#)
- optional:
  - [ogit/businessCategory](#)
  - [ogit/city](#)
  - [ogit/country](#)
  - [ogit/description](#)
  - [ogit/email](#)
  - [ogit/function](#)
  - [ogit/phone](#)
  - [ogit/postalCode](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/streetAddress](#)
  - [ogit/webPage](#)

## incoming edges

- [ogit/belongs](#) <= [ogit/Mobile/AppInstance](#)

1.1.0.2 [ogit/Mobile/LicenceCodes](#)

Unique Licence Codes which is used for mobile app activation.

- id: <http://www.purl.org/ogit/Mobile/LicenceCodes>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

## attributes

- mandatory:
  - [ogit/Mobile/licenceCode](#)
- optional:
  - [ogit/Mobile/activationTime](#)
  - [ogit/Mobile/deactivationTime](#)
  - [ogit/Mobile/deviceCode](#)
  - [ogit/Mobile/deviceType](#)
  - [ogit/Mobile/isActive](#)
  - [ogit/Mobile/label](#)
  - [ogit/Mobile/lastActive](#)
  - [ogit/Mobile/licenceCode](#)

## incoming edges

- [ogit/uses](#) <= [ogit/Person](#)

1.1.0.3 [ogit/Health/Diagnostics/Test](#)

## Test

- id: <http://www.purl.org/ogit/Health/Diagnostics/Test>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Viktor Voss
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Health/Diagnostics/ICDCode](#)
  - [ogit/Health/Diagnostics/appID](#)
  - [ogit/Health/Diagnostics/equipmentID](#)
  - [ogit/Health/Diagnostics/errorCode](#)
  - [ogit/Health/Diagnostics/firmwareVersion](#)
  - [ogit/Health/Diagnostics/laboratoryName](#)
  - [ogit/Health/Diagnostics/liquidContactTime](#)
  - [ogit/Health/Diagnostics/sampleCollectionMethod](#)
  - [ogit/Health/Diagnostics/sensorID](#)
  - [ogit/Health/Diagnostics/testCompletedAt](#)
  - [ogit/Health/Diagnostics/testDate](#)
  - [ogit/Health/Diagnostics/testMethod](#)
  - [ogit/Health/Diagnostics/testResult](#)
  - [ogit/Health/Diagnostics/testStartedAt](#)
  - [ogit/Mobile/appVersion](#)

**incoming edges**

- [ogit/connects](#) ≤ [ogit/Mobile/AppInstance](#)

**1.1.0.4 ogit/Mobile/AppInstance**

Mobile application instance.

- id: <http://www.purl.org/ogit/Mobile/AppInstance>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Mobile/appConfigMode](#)
  - [ogit/Mobile/appPermissions](#)
  - [ogit/Mobile/appVersion](#)
  - [ogit/Mobile/bundleID](#)
  - [ogit/Mobile/deviceCodeName](#)
  - [ogit/Mobile/deviceModel](#)
  - [ogit/Mobile/devicePlatform](#)

- `ogit/Mobile/deviceType`
- `ogit/Mobile/firebaseToken`
- `ogit/Mobile/lastActive`
- `ogit/Mobile/osRadio`
- `ogit/Mobile/osVersion`
- `ogit/Mobile/registrationType`
- `ogit/Mobile/uuid`
- `ogit/consentLevel`
- `ogit/description`
- `ogit/manufacturer`

#### incoming edges

- `ogit/uses`  $\leq$  `ogit/Person`

#### outgoing edges

- `ogit/belongs`  $\Rightarrow$  `ogit/Organization`
- `ogit/connects`  $\Rightarrow$  `ogit/Health/Diagnostics/Test`
- `ogit/generates`  $\Rightarrow$  `ogit/Timeseries`
- `ogit/generates`  $\Rightarrow$  `ogit/Health/Diagnostics/Demographics`
- `ogit/has`  $\Rightarrow$  `ogit/Mobile/Encounter`
- `ogit/has`  $\Rightarrow$  `ogit/Auth/Account`

#### 1.1.0.5 `ogit/Person`

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: `ogit/Node`



**attributes**

- optional:
  - [ogit/alternativeName](#)
  - [ogit/email](#)
  - [ogit/fax](#)
  - [ogit/firstName](#)
  - [ogit/lastName](#)
  - [ogit/middleName](#)
  - [ogit/mobilePhone](#)
  - [ogit/notification](#)
  - [ogit/officePhone](#)
  - [ogit/otherPhone](#)
  - [ogit/passportNumber](#)
  - [ogit/position](#)
  - [ogit/sourceId](#)
  - [ogit/status](#)
  - [ogit/title](#)
  - [ogit/webPage](#)

**outgoing edges**

- [ogit/has](#) => [ogit/Mobile/HealthInfo](#)
- [ogit/has](#) => [ogit/Mobile/Encounter](#)
- [ogit/uses](#) => [ogit/Mobile/AppInstance](#)
- [ogit/uses](#) => [ogit/Mobile/LicenceCodes](#)

**1.1.0.6 ogit/Mobile/Message**

Message nodes created when new messages are available for App.

- id: <http://www.purl.org/ogit/Mobile/Message>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/delivered](#)
  - [ogit/Mobile/enctime](#)
  - [ogit/name](#)

## 1.1.0.7 ogit/Mobile/HealthInfo

information regarding app instance.

- id: <http://www.purl.org/ogit/Mobile/HealthInfo>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/Mobile/deviceType](#)
  - [ogit/Mobile/healthStatus](#)
  - [ogit/Mobile/healthStatusUpdateTime](#)
  - [ogit/Mobile/label](#)
  - [ogit/Mobile/licenceCode](#)

## incoming edges

- [ogit/has](#) <= [ogit/Person](#)

## outgoing edges

- [ogit/generates](#) => [ogit/Timeseries](#)

## 1.1.0.8 ogit/Mobile/DeviceSpecifications

Mobile device specifications i.e. model, manufacturer ...

- id: <http://www.purl.org/ogit/Mobile/DeviceSpecifications>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/RSSICorrection](#)
  - [ogit/Mobile/TXcorrection](#)
  - [ogit/Mobile/deviceCodeName](#)
  - [ogit/Mobile/deviceModel](#)
  - [ogit/Mobile/devicePlatform](#)
  - [ogit/Mobile/osRadio](#)
  - [ogit/manufacturer](#)
  - [ogit/source](#)

**1.1.0.9 ogit/Mobile/Encounter**

Defined connection between applications.

- id: <http://www.purl.org/ogit/Mobile/Encounter>
- valid-from: Sun Mar 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

**attributes**

- optional:
  - [ogit/Mobile/category](#)
  - [ogit/Mobile/criticality](#)
  - [ogit/Mobile/distance](#)
  - [ogit/Mobile/duration](#)
  - [ogit/Mobile/movementType](#)
  - [ogit/Mobile/riskScore](#)
  - [ogit/Mobile/time](#)

**incoming edges**

- [ogit/has](#) <= [ogit/Mobile/ApplInstance](#)
- [ogit/has](#) <= [ogit/Person](#)

## 1.1.0.10 ogit/Health/Diagnostics/Demographics

Demographics data of user

- id: <http://www.purl.org/ogit/Health/Diagnostics/Demographics>
- valid-from: Tue Sep 15 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/Health/Diagnostics/birthyearRange](#)
  - [ogit/Health/Diagnostics/symptoms](#)
  - [ogit/Location/residenceCountry](#)
  - [ogit/Location/zipCode](#)
  - [ogit/gender](#)
  - [ogit/latitude](#)
  - [ogit/longitude](#)

## incoming edges

- [ogit/generates](#) <= [ogit/Mobile/AppInstance](#)

## 1.1.0.11 ogit/Auth/Account

An account is used for authentication and authorization.

- id: <http://www.purl.org/ogit/Auth/Account>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

**attributes**

- mandatory:
  - [ogit/Auth/Account/type](#)
  - [ogit/name](#)
  - [ogit/status](#)
- optional:
  - [ogit/Auth/Account/acceptedPrivacy](#)
  - [ogit/Auth/Account/acceptedProjectTerms](#)
  - [ogit/Auth/Account/acceptedTerms](#)
  - [ogit/Auth/Account/allowCookies](#)
  - [ogit/Auth/Account/statusReason](#)
  - [ogit/email](#)

**incoming edges**

- [ogit/has](#) <= [ogit/Mobile/ApplInstance](#)

**1.1.0.12 ogit/Mobile/MsgTemplate**

Message templates in different languages.

- id: <http://www.purl.org/ogit/Mobile/MsgTemplate>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya
- scope: NTO
- parent: [ogit/Node](#)

**attributes**

- optional:
  - [ogit/Mobile/cta](#)
  - [ogit/Mobile/ctaTarget](#)
  - [ogit/Mobile/ctaType](#)
  - [ogit/Mobile/headline](#)
  - [ogit/Mobile/locale](#)
  - [ogit/Mobile/message](#)
  - [ogit/Mobile/subline](#)
  - [ogit/name](#)

## 1.1.0.13 ogit/Timeseries

A time series is a sequence of data points, measured typically at successive points in time spaced at uniform time intervals.

- id: <http://www.purl.org/ogit/Timeseries>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

## attributes

- optional:
  - [ogit/description](#)
  - [ogit/instance](#)
  - [ogit/isMutable](#)
  - [ogit/isPermanent](#)
  - [ogit/name](#)
  - [ogit/unit](#)

## incoming edges

- [ogit/generates](#) ≤ [ogit/Mobile/AppInstance](#)
- [ogit/generates](#) ≤ [ogit/Mobile/HealthInfo](#)

## 1.2 Verbs

### 1.2.0.1 ogit/generates

Verb indicating if an entity generates another entity.

- id: <http://www.purl.org/ogit/generates>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Timeseries](#)
- [ogit/Mobile/AplInstance](#) => [ogit/Health/Diagnostics/Demographics](#)
- [ogit/Mobile/HealthInfo](#) => [ogit/Timeseries](#)

### 1.2.0.2 ogit/connects

Verb showing that an entity is physically/virtually connecting to another entity.

- id: <http://www.purl.org/ogit/connects>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Health/Diagnostics/Test](#)

### 1.2.0.3 ogit/belongs

Verb showing if one entity belongs to another.

- id: <http://www.purl.org/ogit/belongs>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

#### Allowed Connection

- [ogit/Mobile/AplInstance](#) => [ogit/Organization](#)

## 1.2.0.4 ogit/uses

This relationship indicates that some entity is used by some other.

- id: <http://www.purl.org/ogit/uses>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

## Allowed Connection

- [ogit/Person](#) => [ogit/Mobile/AppInstance](#)
- [ogit/Person](#) => [ogit/Mobile/LicenceCodes](#)

## 1.2.0.5 ogit/has

Indicates if an entity has another entity.

- id: <http://www.purl.org/ogit/has>
- valid-from: Thu Mar 28 00:00:00 UTC 2019
- creator: Kaushik Gondaliya

## Allowed Connection

- [ogit/Mobile/AppInstance](#) => [ogit/Mobile/Encounter](#)
- [ogit/Mobile/AppInstance](#) => [ogit/Auth/Account](#)
- [ogit/Person](#) => [ogit/Mobile/HealthInfo](#)
- [ogit/Person](#) => [ogit/Mobile/Encounter](#)



## 1.3 Attributes

### 1.3.0.1 ogit/Health/Diagnostics/sampleCollectionMethod

defines how sample has been collected for health tests (e.g nasal/oral specimen).

- id: <http://www.purl.org/ogit/Health/Diagnostics/sampleCollectionMethod>
- valid-from: Tue Sep 21 00:00:00 UTC 2021
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

### 1.3.0.2 ogit/manufacture

Manufacturer of a device or component.

- id: <http://www.purl.org/ogit/manufacture>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

### 1.3.0.3 ogit/Mobile/licenceCode

unique uuid number

- id: <http://www.purl.org/ogit/Mobile/licenceCode>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- mandatory:
  - [ogit/Mobile/LicenceCodes](#)
- optional:
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

#### 1.3.0.4 ogit/postalCode

The postal code. For example, 60433.

- id: <http://www.purl.org/ogit/postalCode>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

#### 1.3.0.5 ogit/Mobile/healthStatus

current health status about the person using the device

- id: <http://www.purl.org/ogit/Mobile/healthStatus>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)

#### 1.3.0.6 ogit/Mobile/TXcorrection

TX correction values for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/TXcorrection>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

#### 1.3.0.7 ogit/Health/Diagnostics/equipmentID

UDI of an equipment, for example a Sensor Hub.

- id: <http://www.purl.org/ogit/Health/Diagnostics/equipmentID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

#### 1.3.0.8 ogit/Mobile/bundleID

bundle id of the application, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/bundleID>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.9 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Auth/Account](#)
  - [ogit/Organization](#)
  - [ogit/Person](#)

**1.3.0.10 ogit/Mobile/category**

TODO

- id: <http://www.purl.org/ogit/Mobile/category>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.11 ogit/Mobile/message**

text for message

- id: <http://www.purl.org/ogit/Mobile/message>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.12 ogit/alternativeName**

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

## 1.3.0.13 ogit/source

source of data, string value.

- id: <http://www.purl.org/ogit/source>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

## 1.3.0.14 ogit/function

Attribute used to specify a function that some entity does/provides. This is more specific than 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

- id: <http://www.purl.org/ogit/function>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

## 1.3.0.15 ogit/Mobile/lastActive

the last day when app was used.

- id: <http://www.purl.org/ogit/Mobile/lastActive>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.16** `ogit/Health/Diagnostics/testResult`

Test result (positive, negative, inconclusive).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testResult>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.17** `ogit/Health/Diagnostics/errorCode`

Error code.

- id: <http://www.purl.org/ogit/Health/Diagnostics/errorCode>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.18** `ogit/country`

Name of a country.

- id: <http://www.purl.org/ogit/country>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

**1.3.0.19 ogit/businessCategory**

The category of a business.

- id: <http://www.purl.org/ogit/businessCategory>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

**1.3.0.20 ogit/Location/zipCode**

The zip code of a city.

- id: <http://www.purl.org/ogit/Location/zipCode>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.21 ogit/Health/Diagnostics/ICDCode**

Code assigned to diagnoses of diseases and other health problems according to ICD (International Classification of Diseases and Related Health Problems). More information at <https://icd.who.int/icd11refguide/en/index.html>

- id: <http://www.purl.org/ogit/Health/Diagnostics/ICDCode>
- valid-from: Thu Jan 21 00:00:00 UTC 2021
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

#### 1.3.0.22 ogit/Mobile/deviceType

type of device such as Mobile, FOB...

- id: <http://www.purl.org/ogit/Mobile/deviceType>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

#### 1.3.0.23 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.24 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)



**1.3.0.25 ogit/Mobile/osVersion**

operating system version on which application is installed

- id: <http://www.purl.org/ogit/Mobile/osVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.26 ogit/Mobile/ctaTarget**

call to action target, for ex. web url

- id: <http://www.purl.org/ogit/Mobile/ctaTarget>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.27 ogit/isPermanent**

If value equals "true" vertex can not be updated or deleted. E.g. after a service is provisioned.

- id: <http://www.purl.org/ogit/isPermanent>
- valid-from: Fri Mar 05 00:00:00 UTC 2021
- creator: Vitaly Teremasov

used

- optional:
  - [ogit/Timeseries](#)

**1.3.0.28 ogit/latitude**

It is a geographic coordinate that specifies the north–south position of a point on the Earth's surface..

- id: <http://www.purl.org/ogit/latitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.29 ogit/Mobile/deviceCodeName**

device code names, for ex walleye for google pixel 2.

- id: <http://www.purl.org/ogit/Mobile/deviceCodeName>
- valid-from: Mon Aug 31 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.30 ogit/mobilePhone**

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.31 ogit/Mobile/time

Time when connection started.

- id: <http://www.purl.org/ogit/Mobile/time>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

#### 1.3.0.32 ogit/unit

Unit of measurement of some value.

- id: <http://www.purl.org/ogit/unit>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Timeseries](#)

#### 1.3.0.33 ogit/Mobile/isActive

boolean flag. indicate if node is currentlty used

- id: <http://www.purl.org/ogit/Mobile/isActive>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

1.3.0.34 `ogit/city`

Name of a city.

- id: <http://www.purl.org/ogit/city>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)

1.3.0.35 `ogit/status`

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

1.3.0.36 `ogit/Mobile/appPermissions`

permission available for the application

- id: <http://www.purl.org/ogit/Mobile/appPermissions>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.37 ogit/Mobile/enctime**

TODO

- id: <http://www.purl.org/ogit/Mobile/enctime>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Message](#)

**1.3.0.38 ogit/longitude**

It is a geographic coordinate that specifies the east–west position of a point on the Earth's surface.

- id: <http://www.purl.org/ogit/longitude>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.39 ogit/lastName**

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.40 ogit/Mobile/firebaseToken**

firebaseToken

- id: <http://www.purl.org/ogit/Mobile/firebaseToken>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.41 ogit/Mobile/locale**

locale code defined in which language message should be retuned

- id: <http://www.purl.org/ogit/Mobile/locale>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.42 ogit/Location/residenceCountry**

The name of a residence country.

- id: <http://www.purl.org/ogit/Location/residenceCountry>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.43 ogit/passportNumber**

Passport number of person

- id: <http://www.purl.org/ogit/passportNumber>
- valid-from: Thu Aug 26 00:00:00 UTC 2021
- creator: kaushik gondaliya

used

- optional:
  - [ogit/Person](#)

**1.3.0.44 ogit/middleName**

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

**1.3.0.45 ogit/Mobile/registrationType**

registration Type, to identify push notification service used, if yes then which one

- id: <http://www.purl.org/ogit/Mobile/registrationType>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.46 ogit/Mobile/label**

label for licence code.

- id: <http://www.purl.org/ogit/Mobile/label>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.47 ogit/streetAddress**

The street address. For example, Eschersheimer Landstr. 526-532

- id: <http://www.purl.org/ogit/streetAddress>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

**1.3.0.48 ogit/Auth/Account/statusReason**

Status Reason of an ogit/Auth/Account

- id: <http://www.purl.org/ogit/Auth/Account/statusReason>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)



**1.3.0.49 ogit/Mobile/headline**

headline for message

- id: <http://www.purl.org/ogit/Mobile/headline>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.50 ogit/firstName**

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

**1.3.0.51 ogit/Mobile/appConfigMode**

app configuration mode, i.e debug, release.

- id: <http://www.purl.org/ogit/Mobile/appConfigMode>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.52 ogit/Mobile/uuid

uuid is unique identifier for application.

- id: <http://www.purl.org/ogit/Mobile/uuid>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

#### 1.3.0.53 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Person](#)

#### 1.3.0.54 ogit/Health/Diagnostics/appID

UDI of App (if paired).

- id: <http://www.purl.org/ogit/Health/Diagnostics/appID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.55 ogit/Mobile/deviceCode**

This attribute contains a unique device code, which identifies a specific device.

- id: <http://www.purl.org/ogit/Mobile/deviceCode>
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.56 ogit/Mobile/deviceModel**

model of device

- id: <http://www.purl.org/ogit/Mobile/deviceModel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.57 ogit/Mobile/duration**

time duration of the connection

- id: <http://www.purl.org/ogit/Mobile/duration>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.58** `ogit/Health/Diagnostics/liquidContactTime`

liquid contact time.

- id: <http://www.purl.org/ogit/Health/Diagnostics/liquidContactTime>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.59** `ogit/Health/Diagnostics/testCompletedAt`

timestamp of test completion.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testCompletedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.60** `ogit/Health/Diagnostics/symptoms`

symptoms (enum).

- id: <http://www.purl.org/ogit/Health/Diagnostics/symptoms>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.61 ogit/Mobile/devicePlatform**

Platform of device i.e ios, android..

- id: <http://www.purl.org/ogit/Mobile/devicePlatform>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.62 ogit/Mobile/ctaType**

call to action type

- id: <http://www.purl.org/ogit/Mobile/ctaType>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.63 ogit/Auth/Account/type**

Type of an account. Values: person, application

- id: <http://www.purl.org/ogit/Auth/Account/type>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
  - [ogit/Auth/Account](#)

1.3.0.64 `ogit/name`

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - [ogit/Auth/Account](#)
  - [ogit/Organization](#)
- optional:
  - [ogit/Mobile/Message](#)
  - [ogit/Mobile/MsgTemplate](#)
  - [ogit/Timeseries](#)

1.3.0.65 `ogit/Health/Diagnostics/testDate`

Date when Test is performed.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testDate>
- valid-from: Tue Oct 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

1.3.0.66 `ogit/description`

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Organization](#)
  - [ogit/Timeseries](#)

**1.3.0.67 ogit/Mobile/subline**

Additional text providing more information

- id: <http://www.purl.org/ogit/Mobile/subline>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.68 ogit/consentLevel**

formal agreement with contact.

- id: <http://www.purl.org/ogit/consentLevel>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)

**1.3.0.69 ogit/Auth/Account/acceptedProjectTerms**

Flag about whether HIRO Project terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.70** `ogit/Auth/Account/acceptedTerms`

Flag about whether usage terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedTerms>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.71** `ogit/Health/Diagnostics/birthyearRange`

Birth year in range ( "before 1910", "1910-1920").

- id: <http://www.purl.org/ogit/Health/Diagnostics/birthyearRange>
- valid-from: Mon Sep 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.72** `ogit/officePhone`

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)



1.3.0.73 `ogit/phone`

a phone number

- id: <http://www.purl.org/ogit/phone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Organization](#)

1.3.0.74 `ogit/fax`

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

1.3.0.75 `ogit/Health/Diagnostics/testStartedAt`

timestamp of test start.

- id: <http://www.purl.org/ogit/Health/Diagnostics/testStartedAt>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.76 ogit/Health/Diagnostics/firmwareVersion**

Sensor Hub firmware version.

- id: <http://www.purl.org/ogit/Health/Diagnostics/firmwareVersion>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.77 ogit/Health/Diagnostics/laboratoryName**

Name of the laboratory which performed the diagnostics/test.

- id: <http://www.purl.org/ogit/Health/Diagnostics/laboratoryName>
- valid-from: Thu Aug 26 00:00:00 UTC 2021
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.78 ogit/Auth/Account/allowCookies**

Flag about whether cookies are allowed

- id: <http://www.purl.org/ogit/Auth/Account/allowCookies>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.79 ogit/otherPhone**

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Person](#)

**1.3.0.80 ogit/Health/Diagnostics/sensorID**

UDI of bio sensor (= Test ID).

- id: <http://www.purl.org/ogit/Health/Diagnostics/sensorID>
- valid-from: Fri Aug 14 00:00:00 UTC 2020
- creator: Marek Meyer

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.81 ogit/isMutable**

True if the value can be changed. E.g. after a service is provisioned.

- id: <http://www.purl.org/ogit/isMutable>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - [ogit/Timeseries](#)

**1.3.0.82 ogit/Mobile/deactivationTime**

time when licence code is deactivated.

- id: <http://www.purl.org/ogit/Mobile/deactivationTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.83 ogit/Mobile/RSSICorrection**

rsi correction values for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/RSSICorrection>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.84 ogit/Mobile/criticality**

TODO

- id: <http://www.purl.org/ogit/Mobile/criticality>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.85 ogit/Mobile/movementType**

type of movement such as foot, bus, train

- id: <http://www.purl.org/ogit/Mobile/movementType>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.86 ogit/Health/Diagnostics/testMethod**

Test method (PCR, Antigen, Antibody).

- id: <http://www.purl.org/ogit/Health/Diagnostics/testMethod>
- valid-from: Tue Oct 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)

**1.3.0.87 ogit/webPage**

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Organization](#)
  - [ogit/Person](#)

**1.3.0.88** ogit/Mobile/delivered

boolean value, set true if message is delivered to app.

- id: <http://www.purl.org/ogit/Mobile/delivered>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Message](#)

**1.3.0.89** ogit/Mobile/healthStatusUpdateTime

last time when health status was updated. UTC timestamp format

- id: <http://www.purl.org/ogit/Mobile/healthStatusUpdateTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/HealthInfo](#)

**1.3.0.90** ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: <http://www.purl.org/ogit/Auth/Account/acceptedPrivacy>
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - [ogit/Auth/Account](#)

**1.3.0.91 ogit/Mobile/distance**

distance between two device where application is installed

- id: <http://www.purl.org/ogit/Mobile/distance>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.92 ogit/Mobile/osRadio**

internal chipset or design identifier for mobile phones.

- id: <http://www.purl.org/ogit/Mobile/osRadio>
- valid-from: Thu Aug 27 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/AppInstance](#)
  - [ogit/Mobile/DeviceSpecifications](#)

**1.3.0.93 ogit/Mobile/activationTime**

time when licence code is activated.

- id: <http://www.purl.org/ogit/Mobile/activationTime>
- valid-from: Thu Jul 09 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/LicenceCodes](#)

**1.3.0.94 ogit/position**

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - [ogit/Person](#)

**1.3.0.95 ogit/Mobile/riskScore**

risk score

- id: <http://www.purl.org/ogit/Mobile/riskScore>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/Encounter](#)

**1.3.0.96 ogit/Mobile/appVersion**

mobile application version

- id: <http://www.purl.org/ogit/Mobile/appVersion>
- valid-from: Mon Mar 16 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Test](#)
  - [ogit/Mobile/AppInstance](#)



**1.3.0.97** ogit/Mobile/cta

call to action. describe action should be taken by app user

- id: <http://www.purl.org/ogit/Mobile/cta>
- valid-from: Tue Apr 07 00:00:00 UTC 2020
- creator: Kaushik Gondaliya

used

- optional:
  - [ogit/Mobile/MsgTemplate](#)

**1.3.0.98** ogit/gender

person's gender(sex). i.e male, female..

- id: <http://www.purl.org/ogit/gender>
- valid-from: Mon Aug 24 00:00:00 UTC 2020
- creator: Kaushik gondaliya

used

- optional:
  - [ogit/Health/Diagnostics/Demographics](#)

**1.3.0.99** ogit/instance

Defines the name of an instance.

- id: <http://www.purl.org/ogit/instance>
- valid-from: Wed Aug 03 00:00:00 UTC 2016
- creator: Philipp Pelchmann

used

- optional:
  - [ogit/Timeseries](#)