
Location

March 31, 2021

1 Module Documentation	1
1.1 Entities	1
1.1.0.1 ogit/FinancialAccounting/OrganizationalUnit	1
1.1.0.2 ogit/Network/Site	2
1.1.0.3 ogit/FinancialMarket/Protection	2
1.1.0.4 ogit/Location/NUTSLevel3	3
1.1.0.5 ogit/Location/NUTSLevel1	3
1.1.0.6 ogit/Location/NUTSLevel2	4
1.1.0.7 ogit/Location/Address	4
1.1.0.8 ogit/Health/Diagnostics/TestStation	5
1.1.0.9 ogit/Schedule/Event	6
1.1.0.10 ogit/Person	6
1.1.0.11 ogit/Credit/Counterparty	7
1.1.0.12 ogit/FinancialMarket/Corporation	8
1.1.0.13 ogit/FinancialAccounting/AccountsPayable/Vendor	8
1.2 Verbs	9
1.2.0.1 ogit/locatedAt	9
1.2.0.2 ogit/locatedIn	9
1.2.0.3 ogit/registeredAt	9
1.2.0.4 ogit/receives	10
1.2.0.5 ogit/has	10
1.3 Attributes	11
1.3.0.1 ogit/currency	11
1.3.0.2 ogit/email	11
1.3.0.3 ogit/Location/streetNumber	11
1.3.0.4 ogit/Schedule/startTime	12
1.3.0.5 ogit/alternativeName	12
1.3.0.6 ogit/Location/zipCode	12
1.3.0.7 ogit/FinancialMarket/nationalIdentifier	13
1.3.0.8 ogit/Location/city	13
1.3.0.9 ogit/notification	13
1.3.0.10 ogit/sourceld	14
1.3.0.11 ogit/FinancialMarket/legalForm	14
1.3.0.12 ogit/mobilePhone	14
1.3.0.13 ogit/value	15
1.3.0.14 ogit/FinancialMarket/legalEntityIdentifier	15
1.3.0.15 ogit/status	15
1.3.0.16 ogit/Location/streetName	16
1.3.0.17 ogit/lastName	16
1.3.0.18 ogit/Location/residenceCountry	16
1.3.0.19 ogit/middleName	16
1.3.0.20 ogit/FinancialMarket/enterpriseSize	17

1.3.0.21 ogit/Schedule/location	17
1.3.0.22 ogit/firstName	17
1.3.0.23 ogit/title	18
1.3.0.24 ogit/name	18
1.3.0.25 ogit/Schedule/endTime	19
1.3.0.26 ogit/FinancialMarket/defaultDate	19
1.3.0.27 ogit/description	19
1.3.0.28 ogit/Location/country	20
1.3.0.29 ogit/FinancialMarket/defaultStatus	20
1.3.0.30 ogit/officePhone	20
1.3.0.31 ogit/fax	21
1.3.0.32 ogit/otherPhone	21
1.3.0.33 ogit/Location/state	21
1.3.0.34 ogit/subType	22
1.3.0.35 ogit/webPage	22
1.3.0.36 ogit/id	22
1.3.0.37 ogit/FinancialAccounting/companyCode	23
1.3.0.38 ogit/validFrom	23
1.3.0.39 ogit/position	23
1.3.0.40 ogit/FinancialMarket/thirdPartyPriorityClaims	24
1.3.0.41 ogit/validTo	24

Chapter 1

Module Documentation

1.1 Entities

1.1.0.1 `ogit/FinancialAccounting/OrganizationalUnit`

An organizational unit within a company.

- id: <http://www.purl.org/ogit/FinancialAccounting/OrganizationalUnit>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: `ogit/Node`

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/FinancialAccounting/companyCode](#)

outgoing edges

- [ogit/has](#) => [ogit/Location/Address](#)
- [ogit/receives](#) => [ogit/Location/Address](#)

1.1.0.2 ogit/Network/Site

A site located in on place, which contains a geographically concentrated computer network.

- id: <http://www.purl.org/ogit/Network/Site>
- valid-from: Fri Sep 04 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: ogit/Node

attributes

- optional:
 - [ogit/id](#)
 - [ogit/name](#)

outgoing edges

- [ogit/locatedIn](#) => [ogit/Location/NUTSLevel3](#)

1.1.0.3 ogit/FinancialMarket/Protection

A protection (e.g. security) for financial contracts in the context of financial markets.

- id: <http://www.purl.org/ogit/FinancialMarket/Protection>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
 - [ogit/id](#)
- optional:
 - [ogit/FinancialMarket/thirdPartyPriorityClaims](#)
 - [ogit/currency](#)
 - [ogit/description](#)
 - [ogit/title](#)
 - [ogit/value](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)

1.1.0.4 [ogit/Location/NUTSLevel3](#)

A region at the level 3 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

- id: <http://www.purl.org/ogit/Location/NUTSLevel3>
- valid-from: Fri Sep 04 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)

incoming edges

- [ogit/locatedIn](#) <= [ogit/Network/Site](#)

outgoing edges

- [ogit/locatedIn](#) => [ogit/Location/NUTSLevel2](#)

1.1.0.5 [ogit/Location/NUTSLevel1](#)

A region at the level 1 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

- id: <http://www.purl.org/ogit/Location/NUTSLevel1>
- valid-from: Fri Sep 04 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)

incoming edges

- [ogit/locatedIn](#) <= [ogit/Location/NUTSLevel2](#)

1.1.0.6 [ogit/Location/NUTSLevel2](#)

A region at the level 2 of the NUTS (Nomenclature of Territorial Units for Statistics) classification, representing a subdivision of a country.

- id: <http://www.purl.org/ogit/Location/NUTSLevel2>
- valid-from: Fri Sep 04 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)

incoming edges

- [ogit/locatedIn](#) <= [ogit/Location/NUTSLevel3](#)

outgoing edges

- [ogit/locatedIn](#) => [ogit/Location/NUTSLevel1](#)

1.1.0.7 [ogit/Location/Address](#)

A street address.

- id: <http://www.purl.org/ogit/Location/Address>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/Location/city](#)
 - [ogit/Location/country](#)
 - [ogit/Location/state](#)
 - [ogit/Location/streetName](#)
 - [ogit/Location/streetNumber](#)
 - [ogit/Location/zipCode](#)

incoming edges

- [ogit/has](#) <= [ogit/FinancialAccounting/AccountsPayable/Vendor](#)
- [ogit/has](#) <= [ogit/FinancialAccounting/OrganizationalUnit](#)
- [ogit/locatedAt](#) <= [ogit/Credit/Counterparty](#)
- [ogit/locatedAt](#) <= [ogit/FinancialMarket/Corporation](#)
- [ogit/locatedAt](#) <= [ogit/FinancialMarket/Protection](#)
- [ogit/locatedAt](#) <= [ogit/Health/Diagnostics/TestStation](#)
- [ogit/locatedAt](#) <= [ogit/Schedule/Event](#)
- [ogit/receives](#) <= [ogit/FinancialAccounting/OrganizationalUnit](#)
- [ogit/registeredAt](#) <= [ogit/Person](#)

1.1.0.8 [ogit/Health/Diagnostics/TestStation](#)

A station where diagnostics tests can be performed.

- id: <http://www.purl.org/ogit/Health/Diagnostics/TestStation>
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/description](#)
 - [ogit/status](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)

1.1.0.9 [ogit/Schedule/Event](#)

An event planned or occurring as part of a calendar.

- id: <http://www.purl.org/ogit/Schedule/Event>
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/Schedule/endTime](#)
 - [ogit/Schedule/startTime](#)
- optional:
 - [ogit/Schedule/location](#)
 - [ogit/description](#)
 - [ogit/subType](#)
 - [ogit/title](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)

1.1.0.10 [ogit/Person](#)

A Person represents a human identity.

- id: <http://www.purl.org/ogit/Person>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: [ogit/Node](#)

attributes

- optional:
 - [ogit/alternativeName](#)
 - [ogit/email](#)
 - [ogit/fax](#)
 - [ogit/firstName](#)
 - [ogit/lastName](#)
 - [ogit/middleName](#)
 - [ogit/mobilePhone](#)
 - [ogit/notification](#)
 - [ogit/officePhone](#)
 - [ogit/otherPhone](#)
 - [ogit/position](#)
 - [ogit/sourceld](#)
 - [ogit/status](#)
 - [ogit/title](#)
 - [ogit/webPage](#)

outgoing edges

- [ogit/registeredAt](#) => [ogit/Location/Address](#)

1.1.0.11 ogit/Credit/Counterparty

A counterparty in a credit transaction.

- id: <http://www.purl.org/ogit/Credit/Counterparty>
- valid-from: Wed Nov 27 00:00:00 UTC 2019
- creator: Ola Irgens Kylling
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/id](#)
 - [ogit/name](#)
 - [ogit/validFrom](#)
- optional:
 - [ogit/validTo](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)

1.1.0.12 [ogit/FinancialMarket/Corporation](#)

A corporation in the context of financial markets.

- id: <http://www.purl.org/ogit/FinancialMarket/Corporation>
- valid-from: Wed Jul 10 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)
- optional:
 - [ogit/FinancialMarket/defaultDate](#)
 - [ogit/FinancialMarket/defaultStatus](#)
 - [ogit/FinancialMarket/enterpriseSize](#)
 - [ogit/FinancialMarket/legalEntityIdentifier](#)
 - [ogit/FinancialMarket/legalForm](#)
 - [ogit/FinancialMarket/nationalIdentifier](#)

outgoing edges

- [ogit/locatedAt](#) => [ogit/Location/Address](#)

1.1.0.13 [ogit/FinancialAccounting/AccountsPayable/Vendor](#)

A vendor in the accounts payable process.

- id: <http://www.purl.org/ogit/FinancialAccounting/AccountsPayable/Vendor>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer
- scope: NTO
- parent: [ogit/Node](#)

attributes

- mandatory:
 - [ogit/name](#)

outgoing edges

- [ogit/has](#) => [ogit/Location/Address](#)

1.2 Verbs

1.2.0.1 ogit/locatedAt

Indicates that an entity is located at another entity.

- id: <http://www.purl.org/ogit/locatedAt>
- valid-from: Fri Sep 20 00:00:00 UTC 2019
- creator: Marek Meyer

Allowed Connection

- [ogit/Credit/Counterparty](#) => [ogit/Location/Address](#)
- [ogit/FinancialMarket/Corporation](#) => [ogit/Location/Address](#)
- [ogit/FinancialMarket/Protection](#) => [ogit/Location/Address](#)
- [ogit/Health/Diagnostics/TestStation](#) => [ogit/Location/Address](#)
- [ogit/Schedule/Event](#) => [ogit/Location/Address](#)

1.2.0.2 ogit/locatedIn

indicate that something has its place somewhere

- id: <http://www.purl.org/ogit/locatedIn>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- [ogit/Location/NUTSLevel2](#) => [ogit/Location/NUTSLevel1](#)
- [ogit/Location/NUTSLevel3](#) => [ogit/Location/NUTSLevel2](#)
- [ogit/Network/Site](#) => [ogit/Location/NUTSLevel3](#)

1.2.0.3 ogit/registeredAt

Indicates that an entity is registered at another entity.

- id: <http://www.purl.org/ogit/registeredAt>
- valid-from: Mon Sep 28 00:00:00 UTC 2020
- creator: Marek Meyer

Allowed Connection

- [ogit/Person](#) => [ogit/Location/Address](#)

1.2.0.4 ogit/receives

an entity receives something another entity

- id: <http://www.purl.org/ogit/receives>
- valid-from: Fri Feb 17 00:00:00 UTC 2017
- creator: stravlos@arago.de

Allowed Connection

- [ogit/FinancialAccounting/OrganizationalUnit](#) => [ogit/Location/Address](#)

1.2.0.5 ogit/has

Indicates if an entity has another entity.

- id: <http://www.purl.org/ogit/has>
- valid-from: Thu Mar 28 00:00:00 UTC 2019
- creator: Kaushik Gondaliya

Allowed Connection

- [ogit/FinancialAccounting/AccountsPayable/Vendor](#) => [ogit/Location/Address](#)
- [ogit/FinancialAccounting/OrganizationalUnit](#) => [ogit/Location/Address](#)

1.3 Attributes

1.3.0.1 ogit/currency

A currency code, possibly according to ISO 4217.

- id: <http://www.purl.org/ogit/currency>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/FinancialMarket/Protection](#)

1.3.0.2 ogit/email

An email address.

- id: <http://www.purl.org/ogit/email>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.3 ogit/Location/streetNumber

The number of a street address.

- id: <http://www.purl.org/ogit/Location/streetNumber>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.4 ogit/Schedule/startTime

Start time of a calendar event.

- id: <http://www.purl.org/ogit/Schedule/startTime>
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- creator: Marek Meyer

used

- mandatory:
 - [ogit/Schedule/Event](#)

1.3.0.5 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: <http://www.purl.org/ogit/alternativeName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.6 ogit/Location/zipCode

The zip code of a city.

- id: <http://www.purl.org/ogit/Location/zipCode>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.7 ogit/FinancialMarket/nationalIdentifier

A unique nationally defined identifier for a corporation.

- id: <http://www.purl.org/ogit/FinancialMarket/nationalIdentifier>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.8 ogit/Location/city

The name of a city.

- id: <http://www.purl.org/ogit/Location/city>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.9 ogit/notification

A notification.

- id: <http://www.purl.org/ogit/notification>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.10 ogit/sourceId

The Id of the source system.

- id: <http://www.purl.org/ogit/sourceId>
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.11 ogit/FinancialMarket/legalForm

The legal form of a corporation.

- id: <http://www.purl.org/ogit/FinancialMarket/legalForm>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.12 ogit/mobilePhone

A mobile phone number.

- id: <http://www.purl.org/ogit/mobilePhone>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.13 ogit/value

Contains a value of a key / value pair.

- id: <http://www.purl.org/ogit/value>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/FinancialMarket/Protection](#)

1.3.0.14 ogit/FinancialMarket/legalEntityIdentifier

An identifier of a company (legal entity).

- id: <http://www.purl.org/ogit/FinancialMarket/legalEntityIdentifier>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.15 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems useful in the application's semantic context.

- id: <http://www.purl.org/ogit/status>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Person](#)

1.3.0.16 ogit/Location/streetName

The name of a street.

- id: <http://www.purl.org/ogit/Location/streetName>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.17 ogit/lastName

Last name of a person.

- id: <http://www.purl.org/ogit/lastName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.18 ogit/Location/residenceCountry

The name of a residence country.

- id: <http://www.purl.org/ogit/Location/residenceCountry>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

1.3.0.19 ogit/middleName

Middle name of a person.

- id: <http://www.purl.org/ogit/middleName>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.20 `ogit/FinancialMarket/enterpriseSize`

The size of a corporation.

- id: <http://www.purl.org/ogit/FinancialMarket/enterpriseSize>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.21 `ogit/Schedule/location`

Location of a calendar event.

- id: <http://www.purl.org/ogit/Schedule/location>
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Schedule/Event](#)

1.3.0.22 `ogit/firstName`

First name of a person

- id: <http://www.purl.org/ogit/firstName>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/Person](#)

1.3.0.23 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job title.

- id: <http://www.purl.org/ogit/title>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/FinancialMarket/Protection](#)
 - [ogit/Person](#)
 - [ogit/Schedule/Event](#)

1.3.0.24 ogit/name

Contains a name.

- id: <http://www.purl.org/ogit/name>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Credit/Counterparty](#)
 - [ogit/FinancialAccounting/AccountsPayable/Vendor](#)
 - [ogit/FinancialAccounting/OrganizationalUnit](#)
 - [ogit/FinancialMarket/Corporation](#)
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Location/Address](#)
 - [ogit/Location/NUTSLevel1](#)
 - [ogit/Location/NUTSLevel2](#)
 - [ogit/Location/NUTSLevel3](#)
- optional:
 - [ogit/Network/Site](#)

1.3.0.25 `ogit/Schedule/endTime`

End time of a calendar event.

- id: <http://www.purl.org/ogit/Schedule/endTime>
- valid-from: Tue Jul 02 00:00:00 UTC 2019
- creator: Marek Meyer

used

- mandatory:
 - [ogit/Schedule/Event](#)

1.3.0.26 `ogit/FinancialMarket/defaultDate`

The date of default for a corporation.

- id: <http://www.purl.org/ogit/FinancialMarket/defaultDate>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.27 `ogit/description`

Contains a description.

- id: <http://www.purl.org/ogit/description>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
 - [ogit/FinancialMarket/Protection](#)
 - [ogit/Health/Diagnostics/TestStation](#)
 - [ogit/Schedule/Event](#)

1.3.0.28 ogit/Location/country

The name of a country.

- id: <http://www.purl.org/ogit/Location/country>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.29 ogit/FinancialMarket/defaultStatus

The default status of a corporation.

- id: <http://www.purl.org/ogit/FinancialMarket/defaultStatus>
- valid-from: Wed Jul 10 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Corporation](#)

1.3.0.30 ogit/officePhone

The phone number in the office.

- id: <http://www.purl.org/ogit/officePhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.31 ogit/fax

The number of a fax.

- id: <http://www.purl.org/ogit/fax>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.32 ogit/otherPhone

The number of an other phone.

- id: <http://www.purl.org/ogit/otherPhone>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.33 ogit/Location/state

The name of a state.

- id: <http://www.purl.org/ogit/Location/state>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/Location/Address](#)

1.3.0.34 ogit/subType

A subtype of an an entity.

- id: <http://www.purl.org/ogit/subType>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Aymen Ayoub

used

- optional:
 - [ogit/Schedule/Event](#)

1.3.0.35 ogit/webPage

A web page.

- id: <http://www.purl.org/ogit/webPage>
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
 - [ogit/Person](#)

1.3.0.36 ogit/id

General id.

- id: <http://www.purl.org/ogit/id>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Credit/Counterparty](#)
 - [ogit/FinancialMarket/Protection](#)
- optional:
 - [ogit/Network/Site](#)

1.3.0.37 `ogit/FinancialAccounting/companyCode`

The amount of an item, set of items, or payment.

- id: <http://www.purl.org/ogit/FinancialAccounting/companyCode>
- valid-from: Fri Aug 23 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialAccounting/OrganizationalUnit](#)

1.3.0.38 `ogit/validFrom`

Defines a point in time when something becomes valid.

- id: <http://www.purl.org/ogit/validFrom>
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
 - [ogit/Credit/Counterparty](#)

1.3.0.39 `ogit/position`

Indicates user's position. This field contains a string value.

- id: <http://www.purl.org/ogit/position>
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
 - [ogit/Person](#)

1.3.0.40 `ogit/FinancialMarket/thirdPartyPriorityClaims`

Any priority claims by third parties on the same financial protection (security).

- id: <http://www.purl.org/ogit/FinancialMarket/thirdPartyPriorityClaims>
- valid-from: Wed Nov 06 00:00:00 UTC 2019
- creator: Marek Meyer

used

- optional:
 - [ogit/FinancialMarket/Protection](#)

1.3.0.41 `ogit/validTo`

Defines a point in time when something stops being valid.

- id: <http://www.purl.org/ogit/validTo>
- valid-from: Tue Nov 29 00:00:00 UTC 2016
- creator: stravlos@arago.co

used

- optional:
 - [ogit/Credit/Counterparty](#)