

March 31, 2021

1 MRO		1
2 Module Docu	mentation	2
2.1 Entities .		2
	2.1.0.1 ogit/Organization	2
	2.1.0.2 ogit/MRO/Aviation/Component	3
	2.1.0.3 ogit/MRO/Aviation/AircraftType	3
	2.1.0.4 ogit/MRO/Aviation/Aircraft	4
	2.1.0.5 ogit/Person	4
	2.1.0.6 ogit/MRP/Workshop	5
	2.1.0.7 ogit/MRO/Aviation/Workstation	5
	2.1.0.8 ogit/MRO/Aviation/Layover	6
	2.1.0.9 ogit/MRO/Aviation/Task	6
	2.1.0.10 ogit/MRO/Aviation/Capability	7
	2.1.0.11 ogit/MRO/Aviation/MPD	7
	2.1.0.12 ogit/MRO/Aviation/Facility	8
	2.1.0.13 ogit/Location	9
	2.1.0.14 ogit/MRO/Aviation/Airport	9
	2.1.0.15 ogit/MRO/Aviation/Bay	10
2.2 Verbs .		11
	2.2.0.1 ogit/MRO/Aviation/conflictsWith	11
	2.2.0.2 ogit/MRO/Aviation/isPartOf	11
	2.2.0.3 ogit/MRO/Aviation/suppliedBy	11
	2.2.0.4 ogit/worksOn	11
	2.2.0.5 ogit/MRO/Aviation/linksTo	12
	2.2.0.6 ogit/includes	12
	2.2.0.7 ogit/MRO/Aviation/overhaul	12
	2.2.0.8 ogit/MRO/Aviation/alternatesWith	13
	2.2.0.9 ogit/locatedIn	13
	2.2.0.10 ogit/affects	13
	2.2.0.11 ogit/MRO/Aviation/characterize	14
	2.2.0.12 ogit/requires	14
	2.2.0.13 ogit/owns	14
	2.2.0.14 ogit/MRO/Aviation/performedAt	14
	2.2.0.15 ogit/belongs	15
	2.2.0.16 ogit/MRO/Aviation/references	15
	2.2.0.17 ogit/MRO/Aviation/suit	15
	2.2.0.18 ogit/relates	16
	2.2.0.19 ogit/MRO/Aviation/orders	16
2.3 Attributes	s	17
	2.3.0.1 ogit/postalCode	17
	2.3.0.2 ogit/email	17

2.3.0.3 ogit/alternativeName	17
2.3.0.4 ogit/function	18
2.3.0.5 ogit/country	18
2.3.0.6 ogit/businessCategory	18
2.3.0.7 ogit/notification	19
2.3.0.8 ogit/sourceld	19
2.3.0.9 ogit/mobilePhone	19
2.3.0.10 ogit/city	20
2.3.0.11 ogit/status	20
2.3.0.12 ogit/lastName	20
2.3.0.13 ogit/middleName	21
2.3.0.14 ogit/streetAddress	21
2.3.0.15 ogit/firstName	21
2.3.0.16 ogit/title	22
2.3.0.17 ogit/name	22
2.3.0.18 ogit/description	22
2.3.0.19 ogit/officePhone	23
2.3.0.20 ogit/phone	23
2.3.0.21 ogit/fax	23
2.3.0.22 ogit/otherPhone	24
2.3.0.23 ogit/webPage	24
2.3.0.24 ogit/id	24
2.3.0.25 ogit/position	25

Chapter 1

MRO

Overview

The Maintenance, Repair, Overhaul (MRO) is the overhaul, repair, inspection or modification of an aircraft or aircraft component.

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatention of some strings separated with a dot. if organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

• id: http://www.purl.org/ogit/Organization

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/businessCategory
 - ogit/city
 - ogit/country
 - ogit/description
 - ogit/email
 - ogit/function
 - ogit/phone
 - ogit/postalCode
 - ogit/sourceld
 - ogit/status
 - ogit/streetAddress
 - ogit/webPage

outgoing edges

- ogit/MRO/Aviation/orders => ogit/MRO/Aviation/Layover
- ogit/owns => ogit/MRO/Aviation/Aircraft

2.1.0.2 ogit/MRO/Aviation/Component

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Component

valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

incoming edges

• ogit/affects <= ogit/MRO/Aviation/Task

outgoing edges

• ogit/MRO/Aviation/suit => ogit/MRO/Aviation/AircraftType

2.1.0.3 ogit/MRO/Aviation/AircraftType

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/AircraftType
- · valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushik

• scope: NTO

• parent: ogit/Node

incoming edges

- ogit/MRO/Aviation/linksTo <= ogit/MRO/Aviation/Task
- ogit/MRO/Aviation/suit <= ogit/MRO/Aviation/Component

outgoing edges

ogit/MRO/Aviation/characterize => ogit/MRO/Aviation/Aircraft

2.1.0.4 ogit/MRO/Aviation/Aircraft

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Aircraft

valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTOparent: ogit/Node

incoming edges

ogit/MRO/Aviation/characterize <= ogit/MRO/Aviation/AircraftType

- ogit/MRO/Aviation/overhaul <= ogit/MRO/Aviation/Layover
- ogit/owns <= ogit/Organization
- ogit/worksOn <= ogit/MRO/Aviation/Workstation

outgoing edges

- ogit/locatedIn => ogit/Location
- ogit/locatedIn => ogit/MRO/Aviation/Bay

2.1.0.5 ogit/Person

A Person represents a human identity.

• id: http://www.purl.org/ogit/Person

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- optional:
 - ogit/alternativeName
 - ogit/email
 - ogit/fax
 - ogit/firstName
 - ogit/lastName
 - ogit/middleName
 - ogit/mobilePhone
 - ogit/notification
 - ogit/officePhone
 - ogit/otherPhone
 - ogit/position
 - ogit/sourceld
 - ogit/status
 - ogit/title
 - ogit/webPage

incoming edges

• ogit/MRO/Aviation/suppliedBy <= ogit/MRO/Aviation/Capability

2.1.0.6 ogit/MRP/Workshop

TODO.

• id: http://www.purl.org/ogit/MRP/Workshop

• valid-from: Fri Sep 07 00:00:00 UTC 2018

• creator: Kaushik

· scope: NTO

· parent: ogit/Node

outgoing edges

• ogit/belongs => ogit/MRO/Aviation/Facility

2.1.0.7 ogit/MRO/Aviation/Workstation

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Workstation

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushik

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/id
 - ogit/name

incoming edges

 $\bullet \ \ ogit/MRO/Aviation/performedAt <= ogit/MRO/Aviation/Task \\$

outgoing edges

- ogit/locatedIn => ogit/MRO/Aviation/Bay
- ogit/worksOn => ogit/MRO/Aviation/Aircraft

2.1.0.8 ogit/MRO/Aviation/Layover

The IL-Check (intermediate layover check) is – in addition to the D-Check – one of the biggest, most elaborate aircraft overhauls.

• id: http://www.purl.org/ogit/MRO/Aviation/Layover

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

• parent: ogit/Node

attributes

- · optional:
 - ogit/id
 - ogit/name

incoming edges

- ogit/MRO/Aviation/orders <= ogit/Organization
- ogit/relates <= ogit/MRO/Aviation/Task

outgoing edges

• ogit/MRO/Aviation/overhaul => ogit/MRO/Aviation/Aircraft

2.1.0.9 ogit/MRO/Aviation/Task

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/Task
- valid-from: Fri Sep 07 00:00:00 UTC 2018

· creator: Kaushik

· scope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/id
 - ogit/name

outgoing edges

- ogit/MRO/Aviation/linksTo => ogit/MRO/Aviation/AircraftType
- ogit/MRO/Aviation/performedAt => ogit/MRO/Aviation/Workstation
- ogit/MRO/Aviation/references => ogit/MRO/Aviation/MPD
- ogit/affects => ogit/MRO/Aviation/Component
- ogit/relates => ogit/MRO/Aviation/Layover
- ogit/requires => ogit/MRO/Aviation/Capability

2.1.0.10 ogit/MRO/Aviation/Capability

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Capability

· valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

incoming edges

• ogit/requires <= ogit/MRO/Aviation/Task

outgoing edges

• ogit/MRO/Aviation/suppliedBy => ogit/Person

2.1.0.11 ogit/MRO/Aviation/MPD

Maintenance Planning Data documents data developed by the manufacturer of a particular airplane that contains the information each operator of that airplane needs to develop a customized, scheduled maintenance and inspection program.

• id: http://www.purl.org/ogit/MRO/Aviation/MPD

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

attributes

- · optional:
 - ogit/description
 - ogit/id
 - ogit/name

incoming edges

- ogit/MRO/Aviation/alternatesWith <= ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/conflictsWith <= ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/references <= ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/references <= ogit/MRO/Aviation/Task
- ogit/includes <= ogit/MRO/Aviation/MPD
- ogit/requires <= ogit/MRO/Aviation/MPD

outgoing edges

- ogit/MRO/Aviation/alternatesWith => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/conflictsWith => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/references => ogit/MRO/Aviation/MPD
- ogit/includes => ogit/MRO/Aviation/MPD
- ogit/requires => ogit/MRO/Aviation/MPD

2.1.0.12 ogit/MRO/Aviation/Facility

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/Facility
- · valid-from: Fri Sep 07 00:00:00 UTC 2018
- · creator: Kaushik
- · scope: NTO
- · parent: ogit/Node

incoming edges

- ogit/belongs <= ogit/MRO/Aviation/Bay
- ogit/belongs <= ogit/MRP/Workshop

2.1.0.13 ogit/Location

A place where some service is offered or requested. In many cases this will be related to a an address of an Organization. Similar to http://purl.org/goodrelations/v1#Location

• id: http://www.purl.org/ogit/Location

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

attributes

- · mandatory:
 - ogit/name
- · optional:
 - ogit/description

incoming edges

- ogit/locatedIn <= ogit/MRO/Aviation/Aircraft
- ogit/locatedIn <= ogit/MRO/Aviation/Airport

2.1.0.14 ogit/MRO/Aviation/Airport

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/Airport
- valid-from: Fri Sep 07 00:00:00 UTC 2018

· creator: Kaushik

• scope: NTO

• parent: ogit/Node

outgoing edges

• ogit/locatedIn => ogit/Location

2.1.0.15 ogit/MRO/Aviation/Bay

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Bay

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

• parent: ogit/Node

incoming edges

• ogit/locatedIn <= ogit/MRO/Aviation/Aircraft

 $\bullet \ \, {\sf ogit/locatedIn} <= {\sf ogit/MRO/Aviation/Workstation}$

outgoing edges

• ogit/belongs => ogit/MRO/Aviation/Facility

2.2 Verbs

2.2.0.1 ogit/MRO/Aviation/conflictsWith

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/conflictsWith
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

• ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

2.2.0.2 ogit/MRO/Aviation/isPartOf

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/isPartOf
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

2.2.0.3 ogit/MRO/Aviation/suppliedBy

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/suppliedBy
```

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

• ogit/MRO/Aviation/Capability => ogit/Person

2.2.0.4 ogit/worksOn

Indicates if one entity is currently working on another entity.

```
• id: http://www.purl.org/ogit/worksOn
```

• valid-from: Wed Jun 24 00:00:00 UTC 2015

creator: Peter Larem

Allowed Connection

• ogit/MRO/Aviation/Workstation => ogit/MRO/Aviation/Aircraft

2.2.0.5 ogit/MRO/Aviation/linksTo

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/linksTo
```

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

ogit/MRO/Aviation/Task => ogit/MRO/Aviation/AircraftType

2.2.0.6 ogit/includes

Indicates if an entity includes something else.

```
• id: http://www.purl.org/ogit/includes
```

valid-from: Thu Jul 05 00:00:00 UTC 2018

• creator: qikram@arago.de

Allowed Connection

• ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

2.2.0.7 ogit/MRO/Aviation/overhaul

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/overhaul
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

ogit/MRO/Aviation/Layover => ogit/MRO/Aviation/Aircraft

2.2.0.8 ogit/MRO/Aviation/alternatesWith

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/alternatesWith

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

• ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

2.2.0.9 ogit/locatedIn

indicate that something has its place somewhere

```
• id: http://www.purl.org/ogit/locatedIn
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/MRO/Aviation/Aircraft => ogit/Location
- ogit/MRO/Aviation/Aircraft => ogit/MRO/Aviation/Bay
- ogit/MRO/Aviation/Airport => ogit/Location
- ogit/MRO/Aviation/Workstation => ogit/MRO/Aviation/Bay

2.2.0.10 ogit/affects

The relationship indicates that one entity affects some other entity.

```
• id: http://www.purl.org/ogit/affects
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Component

2.2.0.11 ogit/MRO/Aviation/characterize

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/characterize

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

• ogit/MRO/Aviation/AircraftType => ogit/MRO/Aviation/Aircraft

2.2.0.12 ogit/requires

Indicates dependencies between entities in the sense of "necessary condition".

```
• id: http://www.purl.org/ogit/requires
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Capability

2.2.0.13 ogit/owns

This relationship indicates that one entity owns some other.

```
• id: http://www.purl.org/ogit/owns
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

ogit/Organization => ogit/MRO/Aviation/Aircraft

2.2.0.14 ogit/MRO/Aviation/performedAt

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/performedAt
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Workstation

2.2.0.15 ogit/belongs

Verb showing if one entity belongs to another.

```
• id: http://www.purl.org/ogit/belongs
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

- ogit/MRO/Aviation/Bay => ogit/MRO/Aviation/Facility
- ogit/MRP/Workshop => ogit/MRO/Aviation/Facility

2.2.0.16 ogit/MRO/Aviation/references

TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/references
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

- ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/Task => ogit/MRO/Aviation/MPD

2.2.0.17 ogit/MRO/Aviation/suit

TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/suit
- · valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

ogit/MRO/Aviation/Component => ogit/MRO/Aviation/AircraftType

2.2.0.18 ogit/relates

General relationship indicating that one entity is related to another one.

```
• id: http://www.purl.org/ogit/relates
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

Allowed Connection

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Layover

2.2.0.19 ogit/MRO/Aviation/orders

TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/orders

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

Allowed Connection

• ogit/Organization => ogit/MRO/Aviation/Layover

2.3 Attributes

2.3.0.1 ogit/postalCode

The postal code. For example, 60433.

```
• id: http://www.purl.org/ogit/postalCode
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

2.3.0.2 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization
 - ogit/Person

2.3.0.3 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

```
• id: http://www.purl.org/ogit/alternativeName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Person

2.3.0.4 ogit/function

Attibute used to specify a function that some entity does/provides. This is more specific then 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

```
• id: http://www.purl.org/ogit/function
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization

2.3.0.5 ogit/country

Name of a country.

- id: http://www.purl.org/ogit/country
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization

2.3.0.6 ogit/businessCategory

The category of a business.

- id: http://www.purl.org/ogit/businessCategory
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
 - ogit/Organization

2.3.0.7 ogit/notification

A notification.

```
• id: http://www.purl.org/ogit/notification
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
 - ogit/Person

2.3.0.8 ogit/sourceld

The Id of the source system.

```
• id: http://www.purl.org/ogit/sourceId
```

· valid-from: Thu Jun 11 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization
 - ogit/Person

2.3.0.9 ogit/mobilePhone

A mobile phone number.

```
• id: http://www.purl.org/ogit/mobilePhone
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Person

2.3.0.10 ogit/city

Name of a city.

• id: http://www.purl.org/ogit/city

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization

2.3.0.11 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Organization
 - ogit/Person

2.3.0.12 ogit/lastName

Last name of a person.

```
• id: http://www.purl.org/ogit/lastName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Person

2.3.0.13 ogit/middleName

Middle name of a person.

```
• id: http://www.purl.org/ogit/middleName
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
 - ogit/Person

2.3.0.14 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

```
• id: http://www.purl.org/ogit/streetAddress
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- optional:
 - ogit/Organization

2.3.0.15 ogit/firstName

First name of a person

```
• id: http://www.purl.org/ogit/firstName
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
 - ogit/Person

2.3.0.16 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

• id: http://www.purl.org/ogit/title

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
 - ogit/Person

2.3.0.17 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- · mandatory:
 - ogit/Location
 - ogit/Organization
- optional:
 - ogit/MRO/Aviation/Layover
 - ogit/MRO/Aviation/MPD
 - ogit/MRO/Aviation/Task
 - ogit/MRO/Aviation/Workstation

2.3.0.18 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
 - ogit/Location
 - ogit/MRO/Aviation/MPD
 - ogit/Organization

2.3.0.19 ogit/officePhone

The phone number in the office.

```
• id: http://www.purl.org/ogit/officePhone
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
 - ogit/Person

2.3.0.20 ogit/phone

a phone number

- id: http://www.purl.org/ogit/phone
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- optional:
 - ogit/Organization

2.3.0.21 ogit/fax

The number of a fax.

- id: http://www.purl.org/ogit/fax
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
 - ogit/Person

2.3.0.22 ogit/otherPhone

The number of an other phone.

```
• id: http://www.purl.org/ogit/otherPhone
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- optional:
 - ogit/Person

2.3.0.23 ogit/webPage

A web page.

```
• id: http://www.purl.org/ogit/webPage
```

valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
 - ogit/Organization
 - ogit/Person

2.3.0.24 ogit/id

General id.

```
• id: http://www.purl.org/ogit/id
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- optional:
 - ogit/MRO/Aviation/Layover
 - ogit/MRO/Aviation/MPD
 - ogit/MRO/Aviation/Task
 - ogit/MRO/Aviation/Workstation

2.3.0.25 ogit/position

Indicates user's position. This field contains a string value.

• id: http://www.purl.org/ogit/position

• valid-from: Tue Oct 18 00:00:00 UTC 2016

· creator: Arthur Shoba

used

• optional:

- ogit/Person